

## SEAT 2010 Products List - 6131(8234) Products

Ver.4.5.1(Jan/5/2012)

Page	Category	No. of Products
2	Chip Beads	208
8	Chip Beads Array	5
9	Inductors	1775(2203)
64	Multilayer Ceramic Capacitors	3455(5013)
180	Multilayer Ceramic Capacitors Array	196(202)
186	3-Terminal Feed Through Multilayer Ceramic Capacitors	46
188	3-Terminal Filters	100
191	3-Terminal Filters Array	45
193	Band Stop Filters	8
194	Common Mode Filters	62
198	Common Mode Filters Array	9
199	Multi Line Common Mode Filters	6
200	Varistors	41
202	Varistors Array	6
203	Balun Transformers	77
206	NTC Thermistors	92(203)

## Chip Beads - 208 Products

## HFxxACB2012 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACB201209	Z =10ohm at 100MHz	
HF50ACB201209	Z =11ohm at 100MHz	
HF30ACB201209	Z =7ohm at 100MHz	

## HFxxACB3216 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACB321611	Z =26ohm at 100MHz	
HF50ACB321611	Z =31ohm at 100MHz	
HF30ACB321611	Z =19ohm at 100MHz	

## HFxxACB3225 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACB322513	Z =52ohm at 100MHz	
HF50ACB322513	Z =60ohm at 100MHz	
HF30ACB322513	Z =31ohm at 100MHz	

## HFxxACB4532 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACB453215	Z =120ohm at 100MHz	
HF50ACB453215	Z =125ohm at 100MHz	
HF30ACB453215	Z =70ohm at 100MHz	

## MMZ0402 Series - 3 Products

Product Name	Main Characteristic	Note
MMZ0402S100C	Z =10ohm at 100MHz	
MMZ0402S700C	Z =70ohm at 100MHz	
MMZ0402S121C	Z =120ohm at 100MHz	

## MMZ0603 Series - 16 Products

Product Name	Main Characteristic	Note
MMZ0603S100C	Z =10ohm at 100MHz	
MMZ0603S800C	Z =80ohm at 100MHz	
MMZ0603S121C	Z =120ohm at 100MHz	
MMZ0603S241C	Z =240ohm at 100MHz	
MMZ0603S471C	Z =470ohm at 100MHz	
MMZ0603S601C	Z =600ohm at 100MHz	
MMZ0603Y121C	Z =120ohm at 100MHz	
MMZ0603Y241C	Z =240ohm at 100MHz	
MMZ0603Y471C	Z =470ohm at 100MHz	
MMZ0603Y601C	Z =600ohm at 100MHz	
MMZ0603D330C	Z =33ohm at 100MHz	
MMZ0603D560C	Z =56ohm at 100MHz	
MMZ0603D800C	Z =80ohm at 100MHz	

MMZ0603F100C	Z =10ohm at 100MHz	
MMZ0603F220C	Z =22ohm at 100MHz	
MMZ0603F330C	Z =33ohm at 100MHz	

## MMZ1005 Series - 26 Products

Product Name	Main Characteristic	Note
MMZ1005B800C	Z =80ohm at 100MHz	
MMZ1005B121C	Z =120ohm at 100MHz	
MMZ1005B601C	Z =600ohm at 100MHz	
MMZ1005S800C	Z =80ohm at 100MHz	
MMZ1005S121C	Z =120ohm at 100MHz	
MMZ1005S241C	Z =240ohm at 100MHz	
MMZ1005S601C	Z =600ohm at 100MHz	
MMZ1005S102C	Z =1000ohm at 100MHz	
MMZ1005Y400C	Z =40ohm at 100MHz	
MMZ1005Y800C	Z =80ohm at 100MHz	
MMZ1005Y121C	Z =120ohm at 100MHz	
MMZ1005Y241C	Z =240ohm at 100MHz	
MMZ1005Y301C	Z =300ohm at 100MHz	
MMZ1005Y471C	Z =470ohm at 100MHz	
MMZ1005Y601C	Z =600ohm at 100MHz	
MMZ1005Y102C	Z =1000ohm at 100MHz	
MMZ1005Y152C	Z =1500ohm at 100MHz	
MMZ1005D100C	Z =10ohm at 100MHz	
MMZ1005D220C	Z =22ohm at 100MHz	
MMZ1005D330C	Z =33ohm at 100MHz	
MMZ1005D680C	Z =68ohm at 100MHz	
MMZ1005D121C	Z =120ohm at 100MHz	
MMZ1005D241C	Z =240ohm at 100MHz	
MMZ1005F330C	Z =33ohm at 100MHz	
MMZ1005F470C	Z =47ohm at 100MHz	
MMZ1005F560C	Z =56ohm at 100MHz	

## MMZ1005-E Series - 13 Products

Product Name	Main Characteristic	Note
MMZ1005S601E	Z =600ohm at 100MHz	
MMZ1005S102E	Z =1000ohm at 100MHz	
MMZ1005S182E	Z =1800ohm at 100MHz	
MMZ1005A601E	Z =600ohm at 100MHz	
MMZ1005A102E	Z =1000ohm at 100MHz	
MMZ1005A152E	Z =1500ohm at 100MHz	
MMZ1005A182E	Z =1800ohm at 100MHz	
MMZ1005A222E	Z =2200ohm at 100MHz	
MMZ1005D121E	Z =120ohm at 100MHz	
MMZ1005D221E	Z =220ohm at 100MHz	
MMZ1005F470E	Z =47ohm at 100MHz	
MMZ1005F750E	Z =75ohm at 100MHz	
MMZ1005F121E	Z =120ohm at 100MHz	

## MMZ1608 Series - 58 Products

Product Name	Main Characteristic	Note
MMZ1608B121C	Z =120ohm at 100MHz	
MMZ1608B221C	Z =220ohm at 100MHz	
MMZ1608B301C	Z =300ohm at 100MHz	
MMZ1608B471C	Z =470ohm at 100MHz	
MMZ1608B601C	Z =600ohm at 100MHz	
MMZ1608B102C	Z =1000ohm at 100MHz	
MMZ1608R150A	Z =15ohm at 100MHz	
MMZ1608R300A	Z =30ohm at 100MHz	
MMZ1608R600A	Z =60ohm at 100MHz	
MMZ1608R121A	Z =120ohm at 100MHz	
MMZ1608R301A	Z =300ohm at 100MHz	
MMZ1608R471A	Z =470ohm at 100MHz	
MMZ1608R601A	Z =600ohm at 100MHz	
MMZ1608R102A	Z =1000ohm at 100MHz	
MMZ1608S400A	Z =40ohm at 100MHz	
MMZ1608S800A	Z =80ohm at 100MHz	
MMZ1608S121A	Z =120ohm at 100MHz	
MMZ1608S181A	Z =180ohm at 100MHz	
MMZ1608S221A	Z =220ohm at 100MHz	
MMZ1608S301A	Z =300ohm at 100MHz	
MMZ1608S471A	Z =470ohm at 100MHz	
MMZ1608S601A	Z =600ohm at 100MHz	
MMZ1608S102A	Z =1000ohm at 100MHz	
MMZ1608S202A	Z =2000ohm at 100MHz	
MMZ1608Y150B	Z =15ohm at 100MHz	
MMZ1608Y300B	Z =30ohm at 100MHz	
MMZ1608Y600B	Z =60ohm at 100MHz	
MMZ1608Y121B	Z =120ohm at 100MHz	
MMZ1608Y221B	Z =220ohm at 100MHz	
MMZ1608Y301B	Z =300ohm at 100MHz	
MMZ1608Y471B	Z =470ohm at 100MHz	
MMZ1608Y601B	Z =600ohm at 100MHz	
MMZ1608Y751B	Z =750ohm at 100MHz	
MMZ1608Y102B	Z =1000ohm at 100MHz	
MMZ1608Y152B	Z =1500ohm at 100MHz	
MMZ1608A182B	Z =1800ohm at 100MHz	
MMZ1608A222B	Z =2200ohm at 100MHz	
MMZ1608A252B	Z =2500ohm at 100MHz	
MMZ1608Q121B	Z =120ohm at 100MHz	
MMZ1608Q221B	Z =220ohm at 100MHz	
MMZ1608Q331B	Z =330ohm at 100MHz	
MMZ1608Q471B	Z =470ohm at 100MHz	
MMZ1608Q601B	Z =600ohm at 100MHz	
MMZ1608Q102B	Z =1000ohm at 100MHz	
MMZ1608D800B	Z =80ohm at 100MHz	

MMZ1608D121B	Z =120ohm at 100MHz	
MMZ1608D301B	Z =300ohm at 100MHz	
MMZ1608D050C	Z =5ohm at 100MHz	
MMZ1608D100C	Z =10ohm at 100MHz	
MMZ1608D220C	Z =22ohm at 100MHz	
MMZ1608D500C	Z =50ohm at 100MHz	
MMZ1608D800C	Z =80ohm at 100MHz	
MMZ1608D121C	Z =120ohm at 100MHz	
MMZ1608D241C	Z =240ohm at 100MHz	
MMZ1608F030B	Z =3ohm at 100MHz	
MMZ1608F470B	Z =47ohm at 100MHz	
MMZ1608F750B	Z =75ohm at 100MHz	
MMZ1608F121B	Z =120ohm at 100MHz	

## MMZ2012 Series - 26 Products

Product Name	Main Characteristic	Note
MMZ2012R150A	Z =15ohm at 100MHz	
MMZ2012R300A	Z =30ohm at 100MHz	
MMZ2012R600A	Z =60ohm at 100MHz	
MMZ2012R121A	Z =120ohm at 100MHz	
MMZ2012R301A	Z =300ohm at 100MHz	
MMZ2012R601A	Z =600ohm at 100MHz	
MMZ2012R102A	Z =1000ohm at 100MHz	
MMZ2012S400A	Z =40ohm at 100MHz	
MMZ2012S800A	Z =80ohm at 100MHz	
MMZ2012S121A	Z =120ohm at 100MHz	
MMZ2012S181A	Z =180ohm at 100MHz	
MMZ2012S301A	Z =300ohm at 100MHz	
MMZ2012S601A	Z =600ohm at 100MHz	
MMZ2012S102A	Z =1000ohm at 100MHz	
MMZ2012Y150B	Z =15ohm at 100MHz	
MMZ2012Y300B	Z =30ohm at 100MHz	
MMZ2012Y600B	Z =60ohm at 100MHz	
MMZ2012Y121B	Z =120ohm at 100MHz	
MMZ2012Y301B	Z =300ohm at 100MHz	
MMZ2012Y601B	Z =600ohm at 100MHz	
MMZ2012Y102B	Z =1000ohm at 100MHz	
MMZ2012Y152B	Z =1500ohm at 100MHz	
MMZ2012Y202B	Z =2000ohm at 100MHz	
MMZ2012D800B	Z =80ohm at 100MHz	
MMZ2012D121B	Z =120ohm at 100MHz	
MMZ2012D301B	Z =300ohm at 100MHz	

## MPZ0603 Series - 3 Products

Product Name	Main Characteristic	Note
MPZ0603S220C	Z =22ohm at 100MHz	
MPZ0603S330C	Z =33ohm at 100MHz	
MPZ0603S470C	Z =47ohm at 100MHz	

## MPZ1005 Series - 5 Products

Product Name	Main Characteristic	Note
MPZ1005S100C	Z =10ohm at 100MHz	
MPZ1005S300C	Z =30ohm at 100MHz	
MPZ1005S600C	Z =60ohm at 100MHz	
MPZ1005S121C	Z =120ohm at 100MHz	
MPZ1005Y900C	Z =90ohm at 100MHz	

## MPZ1608 Series - 19 Products

Product Name	Main Characteristic	Note
MPZ1608B471A	Z =470ohm at 100MHz	
MPZ1608R391A	Z =390ohm at 100MHz	
MPZ1608S300A	Z =30ohm at 100MHz	
MPZ1608S600A	Z =60ohm at 100MHz	
MPZ1608S101A	Z =100ohm at 100MHz	
MPZ1608S121A	Z =120ohm at 100MHz	
MPZ1608S181A	Z =180ohm at 100MHz	
MPZ1608S221A	Z =220ohm at 100MHz	
MPZ1608S331A	Z =330ohm at 100MHz	
MPZ1608S471A	Z =470ohm at 100MHz	
MPZ1608S601A	Z =600ohm at 100MHz	
MPZ1608S102A	Z =1000ohm at 100MHz	
MPZ1608Y600B	Z =60ohm at 100MHz	
MPZ1608Y101B	Z =100ohm at 100MHz	
MPZ1608Y151B	Z =150ohm at 100MHz	
MPZ1608Y221B	Z =220ohm at 100MHz	
MPZ1608D300B	Z =30ohm at 100MHz	
MPZ1608D600B	Z =60ohm at 100MHz	
MPZ1608D101B	Z =100ohm at 100MHz	

## MPZ2012 Series - 6 Products

Product Name	Main Characteristic	Note
MPZ2012S300A	Z =30ohm at 100MHz	
MPZ2012S101A	Z =100ohm at 100MHz	
MPZ2012S221A	Z =220ohm at 100MHz	
MPZ2012S331A	Z =330ohm at 100MHz	
MPZ2012S601A	Z =600ohm at 100MHz	
MPZ2012S102A	Z =1000ohm at 100MHz	

## HFxxACC2012 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACC201209	Z =10ohm at 100MHz	
HF50ACC201209	Z =11ohm at 100MHz	
HF30ACC201209	Z =7ohm at 100MHz	

## HFxxACC3216 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACC321611	Z =26ohm at 100MHz	
HF50ACC321611	Z =31ohm at 100MHz	
HF30ACC321611	Z =19ohm at 100MHz	

## HFxxACC3225 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACC322513	Z =52ohm at 100MHz	
HF50ACC322513	Z =60ohm at 100MHz	
HF30ACC322513	Z =31ohm at 100MHz	

## HFxxACC4532 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACC453215	Z =120ohm at 100MHz	
HF50ACC453215	Z =125ohm at 100MHz	
HF30ACC453215	Z =70ohm at 100MHz	

## HFxxACC5750 Series - 6 Products

Product Name	Main Characteristic	Note
HF70ACC575018	Z =150ohm at 100MHz	
HF70ACC575032	Z =180ohm at 100MHz	
HF50ACC575018	Z =100ohm at 100MHz	
HF50ACC575032	Z =300ohm at 100MHz	
HF30ACC575018	Z =400ohm at 100MHz	
HF30ACC575032	Z =270ohm at 100MHz	

## HFxxACC6350 Series - 3 Products

Product Name	Main Characteristic	Note
HF70ACC635050	Z =500ohm at 100MHz	
HF50ACC635050	Z =600ohm at 100MHz	
HF30ACC635050	Z =750ohm at 100MHz	

## Chip Beads Array - 5 Products

## MCZ1210 Series - 5 Products

Product Name	Main Characteristic	Note
MCZ1210AD900T002	Zopen =90ohm at 100MHz	
MCZ1210AD121T002	Zopen =120ohm at 100MHz	
MCZ1210AD121T	Zopen =120ohm at 100MHz	
MCZ1210AD221T	Zopen =220ohm at 100MHz	
MCZ1210AD102T	Zopen =1000ohm at 100MHz	

## Inductors - 1775(2203) Products

## CLF7045 Series - 8 Products

Product Name	Main Characteristic	Note
CLF7045T-1R5N	L=1.5uH at 100kHz	
CLF7045T-2R2N	L=2.2uH at 100kHz	
CLF7045T-3R3N	L=3.3uH at 100kHz	
CLF7045T-4R7N	L=4.7uH at 100kHz	
CLF7045T-6R8N	L=6.8uH at 100kHz	
CLF7045T-100M	L=10uH at 100kHz	
CLF7045T-150M	L=15uH at 100kHz	
CLF7045T-220M	L=22uH at 100kHz	

## CLF10040 Series - 8 Products

Product Name	Main Characteristic	Note
CLF10040T-1R5N	L=1.5uH at 100kHz	
CLF10040T-2R2N	L=2.2uH at 100kHz	
CLF10040T-3R3N	L=3.3uH at 100kHz	
CLF10040T-4R7N	L=4.7uH at 100kHz	
CLF10040T-6R8N	L=6.8uH at 100kHz	
CLF10040T-100M	L=10uH at 100kHz	
CLF10040T-150M	L=15uH at 100kHz	
CLF10040T-220M	L=22uH at 100kHz	

## GLFR1608 Series - 13 Products

Product Name	Main Characteristic	Note
GLFR1608T1R0M-LR	L=1.0uH at 7.96MHz	
GLFR1608T1R5M-LR	L=1.5uH at 7.96MHz	
GLFR1608T2R2M-LR	L=2.2uH at 7.96MHz	
GLFR1608T3R3M-LR	L=3.3uH at 7.96MHz	
GLFR1608T4R7M-LR	L=4.7uH at 7.96MHz	
GLFR1608T6R8M-LR	L=6.8uH at 7.96MHz	
GLFR1608T100M-LR	L=10uH at 2.52MHz	
GLFR1608T150M-LR	L=15uH at 2.52MHz	
GLFR1608T220M-LR	L=22uH at 2.52MHz	
GLFR1608T330M-LR	L=33uH at 2.52MHz	
GLFR1608T470M-LR	L=47uH at 2.52MHz	
GLFR1608T680M-LR	L=68uH at 2.52MHz	
GLFR1608T101M-LR	L=100uH at 2.52MHz	

## LTF5018 Series - 2 Products

Product Name	Main Characteristic	Note
LTF5018T-4R7N1R2-LC	L=4.7uH at 100kHz	
LTF5018T-6R8N1R0-LC	L=6.8uH at 100kHz	

## LTF5022 Series - 10 Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

LTF5022T-1R2N4R2-LC	L=1.2uH at 100kHz	
LTF5022T-1R5N3R6-LC	L=1.5uH at 100kHz	
LTF5022T-1R8N3R6-LC	L=1.8uH at 100kHz	
LTF5022T-2R2N3R2-LC	L=2.2uH at 100kHz	
LTF5022T-3R3N2R5-LC	L=3.3uH at 100kHz	
LTF5022T-4R7N2R0-LC	L=4.7uH at 100kHz	
LTF5022T-6R8N1R6-LC	L=6.8uH at 100kHz	
LTF5022T-100M1R4-LC	L=10uH at 100kHz	
LTF5022T-220MR98-LC	L=22uH at 100kHz	
LTF5022T-101MR45-LC	L=100uH at 100kHz	

## MLF1005L Series - 17 Products

Product Name	Main Characteristic	Note
MLF1005LR10K	L=0.10uH at 25MHz	
MLF1005LR12K	L=0.12uH at 25MHz	
MLF1005LR15K	L=0.15uH at 25MHz	
MLF1005LR18K	L=0.18uH at 25MHz	
MLF1005LR22K	L=0.22uH at 25MHz	
MLF1005LR27K	L=0.27uH at 25MHz	
MLF1005LR33K	L=0.33uH at 25MHz	
MLF1005LR39K	L=0.39uH at 10MHz	
MLF1005LR47K	L=0.47uH at 10MHz	
MLF1005LR56K	L=0.56uH at 10MHz	
MLF1005LR68K	L=0.68uH at 10MHz	
MLF1005LR82K	L=0.82uH at 10MHz	
MLF1005L1R0K	L=1.0uH at 10MHz	
MLF1005L1R2K	L=1.2uH at 10MHz	
MLF1005L1R5K	L=1.5uH at 10MHz	
MLF1005L1R8K	L=1.8uH at 10MHz	
MLF1005L2R2K	L=2.2uH at 10MHz	

## MLF1608 Series - 34(65) Products

Product Name	Main Characteristic	Note
MLF1608D47NM	L=0.047uH at 50MHz	
MLF1608D68NM	L=0.068uH at 50MHz	
MLF1608D82NM	L=0.082uH at 50MHz	
MLF1608DR10K	L=0.10uH at 25MHz	
MLF1608DR10M	L=0.10uH at 25MHz	Hide in Default
MLF1608DR12K	L=0.12uH at 25MHz	
MLF1608DR12M	L=0.12uH at 25MHz	Hide in Default
MLF1608DR15K	L=0.15uH at 25MHz	
MLF1608DR15M	L=0.15uH at 25MHz	Hide in Default
MLF1608DR18K	L=0.18uH at 25MHz	
MLF1608DR18M	L=0.18uH at 25MHz	Hide in Default
MLF1608DR22K	L=0.22uH at 25MHz	
MLF1608DR22M	L=0.22uH at 25MHz	Hide in Default
MLF1608DR27K	L=0.27uH at 25MHz	
MLF1608DR27M	L=0.27uH at 25MHz	Hide in Default

MLF1608DR33K	L=0.33uH at 25MHz	
MLF1608DR33M	L=0.33uH at 25MHz	Hide in Default
MLF1608DR39K	L=0.39uH at 25MHz	
MLF1608DR39M	L=0.39uH at 25MHz	Hide in Default
MLF1608DR47K	L=0.47uH at 25MHz	
MLF1608DR47M	L=0.47uH at 25MHz	Hide in Default
MLF1608DR56K	L=0.56uH at 25MHz	
MLF1608DR56M	L=0.56uH at 25MHz	Hide in Default
MLF1608DR68K	L=0.68uH at 25MHz	
MLF1608DR68M	L=0.68uH at 25MHz	Hide in Default
MLF1608DR82K	L=0.82uH at 25MHz	
MLF1608DR82M	L=0.82uH at 25MHz	Hide in Default
MLF1608A1R0K	L=1.0uH at 10MHz	
MLF1608A1R0M	L=1.0uH at 10MHz	Hide in Default
MLF1608A1R2K	L=1.2uH at 10MHz	
MLF1608A1R2M	L=1.2uH at 10MHz	Hide in Default
MLF1608A1R5K	L=1.5uH at 10MHz	
MLF1608A1R5M	L=1.5uH at 10MHz	Hide in Default
MLF1608A1R8K	L=1.8uH at 10MHz	
MLF1608A1R8M	L=1.8uH at 10MHz	Hide in Default
MLF1608A2R2K	L=2.2uH at 10MHz	
MLF1608A2R2M	L=2.2uH at 10MHz	Hide in Default
MLF1608A2R7K	L=2.7uH at 10MHz	
MLF1608A2R7M	L=2.7uH at 10MHz	Hide in Default
MLF1608A3R3K	L=3.3uH at 10MHz	
MLF1608A3R3M	L=3.3uH at 10MHz	Hide in Default
MLF1608A3R9K	L=3.9uH at 10MHz	
MLF1608A3R9M	L=3.9uH at 10MHz	Hide in Default
MLF1608A4R7K	L=4.7uH at 10MHz	
MLF1608A4R7M	L=4.7uH at 10MHz	Hide in Default
MLF1608E5R6K	L=5.6uH at 4MHz	
MLF1608E5R6M	L=5.6uH at 4MHz	Hide in Default
MLF1608E6R8K	L=6.8uH at 4MHz	
MLF1608E6R8M	L=6.8uH at 4MHz	Hide in Default
MLF1608E8R2K	L=8.2uH at 4MHz	
MLF1608E8R2M	L=8.2uH at 4MHz	Hide in Default
MLF1608E100K	L=10uH at 2MHz	
MLF1608E100M	L=10uH at 2MHz	Hide in Default
MLF1608E120K	L=12uH at 2MHz	
MLF1608E120M	L=12uH at 2MHz	Hide in Default
MLF1608C150K	L=15uH at 1MHz	
MLF1608C150M	L=15uH at 1MHz	Hide in Default
MLF1608C180K	L=18uH at 1MHz	
MLF1608C180M	L=18uH at 1MHz	Hide in Default
MLF1608C220K	L=22uH at 1MHz	
MLF1608C220M	L=22uH at 1MHz	Hide in Default
MLF1608C270K	L=27uH at 1MHz	
MLF1608C270M	L=27uH at 1MHz	Hide in Default

MLF1608C330K	L=33uH at 1MHz	
MLF1608C330M	L=33uH at 1MHz	Hide in Default

## MLF1608-J Series - 26 Products

Product Name	Main Characteristic	Note
MLF1608DR10J	L=0.10uH at 25MHz	
MLF1608DR12J	L=0.12uH at 25MHz	
MLF1608DR15J	L=0.15uH at 25MHz	
MLF1608DR18J	L=0.18uH at 25MHz	
MLF1608DR22J	L=0.22uH at 25MHz	
MLF1608DR27J	L=0.27uH at 25MHz	
MLF1608DR33J	L=0.33uH at 25MHz	
MLF1608DR39J	L=0.39uH at 25MHz	
MLF1608DR47J	L=0.47uH at 25MHz	
MLF1608DR56J	L=0.56uH at 25MHz	
MLF1608DR68J	L=0.68uH at 25MHz	
MLF1608DR82J	L=0.82uH at 25MHz	
MLF1608A1R0J	L=1.0uH at 10MHz	
MLF1608A1R2J	L=1.2uH at 10MHz	
MLF1608A1R5J	L=1.5uH at 10MHz	
MLF1608A1R8J	L=1.8uH at 10MHz	
MLF1608A2R2J	L=2.2uH at 10MHz	
MLF1608A2R7J	L=2.7uH at 10MHz	
MLF1608A3R3J	L=3.3uH at 10MHz	
MLF1608A3R9J	L=3.9uH at 10MHz	
MLF1608A4R7J	L=4.7uH at 10MHz	
MLF1608E5R6J	L=5.6uH at 4MHz	
MLF1608E6R8J	L=6.8uH at 4MHz	
MLF1608E8R2J	L=8.2uH at 4MHz	
MLF1608E100J	L=10uH at 2MHz	
MLF1608E120J	L=12uH at 2MHz	

## MLF2012 Series - 40(77) Products

Product Name	Main Characteristic	Note
MLF2012D47NM	L=0.047uH at 50MHz	
MLF2012D68NM	L=0.068uH at 50MHz	
MLF2012D82NM	L=0.082uH at 50MHz	
MLF2012DR10K	L=0.10uH at 25MHz	
MLF2012DR10M	L=0.10uH at 25MHz	Hide in Default
MLF2012DR12K	L=0.12uH at 25MHz	
MLF2012DR12M	L=0.12uH at 25MHz	Hide in Default
MLF2012DR15K	L=0.15uH at 25MHz	
MLF2012DR15M	L=0.15uH at 25MHz	Hide in Default
MLF2012DR18K	L=0.18uH at 25MHz	
MLF2012DR18M	L=0.18uH at 25MHz	Hide in Default
MLF2012DR22K	L=0.22uH at 25MHz	
MLF2012DR22M	L=0.22uH at 25MHz	Hide in Default
MLF2012DR27K	L=0.27uH at 25MHz	

MLF2012DR27M	L=0.27uH at 25MHz	Hide in Default
MLF2012DR33K	L=0.33uH at 25MHz	
MLF2012DR33M	L=0.33uH at 25MHz	Hide in Default
MLF2012DR39K	L=0.39uH at 25MHz	
MLF2012DR39M	L=0.39uH at 25MHz	Hide in Default
MLF2012DR47K	L=0.47uH at 25MHz	
MLF2012DR47M	L=0.47uH at 25MHz	Hide in Default
MLF2012DR56K	L=0.56uH at 25MHz	
MLF2012DR56M	L=0.56uH at 25MHz	Hide in Default
MLF2012DR68K	L=0.68uH at 25MHz	
MLF2012DR68M	L=0.68uH at 25MHz	Hide in Default
MLF2012DR82K	L=0.82uH at 25MHz	
MLF2012DR82M	L=0.82uH at 25MHz	Hide in Default
MLF2012A1R0K	L=1.0uH at 10MHz	
MLF2012A1R0M	L=1.0uH at 10MHz	Hide in Default
MLF2012A1R2K	L=1.2uH at 10MHz	
MLF2012A1R2M	L=1.2uH at 10MHz	Hide in Default
MLF2012A1R5K	L=1.5uH at 10MHz	
MLF2012A1R5M	L=1.5uH at 10MHz	Hide in Default
MLF2012A1R8K	L=1.8uH at 10MHz	
MLF2012A1R8M	L=1.8uH at 10MHz	Hide in Default
MLF2012A2R2K	L=2.2uH at 10MHz	
MLF2012A2R2M	L=2.2uH at 10MHz	Hide in Default
MLF2012A2R7K	L=2.7uH at 10MHz	
MLF2012A2R7M	L=2.7uH at 10MHz	Hide in Default
MLF2012A3R3K	L=3.3uH at 10MHz	
MLF2012A3R3M	L=3.3uH at 10MHz	Hide in Default
MLF2012A3R9K	L=3.9uH at 10MHz	
MLF2012A3R9M	L=3.9uH at 10MHz	Hide in Default
MLF2012A4R7K	L=4.7uH at 10MHz	
MLF2012A4R7M	L=4.7uH at 10MHz	Hide in Default
MLF2012E5R6K	L=5.6uH at 4MHz	
MLF2012E5R6M	L=5.6uH at 4MHz	Hide in Default
MLF2012E6R8K	L=6.8uH at 4MHz	
MLF2012E6R8M	L=6.8uH at 4MHz	Hide in Default
MLF2012E8R2K	L=8.2uH at 4MHz	
MLF2012E8R2M	L=8.2uH at 4MHz	Hide in Default
MLF2012E100K	L=10uH at 2MHz	
MLF2012E100M	L=10uH at 2MHz	Hide in Default
MLF2012E120K	L=12uH at 2MHz	
MLF2012E120M	L=12uH at 2MHz	Hide in Default
MLF2012C150K	L=15uH at 1MHz	
MLF2012C150M	L=15uH at 1MHz	Hide in Default
MLF2012C180K	L=18uH at 1MHz	
MLF2012C180M	L=18uH at 1MHz	Hide in Default
MLF2012C220K	L=22uH at 1MHz	
MLF2012C220M	L=22uH at 1MHz	Hide in Default
MLF2012C270K	L=27uH at 1MHz	

MLF2012C270M	L=27uH at 1MHz	Hide in Default
MLF2012C330K	L=33uH at 0.4MHz	
MLF2012C330M	L=33uH at 0.4MHz	Hide in Default
MLF2012K390K	L=39uH at 2MHz	
MLF2012K390M	L=39uH at 2MHz	Hide in Default
MLF2012K470K	L=47uH at 2MHz	
MLF2012K470M	L=47uH at 2MHz	Hide in Default
MLF2012K560K	L=56uH at 2MHz	
MLF2012K560M	L=56uH at 2MHz	Hide in Default
MLF2012C680K	L=68uH at 1MHz	
MLF2012C680M	L=68uH at 1MHz	Hide in Default
MLF2012C820K	L=82uH at 1MHz	
MLF2012C820M	L=82uH at 1MHz	Hide in Default
MLF2012C101K	L=100uH at 1MHz	
MLF2012C101M	L=100uH at 1MHz	Hide in Default

## MLF2012-J Series - 26 Products

Product Name	Main Characteristic	Note
MLF2012DR10J	L=0.10uH at 25MHz	
MLF2012DR12J	L=0.12uH at 25MHz	
MLF2012DR15J	L=0.15uH at 25MHz	
MLF2012DR18J	L=0.18uH at 25MHz	
MLF2012DR22J	L=0.22uH at 25MHz	
MLF2012DR27J	L=0.27uH at 25MHz	
MLF2012DR33J	L=0.33uH at 25MHz	
MLF2012DR39J	L=0.39uH at 25MHz	
MLF2012DR47J	L=0.47uH at 25MHz	
MLF2012DR56J	L=0.56uH at 25MHz	
MLF2012DR68J	L=0.68uH at 25MHz	
MLF2012DR82J	L=0.82uH at 25MHz	
MLF2012A1R0J	L=1.0uH at 10MHz	
MLF2012A1R2J	L=1.2uH at 10MHz	
MLF2012A1R5J	L=1.5uH at 10MHz	
MLF2012A1R8J	L=1.8uH at 10MHz	
MLF2012A2R2J	L=2.2uH at 10MHz	
MLF2012A2R7J	L=2.7uH at 10MHz	
MLF2012A3R3J	L=3.3uH at 10MHz	
MLF2012A3R9J	L=3.9uH at 10MHz	
MLF2012A4R7J	L=4.7uH at 10MHz	
MLF2012E5R6J	L=5.6uH at 4MHz	
MLF2012E6R8J	L=6.8uH at 4MHz	
MLF2012E8R2J	L=8.2uH at 4MHz	
MLF2012E100J	L=10uH at 2MHz	
MLF2012E120J	L=12uH at 2MHz	

## MLG0603S Series - 62(139) Products

Product Name	Main Characteristic	Note
MLG0603S0N3BT	L=0.3nH at 100MHz	Hide in Default

MLG0603S0N3CT	L=0.3nH at 100MHz	
MLG0603S0N4BT	L=0.4nH at 100MHz	Hide in Default
MLG0603S0N4CT	L=0.4nH at 100MHz	
MLG0603S0N5BT	L=0.5nH at 100MHz	Hide in Default
MLG0603S0N5CT	L=0.5nH at 100MHz	
MLG0603S0N6BT	L=0.6nH at 100MHz	Hide in Default
MLG0603S0N6CT	L=0.6nH at 100MHz	
MLG0603S0N7BT	L=0.7nH at 100MHz	Hide in Default
MLG0603S0N7CT	L=0.7nH at 100MHz	
MLG0603S0N8BT	L=0.8nH at 100MHz	Hide in Default
MLG0603S0N8CT	L=0.8nH at 100MHz	
MLG0603S0N9BT	L=0.9nH at 100MHz	Hide in Default
MLG0603S0N9CT	L=0.9nH at 100MHz	
MLG0603S1N0BT	L=1.0nH at 100MHz	Hide in Default
MLG0603S1N0CT	L=1.0nH at 100MHz	
MLG0603S1N0ST	L=1.0nH at 100MHz	Hide in Default
MLG0603S1N1BT	L=1.1nH at 100MHz	Hide in Default
MLG0603S1N1CT	L=1.1nH at 100MHz	
MLG0603S1N1ST	L=1.1nH at 100MHz	Hide in Default
MLG0603S1N2BT	L=1.2nH at 100MHz	Hide in Default
MLG0603S1N2CT	L=1.2nH at 100MHz	
MLG0603S1N2ST	L=1.2nH at 100MHz	Hide in Default
MLG0603S1N3BT	L=1.3nH at 100MHz	Hide in Default
MLG0603S1N3CT	L=1.3nH at 100MHz	
MLG0603S1N3ST	L=1.3nH at 100MHz	Hide in Default
MLG0603S1N5BT	L=1.5nH at 100MHz	Hide in Default
MLG0603S1N5CT	L=1.5nH at 100MHz	
MLG0603S1N5ST	L=1.5nH at 100MHz	Hide in Default
MLG0603S1N6BT	L=1.6nH at 100MHz	Hide in Default
MLG0603S1N6CT	L=1.6nH at 100MHz	
MLG0603S1N6ST	L=1.6nH at 100MHz	Hide in Default
MLG0603S1N8BT	L=1.8nH at 100MHz	Hide in Default
MLG0603S1N8CT	L=1.8nH at 100MHz	
MLG0603S1N8ST	L=1.8nH at 100MHz	Hide in Default
MLG0603S2N0BT	L=2.0nH at 100MHz	Hide in Default
MLG0603S2N0CT	L=2.0nH at 100MHz	
MLG0603S2N0ST	L=2.0nH at 100MHz	Hide in Default
MLG0603S2N2BT	L=2.2nH at 100MHz	Hide in Default
MLG0603S2N2CT	L=2.2nH at 100MHz	
MLG0603S2N2ST	L=2.2nH at 100MHz	Hide in Default
MLG0603S2N4BT	L=2.4nH at 100MHz	Hide in Default
MLG0603S2N4CT	L=2.4nH at 100MHz	
MLG0603S2N4ST	L=2.4nH at 100MHz	Hide in Default
MLG0603S2N7BT	L=2.7nH at 100MHz	Hide in Default
MLG0603S2N7CT	L=2.7nH at 100MHz	
MLG0603S2N7ST	L=2.7nH at 100MHz	Hide in Default
MLG0603S3N0BT	L=3.0nH at 100MHz	Hide in Default
MLG0603S3N0CT	L=3.0nH at 100MHz	

MLG0603S3N0ST	L=3.0nH at 100MHz	Hide in Default
MLG0603S3N3BT	L=3.3nH at 100MHz	Hide in Default
MLG0603S3N3CT	L=3.3nH at 100MHz	
MLG0603S3N3ST	L=3.3nH at 100MHz	Hide in Default
MLG0603S3N6BT	L=3.6nH at 100MHz	Hide in Default
MLG0603S3N6CT	L=3.6nH at 100MHz	
MLG0603S3N6ST	L=3.6nH at 100MHz	Hide in Default
MLG0603S3N9BT	L=3.9nH at 100MHz	Hide in Default
MLG0603S3N9CT	L=3.9nH at 100MHz	
MLG0603S3N9ST	L=3.9nH at 100MHz	Hide in Default
MLG0603S4N3ST	L=4.3nH at 100MHz	
MLG0603S4N3HT	L=4.3nH at 100MHz	Hide in Default
MLG0603S4N7ST	L=4.7nH at 100MHz	
MLG0603S4N7HT	L=4.7nH at 100MHz	Hide in Default
MLG0603S5N1ST	L=5.1nH at 100MHz	
MLG0603S5N1HT	L=5.1nH at 100MHz	Hide in Default
MLG0603S5N6ST	L=5.6nH at 100MHz	
MLG0603S5N6HT	L=5.6nH at 100MHz	Hide in Default
MLG0603S6N2ST	L=6.2nH at 100MHz	
MLG0603S6N2HT	L=6.2nH at 100MHz	Hide in Default
MLG0603S6N8HT	L=6.8nH at 100MHz	Hide in Default
MLG0603S6N8JT	L=6.8nH at 100MHz	
MLG0603S7N5HT	L=7.5nH at 100MHz	Hide in Default
MLG0603S7N5JT	L=7.5nH at 100MHz	
MLG0603S8N2HT	L=8.2nH at 100MHz	Hide in Default
MLG0603S8N2JT	L=8.2nH at 100MHz	
MLG0603S9N1HT	L=9.1nH at 100MHz	Hide in Default
MLG0603S9N1JT	L=9.1nH at 100MHz	
MLG0603S10NHT	L=10nH at 100MHz	Hide in Default
MLG0603S10NJT	L=10nH at 100MHz	
MLG0603S11NHT	L=11nH at 100MHz	Hide in Default
MLG0603S11NJT	L=11nH at 100MHz	
MLG0603S12NHT	L=12nH at 100MHz	Hide in Default
MLG0603S12NJT	L=12nH at 100MHz	
MLG0603S13NHT	L=13nH at 100MHz	Hide in Default
MLG0603S13NJT	L=13nH at 100MHz	
MLG0603S15NHT	L=15nH at 100MHz	Hide in Default
MLG0603S15NJT	L=15nH at 100MHz	
MLG0603S16NHT	L=16nH at 100MHz	Hide in Default
MLG0603S16NJT	L=16nH at 100MHz	
MLG0603S18NHT	L=18nH at 100MHz	Hide in Default
MLG0603S18NJT	L=18nH at 100MHz	
MLG0603S20NHT	L=20nH at 100MHz	Hide in Default
MLG0603S20NJT	L=20nH at 100MHz	
MLG0603S22NHT	L=22nH at 100MHz	Hide in Default
MLG0603S22NJT	L=22nH at 100MHz	
MLG0603S24NHT	L=24nH at 100MHz	Hide in Default
MLG0603S24NJT	L=24nH at 100MHz	

MLG0603S27NHT	L=27nH at 100MHz	Hide in Default
MLG0603S27NJT	L=27nH at 100MHz	
MLG0603S30NHT	L=30nH at 100MHz	Hide in Default
MLG0603S30NJT	L=30nH at 100MHz	
MLG0603S33NHT	L=33nH at 100MHz	Hide in Default
MLG0603S33NJT	L=33nH at 100MHz	
MLG0603S36NHT	L=36nH at 100MHz	Hide in Default
MLG0603S36NJT	L=36nH at 100MHz	
MLG0603S39NHT	L=39nH at 100MHz	Hide in Default
MLG0603S39NJT	L=39nH at 100MHz	
MLG0603S43NHT	L=43nH at 100MHz	Hide in Default
MLG0603S43NJT	L=43nH at 100MHz	
MLG0603S47NHT	L=47nH at 100MHz	Hide in Default
MLG0603S47NJT	L=47nH at 100MHz	
MLG0603S51NHT	L=51nH at 100MHz	Hide in Default
MLG0603S51NJT	L=51nH at 100MHz	
MLG0603S56NHT	L=56nH at 100MHz	Hide in Default
MLG0603S56NJT	L=56nH at 100MHz	
MLG0603S62NHT	L=62nH at 100MHz	Hide in Default
MLG0603S62NJT	L=62nH at 100MHz	
MLG0603S68NHT	L=68nH at 100MHz	Hide in Default
MLG0603S68NJT	L=68nH at 100MHz	
MLG0603S75NHT	L=75nH at 100MHz	Hide in Default
MLG0603S75NJT	L=75nH at 100MHz	
MLG0603S82NHT	L=82nH at 100MHz	Hide in Default
MLG0603S82NJT	L=82nH at 100MHz	
MLG0603S91NHT	L=91nH at 100MHz	Hide in Default
MLG0603S91NJT	L=91nH at 100MHz	
MLG0603SR10HT	L=100nH at 100MHz	Hide in Default
MLG0603SR10JT	L=100nH at 100MHz	
MLG0603SR11HT	L=110nH at 100MHz	Hide in Default
MLG0603SR11JT	L=110nH at 100MHz	
MLG0603SR12HT	L=120nH at 100MHz	Hide in Default
MLG0603SR12JT	L=120nH at 100MHz	
MLG0603SR13HT	L=130nH at 100MHz	Hide in Default
MLG0603SR13JT	L=130nH at 100MHz	
MLG0603SR15HT	L=150nH at 100MHz	Hide in Default
MLG0603SR15JT	L=150nH at 100MHz	
MLG0603SR16HT	L=160nH at 100MHz	Hide in Default
MLG0603SR16JT	L=160nH at 100MHz	
MLG0603SR18HT	L=180nH at 100MHz	Hide in Default
MLG0603SR18JT	L=180nH at 100MHz	

## MLG1005S Series - 70(155) Products

Product Name	Main Characteristic	Note
MLG1005S0N3BT	L=0.3nH at 100MHz	Hide in Default
MLG1005S0N3CT	L=0.3nH at 100MHz	
MLG1005S0N4BT	L=0.4nH at 100MHz	Hide in Default

MLG1005S0N4CT	L=0.4nH at 100MHz	
MLG1005S0N5BT	L=0.5nH at 100MHz	Hide in Default
MLG1005S0N5CT	L=0.5nH at 100MHz	
MLG1005S0N6BT	L=0.6nH at 100MHz	Hide in Default
MLG1005S0N6CT	L=0.6nH at 100MHz	
MLG1005S0N7BT	L=0.7nH at 100MHz	Hide in Default
MLG1005S0N7CT	L=0.7nH at 100MHz	
MLG1005S0N8BT	L=0.8nH at 100MHz	Hide in Default
MLG1005S0N8CT	L=0.8nH at 100MHz	
MLG1005S0N9BT	L=0.9nH at 100MHz	Hide in Default
MLG1005S0N9CT	L=0.9nH at 100MHz	
MLG1005S1N0BT	L=1.0nH at 100MHz	Hide in Default
MLG1005S1N0CT	L=1.0nH at 100MHz	
MLG1005S1N0ST	L=1.0nH at 100MHz	Hide in Default
MLG1005S1N1BT	L=1.1nH at 100MHz	Hide in Default
MLG1005S1N1CT	L=1.1nH at 100MHz	
MLG1005S1N1ST	L=1.1nH at 100MHz	Hide in Default
MLG1005S1N2BT	L=1.2nH at 100MHz	Hide in Default
MLG1005S1N2CT	L=1.2nH at 100MHz	
MLG1005S1N2ST	L=1.2nH at 100MHz	Hide in Default
MLG1005S1N3BT	L=1.3nH at 100MHz	Hide in Default
MLG1005S1N3CT	L=1.3nH at 100MHz	
MLG1005S1N3ST	L=1.3nH at 100MHz	Hide in Default
MLG1005S1N5BT	L=1.5nH at 100MHz	Hide in Default
MLG1005S1N5CT	L=1.5nH at 100MHz	
MLG1005S1N5ST	L=1.5nH at 100MHz	Hide in Default
MLG1005S1N6BT	L=1.6nH at 100MHz	Hide in Default
MLG1005S1N6CT	L=1.6nH at 100MHz	
MLG1005S1N6ST	L=1.6nH at 100MHz	Hide in Default
MLG1005S1N8BT	L=1.8nH at 100MHz	Hide in Default
MLG1005S1N8CT	L=1.8nH at 100MHz	
MLG1005S1N8ST	L=1.8nH at 100MHz	Hide in Default
MLG1005S2N0BT	L=2.0nH at 100MHz	Hide in Default
MLG1005S2N0CT	L=2.0nH at 100MHz	
MLG1005S2N0ST	L=2.0nH at 100MHz	Hide in Default
MLG1005S2N2BT	L=2.2nH at 100MHz	Hide in Default
MLG1005S2N2CT	L=2.2nH at 100MHz	
MLG1005S2N2ST	L=2.2nH at 100MHz	Hide in Default
MLG1005S2N4BT	L=2.4nH at 100MHz	Hide in Default
MLG1005S2N4CT	L=2.4nH at 100MHz	
MLG1005S2N4ST	L=2.4nH at 100MHz	Hide in Default
MLG1005S2N7BT	L=2.7nH at 100MHz	Hide in Default
MLG1005S2N7CT	L=2.7nH at 100MHz	
MLG1005S2N7ST	L=2.7nH at 100MHz	Hide in Default
MLG1005S3N0BT	L=3.0nH at 100MHz	Hide in Default
MLG1005S3N0CT	L=3.0nH at 100MHz	
MLG1005S3N0ST	L=3.0nH at 100MHz	Hide in Default
MLG1005S3N3BT	L=3.3nH at 100MHz	Hide in Default

MLG1005S3N3CT	L=3.3nH at 100MHz	
MLG1005S3N3ST	L=3.3nH at 100MHz	Hide in Default
MLG1005S3N6BT	L=3.6nH at 100MHz	Hide in Default
MLG1005S3N6CT	L=3.6nH at 100MHz	
MLG1005S3N6ST	L=3.6nH at 100MHz	Hide in Default
MLG1005S3N9BT	L=3.9nH at 100MHz	Hide in Default
MLG1005S3N9CT	L=3.9nH at 100MHz	
MLG1005S3N9ST	L=3.9nH at 100MHz	Hide in Default
MLG1005S4N3CT	L=4.3nH at 100MHz	Hide in Default
MLG1005S4N3ST	L=4.3nH at 100MHz	
MLG1005S4N7CT	L=4.7nH at 100MHz	Hide in Default
MLG1005S4N7ST	L=4.7nH at 100MHz	
MLG1005S5N1CT	L=5.1nH at 100MHz	Hide in Default
MLG1005S5N1ST	L=5.1nH at 100MHz	
MLG1005S5N6CT	L=5.6nH at 100MHz	Hide in Default
MLG1005S5N6ST	L=5.6nH at 100MHz	
MLG1005S6N2ST	L=6.2nH at 100MHz	
MLG1005S6N2HT	L=6.2nH at 100MHz	Hide in Default
MLG1005S6N8HT	L=6.8nH at 100MHz	Hide in Default
MLG1005S6N8JT	L=6.8nH at 100MHz	
MLG1005S7N5HT	L=7.5nH at 100MHz	Hide in Default
MLG1005S7N5JT	L=7.5nH at 100MHz	
MLG1005S8N2HT	L=8.2nH at 100MHz	Hide in Default
MLG1005S8N2JT	L=8.2nH at 100MHz	
MLG1005S9N1HT	L=9.1nH at 100MHz	Hide in Default
MLG1005S9N1JT	L=9.1nH at 100MHz	
MLG1005S10NHT	L=10nH at 100MHz	Hide in Default
MLG1005S10NJT	L=10nH at 100MHz	
MLG1005S11NHT	L=11nH at 100MHz	Hide in Default
MLG1005S11NJT	L=11nH at 100MHz	
MLG1005S12NHT	L=12nH at 100MHz	Hide in Default
MLG1005S12NJT	L=12nH at 100MHz	
MLG1005S13NHT	L=13nH at 100MHz	Hide in Default
MLG1005S13NJT	L=13nH at 100MHz	
MLG1005S15NHT	L=15nH at 100MHz	Hide in Default
MLG1005S15NJT	L=15nH at 100MHz	
MLG1005S16NHT	L=16nH at 100MHz	Hide in Default
MLG1005S16NJT	L=16nH at 100MHz	
MLG1005S18NHT	L=18nH at 100MHz	Hide in Default
MLG1005S18NJT	L=18nH at 100MHz	
MLG1005S20NHT	L=20nH at 100MHz	Hide in Default
MLG1005S20NJT	L=20nH at 100MHz	
MLG1005S22NHT	L=22nH at 100MHz	Hide in Default
MLG1005S22NJT	L=22nH at 100MHz	
MLG1005S24NHT	L=24nH at 100MHz	Hide in Default
MLG1005S24NJT	L=24nH at 100MHz	
MLG1005S27NHT	L=27nH at 100MHz	Hide in Default
MLG1005S27NJT	L=27nH at 100MHz	

MLG1005S30NHT	L=30nH at 100MHz	Hide in Default
MLG1005S30NJT	L=30nH at 100MHz	
MLG1005S33NHT	L=33nH at 100MHz	Hide in Default
MLG1005S33NJT	L=33nH at 100MHz	
MLG1005S36NHT	L=36nH at 100MHz	Hide in Default
MLG1005S36NJT	L=36nH at 100MHz	
MLG1005S39NHT	L=39nH at 100MHz	Hide in Default
MLG1005S39NJT	L=39nH at 100MHz	
MLG1005S43NHT	L=43nH at 100MHz	Hide in Default
MLG1005S43NJT	L=43nH at 100MHz	
MLG1005S47NHT	L=47nH at 100MHz	Hide in Default
MLG1005S47NJT	L=47nH at 100MHz	
MLG1005S51NHT	L=51nH at 100MHz	Hide in Default
MLG1005S51NJT	L=51nH at 100MHz	
MLG1005S56NHT	L=56nH at 100MHz	Hide in Default
MLG1005S56NJT	L=56nH at 100MHz	
MLG1005S62NHT	L=62nH at 100MHz	Hide in Default
MLG1005S62NJT	L=62nH at 100MHz	
MLG1005S68NHT	L=68nH at 100MHz	Hide in Default
MLG1005S68NJT	L=68nH at 100MHz	
MLG1005S75NHT	L=75nH at 100MHz	Hide in Default
MLG1005S75NJT	L=75nH at 100MHz	
MLG1005S82NHT	L=82nH at 100MHz	Hide in Default
MLG1005S82NJT	L=82nH at 100MHz	
MLG1005S91NHT	L=91nH at 100MHz	Hide in Default
MLG1005S91NJT	L=91nH at 100MHz	
MLG1005SR10HT	L=100nH at 100MHz	Hide in Default
MLG1005SR10JT	L=100nH at 100MHz	
MLG1005SR11HT	L=110nH at 100MHz	Hide in Default
MLG1005SR11JT	L=110nH at 100MHz	
MLG1005SR12HT	L=120nH at 100MHz	Hide in Default
MLG1005SR12JT	L=120nH at 100MHz	
MLG1005SR13HT	L=130nH at 100MHz	Hide in Default
MLG1005SR13JT	L=130nH at 100MHz	
MLG1005SR15HT	L=150nH at 100MHz	Hide in Default
MLG1005SR15JT	L=150nH at 100MHz	
MLG1005SR16HT	L=160nH at 100MHz	Hide in Default
MLG1005SR16JT	L=160nH at 100MHz	
MLG1005SR18HT	L=180nH at 100MHz	Hide in Default
MLG1005SR18JT	L=180nH at 100MHz	
MLG1005SR20HT	L=200nH at 100MHz	Hide in Default
MLG1005SR20JT	L=200nH at 100MHz	
MLG1005SR22HT	L=220nH at 100MHz	Hide in Default
MLG1005SR22JT	L=220nH at 100MHz	
MLG1005SR24HT	L=240nH at 100MHz	Hide in Default
MLG1005SR24JT	L=240nH at 100MHz	
MLG1005SR27HT	L=270nH at 100MHz	Hide in Default
MLG1005SR27JT	L=270nH at 100MHz	

MLG1005SR30HT	L=300nH at 50MHz	Hide in Default
MLG1005SR30JT	L=300nH at 50MHz	
MLG1005SR33HT	L=330nH at 50MHz	Hide in Default
MLG1005SR33JT	L=330nH at 50MHz	
MLG1005SR36HT	L=360nH at 50MHz	Hide in Default
MLG1005SR36JT	L=360nH at 50MHz	
MLG1005SR39HT	L=390nH at 50MHz	Hide in Default
MLG1005SR39JT	L=390nH at 50MHz	

## MLG1608 Series - 37 Products

Product Name	Main Characteristic	Note
MLG1608B1N0ST	L=1.0nH at 100MHz	
MLG1608B1N2ST	L=1.2nH at 100MHz	
MLG1608B1N5ST	L=1.5nH at 100MHz	
MLG1608B1N8ST	L=1.8nH at 100MHz	
MLG1608B2N2ST	L=2.2nH at 100MHz	
MLG1608B2N7ST	L=2.7nH at 100MHz	
MLG1608B3N3ST	L=3.3nH at 100MHz	
MLG1608B3N9ST	L=3.9nH at 100MHz	
MLG1608B4N7ST	L=4.7nH at 100MHz	
MLG1608B5N6DT	L=5.6nH at 100MHz	
MLG1608B6N8DT	L=6.8nH at 100MHz	
MLG1608B8N2DT	L=8.2nH at 100MHz	
MLG1608B10NJT	L=10nH at 100MHz	
MLG1608B12NJT	L=12nH at 100MHz	
MLG1608B15NJT	L=15nH at 100MHz	
MLG1608B18NJT	L=18nH at 100MHz	
MLG1608B22NJT	L=22nH at 100MHz	
MLG1608B27NJT	L=27nH at 100MHz	
MLG1608B33NJT	L=33nH at 100MHz	
MLG1608B39NJT	L=39nH at 100MHz	
MLG1608B47NJT	L=47nH at 100MHz	
MLG1608B56NJT	L=56nH at 100MHz	
MLG1608B68NJT	L=68nH at 100MHz	
MLG1608B82NJT	L=82nH at 100MHz	
MLG1608BR10JT	L=100nH at 100MHz	
MLG1608SR12JT	L=120nH at 100MHz	
MLG1608SR15JT	L=150nH at 100MHz	
MLG1608SR18JT	L=180nH at 100MHz	
MLG1608SR22JT	L=220nH at 100MHz	
MLG1608SR27JT	L=270nH at 100MHz	
MLG1608SR33JT	L=330nH at 50MHz	
MLG1608SR39JT	L=390nH at 50MHz	
MLG1608SR47JT	L=470nH at 50MHz	
MLG1608SR56JT	L=560nH at 50MHz	
MLG1608SR68JT	L=680nH at 50MHz	
MLG1608SR82JT	L=820nH at 50MHz	
MLG1608S1R0JT	L=1000nH at 50MHz	

## MLG0603P Series - 73(184) Products

Product Name	Main Characteristic	Note
MLG0603P0N6BT	L=0.6nH at 500MHz	Hide in Default
MLG0603P0N6CT	L=0.6nH at 500MHz	
MLG0603P0N7BT	L=0.7nH at 500MHz	Hide in Default
MLG0603P0N7CT	L=0.7nH at 500MHz	
MLG0603P0N8BT	L=0.8nH at 500MHz	Hide in Default
MLG0603P0N8CT	L=0.8nH at 500MHz	
MLG0603P0N9BT	L=0.9nH at 500MHz	Hide in Default
MLG0603P0N9CT	L=0.9nH at 500MHz	
MLG0603P1N0BT	L=1.0nH at 500MHz	Hide in Default
MLG0603P1N0CT	L=1.0nH at 500MHz	Hide in Default
MLG0603P1N0ST	L=1.0nH at 500MHz	
MLG0603P1N1BT	L=1.1nH at 500MHz	Hide in Default
MLG0603P1N1CT	L=1.1nH at 500MHz	Hide in Default
MLG0603P1N1ST	L=1.1nH at 500MHz	
MLG0603P1N2BT	L=1.2nH at 500MHz	Hide in Default
MLG0603P1N2CT	L=1.2nH at 500MHz	Hide in Default
MLG0603P1N2ST	L=1.2nH at 500MHz	
MLG0603P1N3BT	L=1.3nH at 500MHz	Hide in Default
MLG0603P1N3CT	L=1.3nH at 500MHz	Hide in Default
MLG0603P1N3ST	L=1.3nH at 500MHz	
MLG0603P1N4BT	L=1.4nH at 500MHz	Hide in Default
MLG0603P1N4CT	L=1.4nH at 500MHz	Hide in Default
MLG0603P1N4ST	L=1.4nH at 500MHz	
MLG0603P1N5BT	L=1.5nH at 500MHz	Hide in Default
MLG0603P1N5CT	L=1.5nH at 500MHz	Hide in Default
MLG0603P1N5ST	L=1.5nH at 500MHz	
MLG0603P1N6BT	L=1.6nH at 500MHz	Hide in Default
MLG0603P1N6CT	L=1.6nH at 500MHz	Hide in Default
MLG0603P1N6ST	L=1.6nH at 500MHz	
MLG0603P1N7BT	L=1.7nH at 500MHz	Hide in Default
MLG0603P1N7CT	L=1.7nH at 500MHz	Hide in Default
MLG0603P1N7ST	L=1.7nH at 500MHz	
MLG0603P1N8BT	L=1.8nH at 500MHz	Hide in Default
MLG0603P1N8CT	L=1.8nH at 500MHz	Hide in Default
MLG0603P1N8ST	L=1.8nH at 500MHz	
MLG0603P1N9BT	L=1.9nH at 500MHz	Hide in Default
MLG0603P1N9CT	L=1.9nH at 500MHz	Hide in Default
MLG0603P1N9ST	L=1.9nH at 500MHz	
MLG0603P2N0BT	L=2.0nH at 500MHz	Hide in Default
MLG0603P2N0CT	L=2.0nH at 500MHz	Hide in Default
MLG0603P2N0ST	L=2.0nH at 500MHz	
MLG0603P2N1BT	L=2.1nH at 500MHz	Hide in Default
MLG0603P2N1CT	L=2.1nH at 500MHz	Hide in Default
MLG0603P2N1ST	L=2.1nH at 500MHz	
MLG0603P2N2BT	L=2.2nH at 500MHz	Hide in Default

MLG0603P2N2CT	L=2.2nH at 500MHz	Hide in Default
MLG0603P2N2ST	L=2.2nH at 500MHz	
MLG0603P2N3BT	L=2.3nH at 500MHz	Hide in Default
MLG0603P2N3CT	L=2.3nH at 500MHz	Hide in Default
MLG0603P2N3ST	L=2.3nH at 500MHz	
MLG0603P2N4BT	L=2.4nH at 500MHz	Hide in Default
MLG0603P2N4CT	L=2.4nH at 500MHz	Hide in Default
MLG0603P2N4ST	L=2.4nH at 500MHz	
MLG0603P2N5BT	L=2.5nH at 500MHz	Hide in Default
MLG0603P2N5CT	L=2.5nH at 500MHz	Hide in Default
MLG0603P2N5ST	L=2.5nH at 500MHz	
MLG0603P2N6BT	L=2.6nH at 500MHz	Hide in Default
MLG0603P2N6CT	L=2.6nH at 500MHz	Hide in Default
MLG0603P2N6ST	L=2.6nH at 500MHz	
MLG0603P2N7BT	L=2.7nH at 500MHz	Hide in Default
MLG0603P2N7CT	L=2.7nH at 500MHz	Hide in Default
MLG0603P2N7ST	L=2.7nH at 500MHz	
MLG0603P2N8BT	L=2.8nH at 500MHz	Hide in Default
MLG0603P2N8CT	L=2.8nH at 500MHz	Hide in Default
MLG0603P2N8ST	L=2.8nH at 500MHz	
MLG0603P2N9BT	L=2.9nH at 500MHz	Hide in Default
MLG0603P2N9CT	L=2.9nH at 500MHz	Hide in Default
MLG0603P2N9ST	L=2.9nH at 500MHz	
MLG0603P3N0BT	L=3.0nH at 500MHz	Hide in Default
MLG0603P3N0CT	L=3.0nH at 500MHz	Hide in Default
MLG0603P3N0ST	L=3.0nH at 500MHz	
MLG0603P3N1BT	L=3.1nH at 500MHz	Hide in Default
MLG0603P3N1CT	L=3.1nH at 500MHz	Hide in Default
MLG0603P3N1ST	L=3.1nH at 500MHz	
MLG0603P3N2BT	L=3.2nH at 500MHz	Hide in Default
MLG0603P3N2CT	L=3.2nH at 500MHz	Hide in Default
MLG0603P3N2ST	L=3.2nH at 500MHz	
MLG0603P3N3BT	L=3.3nH at 500MHz	Hide in Default
MLG0603P3N3CT	L=3.3nH at 500MHz	Hide in Default
MLG0603P3N3ST	L=3.3nH at 500MHz	
MLG0603P3N4BT	L=3.4nH at 500MHz	Hide in Default
MLG0603P3N4CT	L=3.4nH at 500MHz	Hide in Default
MLG0603P3N4ST	L=3.4nH at 500MHz	
MLG0603P3N5BT	L=3.5nH at 500MHz	Hide in Default
MLG0603P3N5CT	L=3.5nH at 500MHz	Hide in Default
MLG0603P3N5ST	L=3.5nH at 500MHz	
MLG0603P3N6BT	L=3.6nH at 500MHz	Hide in Default
MLG0603P3N6CT	L=3.6nH at 500MHz	Hide in Default
MLG0603P3N6ST	L=3.6nH at 500MHz	
MLG0603P3N7BT	L=3.7nH at 500MHz	Hide in Default
MLG0603P3N7CT	L=3.7nH at 500MHz	Hide in Default
MLG0603P3N7ST	L=3.7nH at 500MHz	
MLG0603P3N8BT	L=3.8nH at 500MHz	Hide in Default

MLG0603P3N8CT	L=3.8nH at 500MHz	Hide in Default
MLG0603P3N8ST	L=3.8nH at 500MHz	
MLG0603P3N9BT	L=3.9nH at 500MHz	Hide in Default
MLG0603P3N9CT	L=3.9nH at 500MHz	Hide in Default
MLG0603P3N9ST	L=3.9nH at 500MHz	
MLG0603P4N0BT	L=4.0nH at 500MHz	Hide in Default
MLG0603P4N0CT	L=4.0nH at 500MHz	Hide in Default
MLG0603P4N0ST	L=4.0nH at 500MHz	
MLG0603P4N1BT	L=4.1nH at 500MHz	Hide in Default
MLG0603P4N1CT	L=4.1nH at 500MHz	Hide in Default
MLG0603P4N1ST	L=4.1nH at 500MHz	
MLG0603P4N2BT	L=4.2nH at 500MHz	Hide in Default
MLG0603P4N2CT	L=4.2nH at 500MHz	Hide in Default
MLG0603P4N2ST	L=4.2nH at 500MHz	
MLG0603P4N3ST	L=4.3nH at 500MHz	Hide in Default
MLG0603P4N3HT	L=4.3nH at 500MHz	Hide in Default
MLG0603P4N3JT	L=4.3nH at 500MHz	
MLG0603P4N7ST	L=4.7nH at 500MHz	Hide in Default
MLG0603P4N7HT	L=4.7nH at 500MHz	Hide in Default
MLG0603P4N7JT	L=4.7nH at 500MHz	
MLG0603P5N1ST	L=5.1nH at 500MHz	Hide in Default
MLG0603P5N1HT	L=5.1nH at 500MHz	Hide in Default
MLG0603P5N1JT	L=5.1nH at 500MHz	
MLG0603P5N6ST	L=5.6nH at 500MHz	Hide in Default
MLG0603P5N6HT	L=5.6nH at 500MHz	Hide in Default
MLG0603P5N6JT	L=5.6nH at 500MHz	
MLG0603P6N2ST	L=6.2nH at 500MHz	Hide in Default
MLG0603P6N2HT	L=6.2nH at 500MHz	Hide in Default
MLG0603P6N2JT	L=6.2nH at 500MHz	
MLG0603P6N8HT	L=6.8nH at 500MHz	Hide in Default
MLG0603P6N8JT	L=6.8nH at 500MHz	
MLG0603P7N5HT	L=7.5nH at 500MHz	Hide in Default
MLG0603P7N5JT	L=7.5nH at 500MHz	
MLG0603P8N2HT	L=8.2nH at 500MHz	Hide in Default
MLG0603P8N2JT	L=8.2nH at 500MHz	
MLG0603P9N1HT	L=9.1nH at 500MHz	Hide in Default
MLG0603P9N1JT	L=9.1nH at 500MHz	
MLG0603P10NHT	L=10nH at 500MHz	Hide in Default
MLG0603P10NJT	L=10nH at 500MHz	
MLG0603P11NHT	L=11nH at 500MHz	Hide in Default
MLG0603P11NJT	L=11nH at 500MHz	
MLG0603P12NHT	L=12nH at 500MHz	Hide in Default
MLG0603P12NJT	L=12nH at 500MHz	
MLG0603P13NHT	L=13nH at 500MHz	Hide in Default
MLG0603P13NJT	L=13nH at 500MHz	
MLG0603P15NHT	L=15nH at 500MHz	Hide in Default
MLG0603P15NJT	L=15nH at 500MHz	
MLG0603P16NHT	L=16nH at 500MHz	Hide in Default

MLG0603P16NJT	L=16nH at 500MHz	
MLG0603P18NHT	L=18nH at 500MHz	Hide in Default
MLG0603P18NJT	L=18nH at 500MHz	
MLG0603P20NHT	L=20nH at 500MHz	Hide in Default
MLG0603P20NJT	L=20nH at 500MHz	
MLG0603P22NHT	L=22nH at 500MHz	Hide in Default
MLG0603P22NJT	L=22nH at 500MHz	
MLG0603P24NHT	L=24nH at 500MHz	Hide in Default
MLG0603P24NJT	L=24nH at 500MHz	
MLG0603P27NHT	L=27nH at 500MHz	Hide in Default
MLG0603P27NJT	L=27nH at 500MHz	
MLG0603P30NHT	L=30nH at 500MHz	Hide in Default
MLG0603P30NJT	L=30nH at 500MHz	
MLG0603P33NHT	L=33nH at 300MHz	Hide in Default
MLG0603P33NJT	L=33nH at 300MHz	
MLG0603P36NHT	L=36nH at 300MHz	Hide in Default
MLG0603P36NJT	L=36nH at 300MHz	
MLG0603P39NHT	L=39nH at 300MHz	Hide in Default
MLG0603P39NJT	L=39nH at 300MHz	
MLG0603P43NHT	L=43nH at 300MHz	Hide in Default
MLG0603P43NJT	L=43nH at 300MHz	
MLG0603P47NHT	L=47nH at 300MHz	Hide in Default
MLG0603P47NJT	L=47nH at 300MHz	
MLG0603P51NHT	L=51nH at 300MHz	Hide in Default
MLG0603P51NJT	L=51nH at 300MHz	
MLG0603P56NHT	L=56nH at 300MHz	Hide in Default
MLG0603P56NJT	L=56nH at 300MHz	
MLG0603P62NHT	L=62nH at 300MHz	Hide in Default
MLG0603P62NJT	L=62nH at 300MHz	
MLG0603P68NHT	L=68nH at 300MHz	Hide in Default
MLG0603P68NJT	L=68nH at 300MHz	
MLG0603P75NHT	L=75nH at 300MHz	Hide in Default
MLG0603P75NJT	L=75nH at 300MHz	
MLG0603P82NHT	L=82nH at 300MHz	Hide in Default
MLG0603P82NJT	L=82nH at 300MHz	
MLG0603P91NHT	L=91nH at 300MHz	Hide in Default
MLG0603P91NJT	L=91nH at 300MHz	
MLG0603PR10HT	L=100nH at 300MHz	Hide in Default
MLG0603PR10JT	L=100nH at 300MHz	
MLG0603PR11HT	L=110nH at 300MHz	Hide in Default
MLG0603PR11JT	L=110nH at 300MHz	
MLG0603PR12HT	L=120nH at 300MHz	Hide in Default
MLG0603PR12JT	L=120nH at 300MHz	

## MLG0402Q Series - 51(133) Products

Product Name	Main Characteristic	Note
MLG0402Q0N2BT	L=0.2nH at 100MHz	Hide in Default
MLG0402Q0N2CT	L=0.2nH at 100MHz	

MLG0402Q0N3BT	L=0.3nH at 100MHz	Hide in Default
MLG0402Q0N3CT	L=0.3nH at 100MHz	
MLG0402Q0N4BT	L=0.4nH at 100MHz	Hide in Default
MLG0402Q0N4CT	L=0.4nH at 100MHz	
MLG0402Q0N5BT	L=0.5nH at 100MHz	Hide in Default
MLG0402Q0N5CT	L=0.5nH at 100MHz	
MLG0402Q0N6BT	L=0.6nH at 100MHz	Hide in Default
MLG0402Q0N6CT	L=0.6nH at 100MHz	
MLG0402Q0N7BT	L=0.7nH at 100MHz	Hide in Default
MLG0402Q0N7CT	L=0.7nH at 100MHz	
MLG0402Q0N8BT	L=0.8nH at 100MHz	Hide in Default
MLG0402Q0N8CT	L=0.8nH at 100MHz	
MLG0402Q0N9BT	L=0.9nH at 100MHz	Hide in Default
MLG0402Q0N9CT	L=0.9nH at 100MHz	
MLG0402Q1N0BT	L=1.0nH at 100MHz	Hide in Default
MLG0402Q1N0CT	L=1.0nH at 100MHz	Hide in Default
MLG0402Q1N0ST	L=1.0nH at 100MHz	
MLG0402Q1N1BT	L=1.1nH at 100MHz	Hide in Default
MLG0402Q1N1CT	L=1.1nH at 100MHz	Hide in Default
MLG0402Q1N1ST	L=1.1nH at 100MHz	
MLG0402Q1N2BT	L=1.2nH at 100MHz	Hide in Default
MLG0402Q1N2CT	L=1.2nH at 100MHz	Hide in Default
MLG0402Q1N2ST	L=1.2nH at 100MHz	
MLG0402Q1N3BT	L=1.3nH at 100MHz	Hide in Default
MLG0402Q1N3CT	L=1.3nH at 100MHz	Hide in Default
MLG0402Q1N3ST	L=1.3nH at 100MHz	
MLG0402Q1N4BT	L=1.4nH at 100MHz	Hide in Default
MLG0402Q1N4CT	L=1.4nH at 100MHz	Hide in Default
MLG0402Q1N4ST	L=1.4nH at 100MHz	
MLG0402Q1N5BT	L=1.5nH at 100MHz	Hide in Default
MLG0402Q1N5CT	L=1.5nH at 100MHz	Hide in Default
MLG0402Q1N5ST	L=1.5nH at 100MHz	
MLG0402Q1N6BT	L=1.6nH at 100MHz	Hide in Default
MLG0402Q1N6CT	L=1.6nH at 100MHz	Hide in Default
MLG0402Q1N6ST	L=1.6nH at 100MHz	
MLG0402Q1N7BT	L=1.7nH at 100MHz	Hide in Default
MLG0402Q1N7CT	L=1.7nH at 100MHz	Hide in Default
MLG0402Q1N7ST	L=1.7nH at 100MHz	
MLG0402Q1N8BT	L=1.8nH at 100MHz	Hide in Default
MLG0402Q1N8CT	L=1.8nH at 100MHz	Hide in Default
MLG0402Q1N8ST	L=1.8nH at 100MHz	
MLG0402Q1N9BT	L=1.9nH at 100MHz	Hide in Default
MLG0402Q1N9CT	L=1.9nH at 100MHz	Hide in Default
MLG0402Q1N9ST	L=1.9nH at 100MHz	
MLG0402Q2N0BT	L=2.0nH at 100MHz	Hide in Default
MLG0402Q2N0CT	L=2.0nH at 100MHz	Hide in Default
MLG0402Q2N0ST	L=2.0nH at 100MHz	
MLG0402Q2N1BT	L=2.1nH at 100MHz	Hide in Default

MLG0402Q2N1CT	L=2.1nH at 100MHz	Hide in Default
MLG0402Q2N1ST	L=2.1nH at 100MHz	
MLG0402Q2N2BT	L=2.2nH at 100MHz	Hide in Default
MLG0402Q2N2CT	L=2.2nH at 100MHz	Hide in Default
MLG0402Q2N2ST	L=2.2nH at 100MHz	
MLG0402Q2N3BT	L=2.3nH at 100MHz	Hide in Default
MLG0402Q2N3CT	L=2.3nH at 100MHz	Hide in Default
MLG0402Q2N3ST	L=2.3nH at 100MHz	
MLG0402Q2N4BT	L=2.4nH at 100MHz	Hide in Default
MLG0402Q2N4CT	L=2.4nH at 100MHz	Hide in Default
MLG0402Q2N4ST	L=2.4nH at 100MHz	
MLG0402Q2N5BT	L=2.5nH at 100MHz	Hide in Default
MLG0402Q2N5CT	L=2.5nH at 100MHz	Hide in Default
MLG0402Q2N5ST	L=2.5nH at 100MHz	
MLG0402Q2N6BT	L=2.6nH at 100MHz	Hide in Default
MLG0402Q2N6CT	L=2.6nH at 100MHz	Hide in Default
MLG0402Q2N6ST	L=2.6nH at 100MHz	
MLG0402Q2N7BT	L=2.7nH at 100MHz	Hide in Default
MLG0402Q2N7CT	L=2.7nH at 100MHz	Hide in Default
MLG0402Q2N7ST	L=2.7nH at 100MHz	
MLG0402Q2N8BT	L=2.8nH at 100MHz	Hide in Default
MLG0402Q2N8CT	L=2.8nH at 100MHz	Hide in Default
MLG0402Q2N8ST	L=2.8nH at 100MHz	
MLG0402Q2N9BT	L=2.9nH at 100MHz	Hide in Default
MLG0402Q2N9CT	L=2.9nH at 100MHz	Hide in Default
MLG0402Q2N9ST	L=2.9nH at 100MHz	
MLG0402Q3N0BT	L=3.0nH at 100MHz	Hide in Default
MLG0402Q3N0CT	L=3.0nH at 100MHz	Hide in Default
MLG0402Q3N0ST	L=3.0nH at 100MHz	
MLG0402Q3N1BT	L=3.1nH at 100MHz	Hide in Default
MLG0402Q3N1CT	L=3.1nH at 100MHz	Hide in Default
MLG0402Q3N1ST	L=3.1nH at 100MHz	
MLG0402Q3N2BT	L=3.2nH at 100MHz	Hide in Default
MLG0402Q3N2CT	L=3.2nH at 100MHz	Hide in Default
MLG0402Q3N2ST	L=3.2nH at 100MHz	
MLG0402Q3N3BT	L=3.3nH at 100MHz	Hide in Default
MLG0402Q3N3CT	L=3.3nH at 100MHz	Hide in Default
MLG0402Q3N3ST	L=3.3nH at 100MHz	
MLG0402Q3N4BT	L=3.4nH at 100MHz	Hide in Default
MLG0402Q3N4CT	L=3.4nH at 100MHz	Hide in Default
MLG0402Q3N4ST	L=3.4nH at 100MHz	
MLG0402Q3N5BT	L=3.5nH at 100MHz	Hide in Default
MLG0402Q3N5CT	L=3.5nH at 100MHz	Hide in Default
MLG0402Q3N5ST	L=3.5nH at 100MHz	
MLG0402Q3N6BT	L=3.6nH at 100MHz	Hide in Default
MLG0402Q3N6CT	L=3.6nH at 100MHz	Hide in Default
MLG0402Q3N6ST	L=3.6nH at 100MHz	
MLG0402Q3N7BT	L=3.7nH at 100MHz	Hide in Default

MLG0402Q3N7CT	L=3.7nH at 100MHz	Hide in Default
MLG0402Q3N7ST	L=3.7nH at 100MHz	
MLG0402Q3N8BT	L=3.8nH at 100MHz	Hide in Default
MLG0402Q3N8CT	L=3.8nH at 100MHz	Hide in Default
MLG0402Q3N8ST	L=3.8nH at 100MHz	
MLG0402Q3N9BT	L=3.9nH at 100MHz	Hide in Default
MLG0402Q3N9CT	L=3.9nH at 100MHz	Hide in Default
MLG0402Q3N9ST	L=3.9nH at 100MHz	
MLG0402Q4N0BT	L=4.0nH at 100MHz	Hide in Default
MLG0402Q4N0CT	L=4.0nH at 100MHz	Hide in Default
MLG0402Q4N0ST	L=4.0nH at 100MHz	
MLG0402Q4N3ST	L=4.3nH at 100MHz	Hide in Default
MLG0402Q4N3HT	L=4.3nH at 100MHz	
MLG0402Q4N7ST	L=4.7nH at 100MHz	Hide in Default
MLG0402Q4N7HT	L=4.7nH at 100MHz	
MLG0402Q5N1ST	L=5.1nH at 100MHz	Hide in Default
MLG0402Q5N1HT	L=5.1nH at 100MHz	
MLG0402Q5N6ST	L=5.6nH at 100MHz	Hide in Default
MLG0402Q5N6HT	L=5.6nH at 100MHz	
MLG0402Q6N2ST	L=6.2nH at 100MHz	Hide in Default
MLG0402Q6N2HT	L=6.2nH at 100MHz	
MLG0402Q6N8HT	L=6.8nH at 100MHz	Hide in Default
MLG0402Q6N8JT	L=6.8nH at 100MHz	
MLG0402Q7N5HT	L=7.5nH at 100MHz	Hide in Default
MLG0402Q7N5JT	L=7.5nH at 100MHz	
MLG0402Q8N2HT	L=8.2nH at 100MHz	Hide in Default
MLG0402Q8N2JT	L=8.2nH at 100MHz	
MLG0402Q9N1HT	L=9.1nH at 100MHz	Hide in Default
MLG0402Q9N1JT	L=9.1nH at 100MHz	
MLG0402Q10NHT	L=10nH at 100MHz	Hide in Default
MLG0402Q10NJT	L=10nH at 100MHz	
MLG0402Q12NHT	L=12nH at 100MHz	Hide in Default
MLG0402Q12NJT	L=12nH at 100MHz	
MLG0402Q15NHT	L=15nH at 100MHz	Hide in Default
MLG0402Q15NJT	L=15nH at 100MHz	

## MLK0603 Series - 31 Products

Product Name	Main Characteristic	Note
MLK0603L1N0ST	L=1.0nH at 100MHz	
MLK0603L1N1ST	L=1.1nH at 100MHz	
MLK0603L1N2ST	L=1.2nH at 100MHz	
MLK0603L1N3ST	L=1.3nH at 100MHz	
MLK0603L1N5ST	L=1.5nH at 100MHz	
MLK0603L1N6ST	L=1.6nH at 100MHz	
MLK0603L1N8ST	L=1.8nH at 100MHz	
MLK0603L2N0ST	L=2.0nH at 100MHz	
MLK0603L2N2ST	L=2.2nH at 100MHz	
MLK0603L2N4ST	L=2.4nH at 100MHz	

MLK0603L2N7ST	L=2.7nH at 100MHz	
MLK0603L3N0ST	L=3.0nH at 100MHz	
MLK0603L3N3ST	L=3.3nH at 100MHz	
MLK0603L3N6ST	L=3.6nH at 100MHz	
MLK0603L3N9ST	L=3.9nH at 100MHz	
MLK0603L4N3ST	L=4.3nH at 100MHz	
MLK0603L4N7ST	L=4.7nH at 100MHz	
MLK0603L5N1ST	L=5.1nH at 100MHz	
MLK0603L5N6ST	L=5.6nH at 100MHz	
MLK0603L6N2ST	L=6.2nH at 100MHz	
MLK0603L6N8JT	L=6.8nH at 100MHz	
MLK0603L7N5JT	L=7.5nH at 100MHz	
MLK0603L8N2JT	L=8.2nH at 100MHz	
MLK0603L9N1JT	L=9.1nH at 100MHz	
MLK0603L10NJT	L=10nH at 100MHz	
MLK0603L12NJT	L=12nH at 100MHz	
MLK0603L15NJT	L=15nH at 100MHz	
MLK0603L18NJT	L=18nH at 100MHz	
MLK0603L22NJT	L=22nH at 100MHz	
MLK0603L27NJT	L=27nH at 100MHz	
MLK0603L33NJT	L=33nH at 100MHz	

## MLK1005 Series - 49(54) Products

Product Name	Main Characteristic	Note
MLK1005S1N0ST	L=1.0nH at 100MHz	
MLK1005S1N1ST	L=1.1nH at 100MHz	
MLK1005S1N2ST	L=1.2nH at 100MHz	
MLK1005S1N3ST	L=1.3nH at 100MHz	
MLK1005S1N5ST	L=1.5nH at 100MHz	
MLK1005S1N6ST	L=1.6nH at 100MHz	
MLK1005S1N8ST	L=1.8nH at 100MHz	
MLK1005S2N0ST	L=2.0nH at 100MHz	
MLK1005S2N2ST	L=2.2nH at 100MHz	
MLK1005S2N4ST	L=2.4nH at 100MHz	
MLK1005S2N7ST	L=2.7nH at 100MHz	
MLK1005S3N0ST	L=3.0nH at 100MHz	
MLK1005S3N3ST	L=3.3nH at 100MHz	
MLK1005S3N6ST	L=3.6nH at 100MHz	
MLK1005S3N9ST	L=3.9nH at 100MHz	
MLK1005S4N3ST	L=4.3nH at 100MHz	
MLK1005S4N7ST	L=4.7nH at 100MHz	
MLK1005S5N1ST	L=5.1nH at 100MHz	
MLK1005S5N6ST	L=5.6nH at 100MHz	Hide in Default
MLK1005S5N6DT	L=5.6nH at 100MHz	
MLK1005S6N2ST	L=6.2nH at 100MHz	Hide in Default
MLK1005S6N2DT	L=6.2nH at 100MHz	
MLK1005S6N8DT	L=6.8nH at 100MHz	
MLK1005S6N8JT	L=6.8nH at 100MHz	Hide in Default

MLK1005S7N5DT	L=7.5nH at 100MHz	
MLK1005S7N5JT	L=7.5nH at 100MHz	Hide in Default
MLK1005S8N2DT	L=8.2nH at 100MHz	
MLK1005S8N2JT	L=8.2nH at 100MHz	Hide in Default
MLK1005S9N1JT	L=9.1nH at 100MHz	
MLK1005S10NJT	L=10nH at 100MHz	
MLK1005S12NJT	L=12nH at 100MHz	
MLK1005S15NJT	L=15nH at 100MHz	
MLK1005S18NJT	L=18nH at 100MHz	
MLK1005S22NJT	L=22nH at 100MHz	
MLK1005S27NJT	L=27nH at 100MHz	
MLK1005S33NJT	L=33nH at 100MHz	
MLK1005S39NJT	L=39nH at 100MHz	
MLK1005S47NJT	L=47nH at 100MHz	
MLK1005S56NJT	L=56nH at 100MHz	
MLK1005S68NJT	L=68nH at 100MHz	
MLK1005S82NJT	L=82nH at 100MHz	
MLK1005SR10JT	L=100nH at 100MHz	
MLK1005SR11JT	L=110nH at 100MHz	
MLK1005SR12JT	L=120nH at 100MHz	
MLK1005SR13JT	L=130nH at 100MHz	
MLK1005SR15JT	L=150nH at 100MHz	
MLK1005SR16JT	L=160nH at 100MHz	
MLK1005SR18JT	L=180nH at 100MHz	
MLK1005SR20JT	L=200nH at 100MHz	
MLK1005SR22JT	L=220nH at 100MHz	
MLK1005SR24JT	L=240nH at 100MHz	
MLK1005SR27JT	L=270nH at 100MHz	
MLK1005SR30JT	L=300nH at 100MHz	
MLK1005SR33JT	L=330nH at 100MHz	

## MLG1005M Series - 19 Products

Product Name	Main Characteristic	Note
MLG1005M1N0BT0N4	L=1.0nH at 100MHz	
MLG1005M1N1BT0N5	L=1.1nH at 100MHz	
MLG1005M1N2BT0N6	L=1.2nH at 100MHz	
MLG1005M1N3BT0N7	L=1.3nH at 100MHz	
MLG1005M1N5BT0N9	L=1.5nH at 100MHz	
MLG1005M1N6BT1N0	L=1.6nH at 100MHz	
MLG1005M1N8BT1N2	L=1.8nH at 100MHz	
MLG1005M2N0BT1N3	L=2.0nH at 100MHz	
MLG1005M2N2BT1N6	L=2.2nH at 100MHz	
MLG1005M2N4BT1N8	L=2.4nH at 100MHz	
MLG1005M2N7BT2N0	L=2.7nH at 100MHz	
MLG1005M3N0BT2N4	L=3.0nH at 100MHz	
MLG1005M3N3BT2N7	L=3.3nH at 100MHz	
MLG1005M3N6BT3N0	L=3.6nH at 100MHz	
MLG1005M3N9BT3N3	L=3.6nH at 100MHz	

MLG1005M4N3BT3N6	L=4.3nH at 100MHz	
MLG1005M4N7BT3N9	L=4.7nH at 100MHz	
MLG1005M5N1BT4N3	L=5.1nH at 100MHz	
MLG1005M5N6BT4N7	L=5.6nH at 100MHz	

## MLP1608 Series - 5 Products

Product Name	Main Characteristic	Note
MPLP1608VR47D	L=0.47uH at 2MHz	New
MPLP1608V1R0D	L=1.0uH at 2MHz	New
MPLP1608VR47B	L=0.47uH at 2MHz	New
MPLP1608V1R0B	L=1.0uH at 2MHz	New
MPLP1608V2R2B	L=2.2uH at 2MHz	New

## MLP2012 Series - 15 Products

Product Name	Main Characteristic	Note
MPLP2012SR47M	L=0.47uH at 2MHz	
MPLP2012S1R0M	L=1.0uH at 2MHz	
MPLP2012S1R5M	L=1.5uH at 2MHz	
MPLP2012S2R2M	L=2.2uH at 2MHz	
MPLP2012S3R3M	L=3.3uH at 2MHz	
MPLP2012S4R7M	L=4.7uH at 2MHz	
MPLP2012SR47T	L=0.47uH at 2MHz	
MPLP2012SR82T	L=0.82uH at 2MHz	
MPLP2012S1R0T	L=1.0uH at 2MHz	
MPLP2012S1R5T	L=1.5uH at 2MHz	
MPLP2012S2R2T	L=2.2uH at 2MHz	
MPLP2012VR47M	L=0.47uH at 2MHz	New
MPLP2012V1R0M	L=1.0uH at 2MHz	New
MPLP2012V1R5M	L=1.5uH at 2MHz	New
MPLP2012V2R2M	L=2.2uH at 2MHz	New

## MLP2016 Series - 8 Products

Product Name	Main Characteristic	Note
MPLP2016SR47M	L=0.47uH at 2MHz	
MPLP2016S1R0M	L=1.0uH at 2MHz	
MPLP2016S1R5M	L=1.5uH at 2MHz	
MPLP2016S2R2M	L=2.2uH at 2MHz	
MPLP2016S4R7M	L=4.7uH at 2MHz	
MPLP2016H1R0M	L=1.0uH at 2MHz	New
MPLP2016H1R5M	L=1.5uH at 2MHz	New
MPLP2016H2R2M	L=2.2uH at 2MHz	New

## MLP2520 Series - 17 Products

Product Name	Main Characteristic	Note
MPLP2520S1R0S	L=1.2uH at 2MHz	
MPLP2520S2R2S	L=2.5uH at 2MHz	
MPLP2520S3R3S	L=3.3uH at 2MHz	

MLP2520S4R7S	L=4.7uH at 2MHz	
MLP2520S1R0M	L=1.0uH at 2MHz	
MLP2520S1R5M	L=1.5uH at 2MHz	
MLP2520S2R2M	L=2.2uH at 2MHz	
MLP2520S3R3M	L=3.3uH at 2MHz	
MLP2520S4R7M	L=4.7uH at 2MHz	
MLP2520H1R0M	L=1.0uH at 2MHz	New
MLP2520H2R2M	L=2.2uH at 2MHz	New
MLP2520H4R7M	L=4.7uH at 2MHz	New
MLP2520V4R7M	L=4.7uH at 2MHz	New
MLP2520V1R0S	L=1.0uH at 2MHz	New
MLP2520V1R5S	L=1.5uH at 2MHz	New
MLP2520V2R2S	L=2.2uH at 2MHz	New
MLP2520V4R7S	L=4.7uH at 2MHz	New

## MLZ1005 Series - 5 Products

Product Name	Main Characteristic	Note
MLZ1005MR47WT	L=0.47uH at 2MHz	
MLZ1005MR68WT	L=0.68uH at 2MHz	
MLZ1005M1R0WT	L=1.0uH at 2MHz	
MLZ1005M1R5WT	L=1.5uH at 2MHz	
MLZ1005M2R2WT	L=2.2uH at 2MHz	

## MLZ1608 Series - 11 Products

Product Name	Main Characteristic	Note
MLZ1608DR10DT	L=0.10uH at 25MHz	
MLZ1608DR22DT	L=0.22uH at 25MHz	
MLZ1608DR47DT	L=0.47uH at 25MHz	
MLZ1608A1R0WT	L=1.0uH at 10MHz	
MLZ1608A2R2WT	L=2.2uH at 10MHz	
MLZ1608M4R7WT	L=4.7uH at 2MHz	
MLZ1608M100WT	L=10uH at 2MHz	
MLZ1608N1R0LT	L=1.0uH at 2MHz	
MLZ1608N2R2LT	L=2.2uH at 2MHz	
MLZ1608N4R7LT	L=4.7uH at 2MHz	
MLZ1608N100LT	L=10uH at 2MHz	

## MLZ2012 Series - 31 Products

Product Name	Main Characteristic	Note
MLZ2012DR10DT	L=0.10uH at 25MHz	
MLZ2012DR22DT	L=0.22uH at 25MHz	
MLZ2012DR47DT	L=0.47uH at 25MHz	
MLZ2012A1R0WT	L=1.0uH at 10MHz	
MLZ2012A1R5WT	L=1.5uH at 10MHz	
MLZ2012A2R2WT	L=2.2uH at 10MHz	
MLZ2012A3R3WT	L=3.3uH at 10MHz	
MLZ2012M4R7WT	L=4.7uH at 2MHz	

MLZ2012M6R8WT	L=6.8uH at 2MHz	
MLZ2012M100WT	L=10uH at 2MHz	
MLZ2012M150WT	L=15uH at 2MHz	
MLZ2012M220WT	L=22uH at 2MHz	
MLZ2012M330WT	L=33uH at 2MHz	
MLZ2012M470WT	L=47uH at 2MHz	
MLZ2012N1R0LT	L=1.0uH at 2MHz	
MLZ2012N1R5LT	L=1.5uH at 2MHz	
MLZ2012N2R2LT	L=2.2uH at 2MHz	
MLZ2012N3R3LT	L=3.3uH at 2MHz	
MLZ2012N4R7LT	L=4.7uH at 2MHz	
MLZ2012N6R8LT	L=6.8uH at 2MHz	
MLZ2012N100LT	L=10uH at 2MHz	
MLZ2012N150LT	L=15uH at 2MHz	
MLZ2012N220LT	L=22uH at 2MHz	New
MLZ2012N101LT	L=100uH at 2MHz	New
MLZ2012M1R0HT	L=1.0uH at 2MHz	
MLZ2012M1R5HT	L=1.5uH at 2MHz	New
MLZ2012M2R2HT	L=2.2uH at 2MHz	
MLZ2012M3R3HT	L=3.3uH at 2MHz	New
MLZ2012M4R7HT	L=4.7uH at 2MHz	
MLZ2012M6R8HT	L=6.8uH at 2MHz	New
MLZ2012M100HT	L=10uH at 2MHz	

## NL4532 Series - 37 Products

Product Name	Main Characteristic	Note
NL453232T-1R0J-PF	L=1.0uH at 7.96MHz	
NL453232T-1R2J-PF	L=1.2uH at 7.96MHz	
NL453232T-1R5J-PF	L=1.5uH at 7.96MHz	
NL453232T-1R8J-PF	L=1.8uH at 7.96MHz	
NL453232T-2R2J-PF	L=2.2uH at 7.96MHz	
NL453232T-2R7J-PF	L=2.7uH at 7.96MHz	
NL453232T-3R3J-PF	L=3.3uH at 7.96MHz	
NL453232T-3R9J-PF	L=3.9uH at 7.96MHz	
NL453232T-4R7J-PF	L=4.7uH at 7.96MHz	
NL453232T-5R6J-PF	L=5.6uH at 7.96MHz	
NL453232T-6R8J-PF	L=6.8uH at 7.96MHz	
NL453232T-8R2J-PF	L=8.2uH at 7.96MHz	
NL453232T-100J-PF	L=10uH at 2.52MHz	
NL453232T-120J-PF	L=12uH at 2.52MHz	
NL453232T-150J-PF	L=15uH at 2.52MHz	
NL453232T-180J-PF	L=18uH at 2.52MHz	
NL453232T-220J-PF	L=22uH at 2.52MHz	
NL453232T-270J-PF	L=27uH at 2.52MHz	
NL453232T-330J-PF	L=33uH at 2.52MHz	
NL453232T-390J-PF	L=39uH at 2.52MHz	
NL453232T-470J-PF	L=47uH at 2.52MHz	
NL453232T-560J-PF	L=56uH at 2.52MHz	

NL453232T-680J-PF	L=68uH at 2.52MHz	
NL453232T-820J-PF	L=82uH at 2.52MHz	
NL453232T-101J-PF	L=100uH at 0.796MHz	
NL453232T-121J-PF	L=120uH at 0.796MHz	
NL453232T-151J-PF	L=150uH at 0.796MHz	
NL453232T-181J-PF	L=180uH at 0.796MHz	
NL453232T-221J-PF	L=220uH at 0.796MHz	
NL453232T-271J-PF	L=270uH at 0.796MHz	
NL453232T-331J-PF	L=330uH at 0.796MHz	
NL453232T-391J-PF	L=390uH at 0.796MHz	
NL453232T-471J-PF	L=470uH at 0.796MHz	
NL453232T-561J-PF	L=560uH at 0.796MHz	
NL453232T-681J-PF	L=680uH at 0.796MHz	
NL453232T-821J-PF	L=820uH at 0.796MHz	
NL453232T-102J-PF	L=1000uH at 0.252MHz	

## NL5650 Series - 12 Products

Product Name	Main Characteristic	Note
NL565050T-122J-PF	L=1200uH at 0.252MHz	
NL565050T-152J-PF	L=1500uH at 0.252MHz	
NL565050T-182J-PF	L=1800uH at 0.252MHz	
NL565050T-222J-PF	L=2200uH at 0.252MHz	
NL565050T-272J-PF	L=2700uH at 0.252MHz	
NL565050T-332J-PF	L=3300uH at 0.252MHz	
NL565050T-392J-PF	L=3900uH at 0.252MHz	
NL565050T-472J-PF	L=4700uH at 0.252MHz	
NL565050T-562J-PF	L=5600uH at 0.252MHz	
NL565050T-682J-PF	L=6800uH at 0.252MHz	
NL565050T-822J-PF	L=8200uH at 0.252MHz	
NL565050T-103J-PF	L=10000uH at 0.0796MHz	

## NLC4532 Series - 31 Products

Product Name	Main Characteristic	Note
NLC453232T-1R0K-PF	L=1.0uH at 7.96MHz	
NLC453232T-1R2K-PF	L=1.2uH at 7.96MHz	
NLC453232T-1R5K-PF	L=1.5uH at 7.96MHz	
NLC453232T-1R8K-PF	L=1.8uH at 7.96MHz	
NLC453232T-2R2K-PF	L=2.2uH at 7.96MHz	
NLC453232T-2R7K-PF	L=2.7uH at 7.96MHz	
NLC453232T-3R3K-PF	L=3.3uH at 7.96MHz	
NLC453232T-3R9K-PF	L=3.9uH at 7.96MHz	
NLC453232T-4R7K-PF	L=4.7uH at 7.96MHz	
NLC453232T-5R6K-PF	L=5.6uH at 7.96MHz	
NLC453232T-6R8K-PF	L=6.8uH at 7.96MHz	
NLC453232T-8R2K-PF	L=8.2uH at 7.96MHz	
NLC453232T-100K-PF	L=10uH at 2.52MHz	
NLC453232T-120K-PF	L=12uH at 2.52MHz	
NLC453232T-150K-PF	L=15uH at 2.52MHz	

NLC453232T-180K-PF	L=18uH at 2.52MHz	
NLC453232T-220K-PF	L=22uH at 2.52MHz	
NLC453232T-270K-PF	L=27uH at 2.52MHz	
NLC453232T-330K-PF	L=33uH at 2.52MHz	
NLC453232T-390K-PF	L=39uH at 2.52MHz	
NLC453232T-470K-PF	L=47uH at 2.52MHz	
NLC453232T-560K-PF	L=56uH at 2.52MHz	
NLC453232T-680K-PF	L=68uH at 2.52MHz	
NLC453232T-820K-PF	L=82uH at 2.52MHz	
NLC453232T-101K-PF	L=100uH at 0.796MHz	
NLC453232T-121K-PF	L=120uH at 0.796MHz	
NLC453232T-151K-PF	L=150uH at 0.796MHz	
NLC453232T-181K-PF	L=180uH at 0.796MHz	
NLC453232T-221K-PF	L=220uH at 0.796MHz	
NLC453232T-271K-PF	L=270uH at 0.796MHz	
NLC453232T-331K-PF	L=330uH at 0.796MHz	

## NLC5650 Series - 37 Products

Product Name	Main Characteristic	Note
NLC565050T-1R0K-PF	L=1.0uH at 7.96MHz	
NLC565050T-1R2K-PF	L=1.2uH at 7.96MHz	
NLC565050T-1R5K-PF	L=1.5uH at 7.96MHz	
NLC565050T-1R8K-PF	L=1.8uH at 7.96MHz	
NLC565050T-2R2K-PF	L=2.2uH at 7.96MHz	
NLC565050T-2R7K-PF	L=2.7uH at 7.96MHz	
NLC565050T-3R3K-PF	L=3.3uH at 7.96MHz	
NLC565050T-3R9K-PF	L=3.9uH at 7.96MHz	
NLC565050T-4R7K-PF	L=4.7uH at 7.96MHz	
NLC565050T-5R6K-PF	L=5.6uH at 7.96MHz	
NLC565050T-6R8K-PF	L=6.8uH at 7.96MHz	
NLC565050T-8R2K-PF	L=8.2uH at 7.96MHz	
NLC565050T-100K-PF	L=10uH at 2.52MHz	
NLC565050T-120K-PF	L=12uH at 2.52MHz	
NLC565050T-150K-PF	L=15uH at 2.52MHz	
NLC565050T-180K-PF	L=18uH at 2.52MHz	
NLC565050T-220K-PF	L=22uH at 2.52MHz	
NLC565050T-270K-PF	L=27uH at 2.52MHz	
NLC565050T-330K-PF	L=33uH at 2.52MHz	
NLC565050T-390K-PF	L=39uH at 2.52MHz	
NLC565050T-470K-PF	L=47uH at 2.52MHz	
NLC565050T-560K-PF	L=56uH at 2.52MHz	
NLC565050T-680K-PF	L=68uH at 2.52MHz	
NLC565050T-820K-PF	L=82uH at 2.52MHz	
NLC565050T-101K-PF	L=100uH at 0.796MHz	
NLC565050T-121K-PF	L=120uH at 0.796MHz	
NLC565050T-151K-PF	L=150uH at 0.796MHz	
NLC565050T-181K-PF	L=180uH at 0.796MHz	
NLC565050T-221K-PF	L=220uH at 0.796MHz	

NLC565050T-271K-PF	L=270uH at 0.796MHz	
NLC565050T-331K-PF	L=330uH at 0.796MHz	
NLC565050T-391K-PF	L=390uH at 0.796MHz	
NLC565050T-471K-PF	L=470uH at 0.796MHz	
NLC565050T-561K-PF	L=560uH at 0.796MHz	
NLC565050T-681K-PF	L=680uH at 0.796MHz	
NLC565050T-821K-PF	L=820uH at 0.796MHz	
NLC565050T-102K-PF	L=1000uH at 0.252MHz	

## NLCV25 Series - 10 Products

Product Name	Main Characteristic	Note
NLCV25T-1R0M-PF	L=1.0uH at 7.96MHz	
NLCV25T-1R5M-PF	L=1.5uH at 7.96MHz	
NLCV25T-2R2M-PF	L=2.2uH at 7.96MHz	
NLCV25T-3R3M-PF	L=3.3uH at 7.96MHz	
NLCV25T-4R7M-PF	L=4.7uH at 7.96MHz	
NLCV25T-6R8M-PF	L=6.8uH at 7.96MHz	
NLCV25T-100K-PF	L=10uH at 2.52MHz	
NLCV25T-150K-PF	L=15uH at 2.52MHz	
NLCV25T-220K-PF	L=22uH at 2.52MHz	
NLCV25T-330K-PF	L=33uH at 2.52MHz	

## NLCV25-R Series - 13 Products

Product Name	Main Characteristic	Note
NLCV25T-R10M-PFR	L=0.10uH at 25.2MHz	
NLCV25T-R15M-PFR	L=0.15uH at 25.2MHz	
NLCV25T-R22M-PFR	L=0.22uH at 25.2MHz	
NLCV25T-R33M-PFR	L=0.33uH at 25.2MHz	
NLCV25T-R47M-PFR	L=0.47uH at 25.2MHz	
NLCV25T-R68M-PFR	L=0.68uH at 25.2MHz	
NLCV25T-1R0M-PFR	L=1.0uH at 7.96MHz	
NLCV25T-1R5M-PFR	L=1.5uH at 7.96MHz	
NLCV25T-2R2M-PFR	L=2.2uH at 7.96MHz	
NLCV25T-3R3M-PFR	L=3.3uH at 7.96MHz	
NLCV25T-4R7M-PFR	L=4.7uH at 7.96MHz	
NLCV25T-6R8M-PFR	L=6.8uH at 7.96MHz	
NLCV25T-100K-PFR	L=10uH at 2.52MHz	

## NLCV32 Series - 16 Products

Product Name	Main Characteristic	Note
NLCV32T-1R0M-PF	L=1.0uH at 7.96MHz	
NLCV32T-1R5M-PF	L=1.5uH at 7.96MHz	
NLCV32T-2R2M-PF	L=2.2uH at 7.96MHz	
NLCV32T-3R3M-PF	L=3.3uH at 7.96MHz	
NLCV32T-4R7M-PF	L=4.7uH at 7.96MHz	
NLCV32T-6R8M-PF	L=6.8uH at 7.96MHz	
NLCV32T-100K-PF	L=10uH at 2.52MHz	

NLCV32T-150K-PF	L=15uH at 2.52MHz	
NLCV32T-220K-PF	L=22uH at 2.52MHz	
NLCV32T-330K-PF	L=33uH at 2.52MHz	
NLCV32T-470K-PF	L=47uH at 2.52MHz	
NLCV32T-680K-PF	L=68uH at 2.52MHz	
NLCV32T-101K-PF	L=100uH at 0.796MHz	
NLCV32T-151K-PF	L=150uH at 0.796MHz	
NLCV32T-221K-PF	L=220uH at 0.796MHz	
NLCV32T-331K-PF	L=330uH at 0.796MHz	

## NLCV32-R Series - 13 Products

Product Name	Main Characteristic	Note
NLCV32T-R10M-PFR	L=0.10uH at 25.2MHz	
NLCV32T-R15M-PFR	L=0.15uH at 25.2MHz	
NLCV32T-R22M-PFR	L=0.22uH at 25.2MHz	
NLCV32T-R33M-PFR	L=0.33uH at 25.2MHz	
NLCV32T-R47M-PFR	L=0.47uH at 25.2MHz	
NLCV32T-R68M-PFR	L=0.68uH at 25.2MHz	
NLCV32T-1R0M-PFR	L=1.0uH at 7.96MHz	
NLCV32T-1R5M-PFR	L=1.5uH at 7.96MHz	
NLCV32T-2R2M-PFR	L=2.2uH at 7.96MHz	
NLCV32T-3R3M-PFR	L=3.3uH at 7.96MHz	
NLCV32T-4R7M-PFR	L=4.7uH at 7.96MHz	
NLCV32T-6R8M-PFR	L=6.8uH at 7.96MHz	
NLCV32T-100K-PFR	L=10uH at 2.52MHz	

## NLFC4532 Series - 16 Products

Product Name	Main Characteristic	Note
NLFC453232T-1R0M-PF	L=1.0uH at 7.96MHz	
NLFC453232T-1R5M-PF	L=1.5uH at 7.96MHz	
NLFC453232T-2R2M-PF	L=2.2uH at 7.96MHz	
NLFC453232T-3R3M-PF	L=3.3uH at 7.96MHz	
NLFC453232T-4R7M-PF	L=4.7uH at 7.96MHz	
NLFC453232T-6R8M-PF	L=6.8uH at 7.96MHz	
NLFC453232T-100K-PF	L=10uH at 2.52MHz	
NLFC453232T-150K-PF	L=15uH at 2.52MHz	
NLFC453232T-220K-PF	L=22uH at 2.52MHz	
NLFC453232T-330K-PF	L=33uH at 2.52MHz	
NLFC453232T-470K-PF	L=47uH at 2.52MHz	
NLFC453232T-680K-PF	L=68uH at 2.52MHz	
NLFC453232T-101K-PF	L=100uH at 0.796MHz	
NLFC453232T-151K-PF	L=150uH at 0.796MHz	
NLFC453232T-221K-PF	L=220uH at 0.796MHz	
NLFC453232T-331K-PF	L=330uH at 0.796MHz	

## NLFV25 Series - 13 Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

NLFV25T-1R0M-PF	L=1.0uH at 7.96MHz	
NLFV25T-1R5M-PF	L=1.5uH at 7.96MHz	
NLFV25T-2R2M-PF	L=2.2uH at 7.96MHz	
NLFV25T-3R3M-PF	L=3.3uH at 7.96MHz	
NLFV25T-4R7M-PF	L=4.7uH at 7.96MHz	
NLFV25T-6R8M-PF	L=6.8uH at 7.96MHz	
NLFV25T-100K-PF	L=10uH at 2.52MHz	
NLFV25T-150K-PF	L=15uH at 2.52MHz	
NLFV25T-220K-PF	L=22uH at 2.52MHz	
NLFV25T-330K-PF	L=33uH at 2.52MHz	
NLFV25T-470K-PF	L=47uH at 2.52MHz	
NLFV25T-680K-PF	L=68uH at 2.52MHz	
NLFV25T-101K-PF	L=100uH at 0.796MHz	

## NLFV32 Series - 20 Products

Product Name	Main Characteristic	Note
NLFV32T-091M-EF	L=0.091uH at 7.96MHz	
NLFV32T-1R0M-EF	L=1.0uH at 7.96MHz	
NLFV32T-1R5M-EF	L=1.5uH at 7.96MHz	
NLFV32T-2R2M-EF	L=2.2uH at 7.96MHz	
NLFV32T-3R3M-EF	L=3.3uH at 7.96MHz	
NLFV32T-4R7M-EF	L=4.7uH at 7.96MHz	
NLFV32T-6R8M-EF	L=6.8uH at 7.96MHz	
NLFV32T-100K-EF	L=10uH at 2.52MHz	
NLFV32T-150K-EF	L=15uH at 2.52MHz	
NLFV32T-220K-EF	L=22uH at 2.52MHz	
NLFV32T-330K-EF	L=33uH at 2.52MHz	
NLFV32T-470K-EF	L=47uH at 2.52MHz	
NLFV32T-680K-EF	L=68uH at 2.52MHz	
NLFV32T-101K-EF	L=100uH at 0.796MHz	
NLFV32T-151K-EF	L=150uH at 0.796MHz	
NLFV32T-221K-EF	L=220uH at 0.796MHz	
NLFV32T-331K-EF	L=330uH at 0.796MHz	
NLFV32T-471K-EF	L=470uH at 0.796MHz	
NLFV32T-681K-EF	L=680uH at 0.796MHz	
NLFV32T-102K-EF	L=1000uH at 0.252MHz	

## NLHV25 Series - 11 Products

Product Name	Main Characteristic	Note
NLHV25T-R12J-PF	L=0.12uH at 25.2MHz	
NLHV25T-R15J-PF	L=0.15uH at 25.2MHz	
NLHV25T-R18J-PF	L=0.18uH at 25.2MHz	
NLHV25T-R22J-PF	L=0.22uH at 25.2MHz	
NLHV25T-R27J-PF	L=0.27uH at 25.2MHz	
NLHV25T-R33J-PF	L=0.33uH at 25.2MHz	
NLHV25T-R39J-PF	L=0.39uH at 25.2MHz	
NLHV25T-R47J-PF	L=0.47uH at 25.2MHz	
NLHV25T-R56J-PF	L=0.56uH at 25.2MHz	

NLHV25T-R68J-PF	L=0.68uH at 25.2MHz	
NLHV25T-R82J-PF	L=0.82uH at 25.2MHz	

## NLV25 Series - 49 Products

Product Name	Main Characteristic	Note
NLV25T-010J-PF	L=0.010uH at 100MHz	
NLV25T-012J-PF	L=0.012uH at 100MHz	
NLV25T-015J-PF	L=0.015uH at 100MHz	
NLV25T-018J-PF	L=0.018uH at 100MHz	
NLV25T-022J-PF	L=0.022uH at 100MHz	
NLV25T-027J-PF	L=0.027uH at 100MHz	
NLV25T-033J-PF	L=0.033uH at 100MHz	
NLV25T-039J-PF	L=0.039uH at 100MHz	
NLV25T-047J-PF	L=0.047uH at 100MHz	
NLV25T-056J-PF	L=0.056uH at 100MHz	
NLV25T-068J-PF	L=0.068uH at 100MHz	
NLV25T-082J-PF	L=0.082uH at 100MHz	
NLV25T-R10J-PF	L=0.10uH at 100MHz	
NLV25T-R12J-PF	L=0.12uH at 25.2MHz	
NLV25T-R15J-PF	L=0.15uH at 25.2MHz	
NLV25T-R18J-PF	L=0.18uH at 25.2MHz	
NLV25T-R22J-PF	L=0.22uH at 25.2MHz	
NLV25T-R27J-PF	L=0.27uH at 25.2MHz	
NLV25T-R33J-PF	L=0.33uH at 25.2MHz	
NLV25T-R39J-PF	L=0.39uH at 25.2MHz	
NLV25T-R47J-PF	L=0.47uH at 25.2MHz	
NLV25T-R56J-PF	L=0.56uH at 25.2MHz	
NLV25T-R68J-PF	L=0.68uH at 25.2MHz	
NLV25T-R82J-PF	L=0.82uH at 25.2MHz	
NLV25T-1R0J-PF	L=1.0uH at 7.96MHz	
NLV25T-1R2J-PF	L=1.2uH at 7.96MHz	
NLV25T-1R5J-PF	L=1.5uH at 7.96MHz	
NLV25T-1R8J-PF	L=1.8uH at 7.96MHz	
NLV25T-2R2J-PF	L=2.2uH at 7.96MHz	
NLV25T-2R7J-PF	L=2.7uH at 7.96MHz	
NLV25T-3R3J-PF	L=3.3uH at 7.96MHz	
NLV25T-3R9J-PF	L=3.9uH at 7.96MHz	
NLV25T-4R7J-PF	L=4.7uH at 7.96MHz	
NLV25T-5R6J-PF	L=5.6uH at 7.96MHz	
NLV25T-6R8J-PF	L=6.8uH at 7.96MHz	
NLV25T-8R2J-PF	L=8.2uH at 7.96MHz	
NLV25T-100J-PF	L=10uH at 2.52MHz	
NLV25T-120J-PF	L=12uH at 2.52MHz	
NLV25T-150J-PF	L=15uH at 2.52MHz	
NLV25T-180J-PF	L=18uH at 2.52MHz	
NLV25T-220J-PF	L=22uH at 2.52MHz	
NLV25T-270J-PF	L=27uH at 2.52MHz	
NLV25T-330J-PF	L=33uH at 2.52MHz	

NLV25T-390J-PF	L=39uH at 2.52MHz	
NLV25T-470J-PF	L=47uH at 2.52MHz	
NLV25T-560J-PF	L=56uH at 2.52MHz	
NLV25T-680J-PF	L=68uH at 2.52MHz	
NLV25T-820J-PF	L=82uH at 2.52MHz	
NLV25T-101J-PF	L=100uH at 0.796MHz	

## NLV32 Series - 57 Products

Product Name	Main Characteristic	Note
NLV32T-010J-PF	L=0.010uH at 100MHz	
NLV32T-012J-PF	L=0.012uH at 100MHz	
NLV32T-015J-PF	L=0.015uH at 100MHz	
NLV32T-018J-PF	L=0.018uH at 100MHz	
NLV32T-022J-PF	L=0.022uH at 100MHz	
NLV32T-027J-PF	L=0.027uH at 100MHz	
NLV32T-033J-PF	L=0.033uH at 100MHz	
NLV32T-039J-PF	L=0.039uH at 100MHz	
NLV32T-047J-PF	L=0.047uH at 100MHz	
NLV32T-056J-PF	L=0.056uH at 100MHz	
NLV32T-068J-PF	L=0.068uH at 100MHz	
NLV32T-082J-PF	L=0.082uH at 100MHz	
NLV32T-R10J-PF	L=0.10uH at 100MHz	
NLV32T-R12J-PF	L=0.12uH at 25.2MHz	
NLV32T-R15J-PF	L=0.15uH at 25.2MHz	
NLV32T-R18J-PF	L=0.18uH at 25.2MHz	
NLV32T-R22J-PF	L=0.22uH at 25.2MHz	
NLV32T-R27J-PF	L=0.27uH at 25.2MHz	
NLV32T-R33J-PF	L=0.33uH at 25.2MHz	
NLV32T-R39J-PF	L=0.39uH at 25.2MHz	
NLV32T-R47J-PF	L=0.47uH at 25.2MHz	
NLV32T-R56J-PF	L=0.56uH at 25.2MHz	
NLV32T-R68J-PF	L=0.68uH at 25.2MHz	
NLV32T-R82J-PF	L=0.82uH at 25.2MHz	
NLV32T-1R0J-PF	L=1.0uH at 7.96MHz	
NLV32T-1R2J-PF	L=1.2uH at 7.96MHz	
NLV32T-1R5J-PF	L=1.5uH at 7.96MHz	
NLV32T-1R8J-PF	L=1.8uH at 7.96MHz	
NLV32T-2R2J-PF	L=2.2uH at 7.96MHz	
NLV32T-2R7J-PF	L=2.7uH at 7.96MHz	
NLV32T-3R3J-PF	L=3.3uH at 7.96MHz	
NLV32T-3R9J-PF	L=3.9uH at 7.96MHz	
NLV32T-4R7J-PF	L=4.7uH at 7.96MHz	
NLV32T-5R6J-PF	L=5.6uH at 7.96MHz	
NLV32T-6R8J-PF	L=6.8uH at 7.96MHz	
NLV32T-8R2J-PF	L=8.2uH at 7.96MHz	
NLV32T-100J-PF	L=10uH at 2.52MHz	
NLV32T-120J-PF	L=12uH at 2.52MHz	
NLV32T-150J-PF	L=15uH at 2.52MHz	

NLV32T-180J-PF	L=18uH at 2.52MHz	
NLV32T-220J-PF	L=22uH at 2.52MHz	
NLV32T-270J-PF	L=27uH at 2.52MHz	
NLV32T-330J-PF	L=33uH at 2.52MHz	
NLV32T-390J-PF	L=39uH at 2.52MHz	
NLV32T-470J-PF	L=47uH at 2.52MHz	
NLV32T-560J-PF	L=56uH at 2.52MHz	
NLV32T-680J-PF	L=68uH at 2.52MHz	
NLV32T-820J-PF	L=82uH at 2.52MHz	
NLV32T-101J-PF	L=100uH at 0.796MHz	
NLV32T-121J-PF	L=120uH at 0.796MHz	
NLV32T-151J-PF	L=150uH at 0.796MHz	
NLV32T-181J-PF	L=180uH at 0.796MHz	
NLV32T-221J-PF	L=220uH at 0.796MHz	
NLV32T-271J-PF	L=270uH at 0.796MHz	
NLV32T-331J-PF	L=330uH at 0.796MHz	
NLV32T-391J-PF	L=390uH at 0.796MHz	
NLV32T-471J-PF	L=470uH at 0.796MHz	

#### RLF7030 Series - 6 Products

Product Name	Main Characteristic	Note
RLF7030T-1R0N6R4	L=1.0uH at 100kHz	
RLF7030T-1R5N6R1	L=1.5uH at 100kHz	
RLF7030T-2R2M5R4	L=2.2uH at 100kHz	
RLF7030T-3R3M4R1	L=3.3uH at 100kHz	
RLF7030T-4R7M3R4	L=4.7uH at 100kHz	
RLF7030T-6R8M2R8	L=6.8uH at 100kHz	

#### RLF12545 Series - 6 Products

Product Name	Main Characteristic	Note
RLF12545T-1R9N100-PF	L=1.9uH at 100kHz	
RLF12545T-2R7N8R7-PF	L=2.7uH at 100kHz	
RLF12545T-4R2N6R5-PF	L=4.2uH at 100kHz	
RLF12545T-5R6N6R1-PF	L=5.6uH at 100kHz	
RLF12545T-7R8N5R4-PF	L=7.8uH at 100kHz	
RLF12545T-100M5R1-PF	L=10uH at 100kHz	

#### RLF12560 Series - 7 Products

Product Name	Main Characteristic	Note
RLF12560T-1R0N140	L=1.0uH at 100kHz	
RLF12560T-1R9N120	L=1.9uH at 100kHz	
RLF12560T-2R7N110	L=2.7uH at 100kHz	
RLF12560T-4R2N100	L=4.2uH at 100kHz	
RLF12560T-5R6N9R2	L=5.6uH at 100kHz	
RLF12560T-7R8N8R2	L=7.8uH at 100kHz	
RLF12560T-100M7R5	L=10uH at 100kHz	

## SLF6025 Series - 9 Products

Product Name	Main Characteristic	Note
SLF6025T-4R7M1R5-PF	L=4.7uH at 100kHz	
SLF6025T-6R8M1R3-PF	L=6.8uH at 100kHz	
SLF6025T-100M1R0-PF	L=10uH at 100kHz	
SLF6025T-150MR88-PF	L=15uH at 100kHz	
SLF6025T-220MR73-PF	L=22uH at 100kHz	
SLF6025T-330MR59-PF	L=33uH at 100kHz	
SLF6025T-470MR48-PF	L=47uH at 100kHz	
SLF6025T-680MR42-PF	L=68uH at 100kHz	
SLF6025T-101MR33-PF	L=100uH at 100kHz	

## SLF6028 Series - 11 Products

Product Name	Main Characteristic	Note
SLF6028T-4R7M1R6-PF	L=4.7uH at 100kHz	
SLF6028T-6R8M1R5-PF	L=6.8uH at 100kHz	
SLF6028T-100M1R3-PF	L=10uH at 100kHz	
SLF6028T-150M1R0-PF	L=15uH at 100kHz	
SLF6028T-220MR77-PF	L=22uH at 100kHz	
SLF6028T-330MR69-PF	L=33uH at 100kHz	
SLF6028T-470MR59-PF	L=47uH at 100kHz	
SLF6028T-680MR50-PF	L=68uH at 100kHz	
SLF6028T-101MR42-PF	L=100uH at 100kHz	
SLF6028T-151MR34-PF	L=150uH at 100kHz	
SLF6028T-221MR26-PF	L=220uH at 100kHz	

## SLF6045-3 Series - 8 Products

Product Name	Main Characteristic	Note
SLF6045T-1R5N4R0-3PF	L=1.5uH at 100kHz	
SLF6045T-2R2N3R3-3PF	L=2.2uH at 100kHz	
SLF6045T-3R3N2R8-3PF	L=3.3uH at 100kHz	
SLF6045T-4R7N2R4-3PF	L=4.7uH at 100kHz	
SLF6045T-6R8N2R0-3PF	L=6.8uH at 100kHz	
SLF6045T-100M1R6-3PF	L=10uH at 100kHz	
SLF6045T-150M1R3-3PF	L=15uH at 100kHz	
SLF6045T-220M1R1-3PF	L=22uH at 100kHz	

## SLF7032-2 Series - 16 Products

Product Name	Main Characteristic	Note
SLF7032T-3R3M1R9-2PF	L=3.3uH at 100kHz	
SLF7032T-4R7M1R7-2PF	L=4.7uH at 100kHz	
SLF7032T-6R8M1R6-2PF	L=6.8uH at 100kHz	
SLF7032T-100M1R4-2PF	L=10uH at 100kHz	
SLF7032T-150M1R1-2PF	L=15uH at 100kHz	
SLF7032T-220MR96-2PF	L=22uH at 100kHz	
SLF7032T-330MR75-2PF	L=33uH at 100kHz	
SLF7032T-470MR67-2PF	L=47uH at 100kHz	

SLF7032T-680MR59-2PF	L=68uH at 100kHz	
SLF7032T-101MR45-2PF	L=100uH at 100kHz	
SLF7032T-151MR37-2PF	L=150uH at 100kHz	
SLF7032T-221MR29-2PF	L=220uH at 100kHz	
SLF7032T-331MR22-2PF	L=330uH at 100kHz	
SLF7032T-471MR20-2PF	L=470uH at 100kHz	
SLF7032T-681MR16-2PF	L=680uH at 100kHz	
SLF7032T-102MR13-2PF	L=1000uH at 100kHz	

## SLF7045 Series - 16 Products

Product Name	Main Characteristic	Note
SLF7045T-3R3M2R5-PF	L=3.3uH at 100kHz	
SLF7045T-4R7M2R0-PF	L=4.7uH at 100kHz	
SLF7045T-6R8M1R7-PF	L=6.8uH at 100kHz	
SLF7045T-100M1R3-PF	L=10uH at 100kHz	
SLF7045T-150M1R1-PF	L=15uH at 100kHz	
SLF7045T-220MR90-PF	L=22uH at 100kHz	
SLF7045T-330MR82-PF	L=33uH at 100kHz	
SLF7045T-470MR75-PF	L=47uH at 100kHz	
SLF7045T-680MR60-PF	L=68uH at 100kHz	
SLF7045T-101MR50-PF	L=100uH at 100kHz	
SLF7045T-151MR40-PF	L=150uH at 100kHz	
SLF7045T-221MR33-PF	L=220uH at 100kHz	
SLF7045T-331MR25-PF	L=330uH at 100kHz	
SLF7045T-471MR22-PF	L=470uH at 100kHz	
SLF7045T-681MR20-PF	L=680uH at 100kHz	
SLF7045T-102MR14-PF	L=1000uH at 100kHz	

## SLF7045-H Series - 14 Products

Product Name	Main Characteristic	Note
SLF7045T-3R3M2R2-H	L=3.3uH at 100kHz	
SLF7045T-4R7M2R1-H	L=4.7uH at 100kHz	
SLF7045T-6R8M1R9-H	L=6.8uH at 100kHz	
SLF7045T-100M1R8-H	L=10uH at 100kHz	
SLF7045T-150M1R5-H	L=15uH at 100kHz	
SLF7045T-220M1R3-H	L=22uH at 100kHz	
SLF7045T-330M1R1-H	L=33uH at 100kHz	
SLF7045T-470MR90-H	L=47uH at 100kHz	
SLF7045T-680MR75-H	L=68uH at 100kHz	
SLF7045T-101MR60-H	L=100uH at 100kHz	
SLF7045T-151MR50-H	L=150uH at 100kHz	
SLF7045T-221MR40-H	L=220uH at 100kHz	
SLF7045T-331MR35-H	L=330uH at 100kHz	
SLF7045T-471MR31-H	L=470uH at 100kHz	

## SLF7055-3 Series - 8 Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

SLF7055T-1R5N4R0-3PF	L=1.5uH at 100kHz	
SLF7055T-2R2N3R5-3PF	L=2.2uH at 100kHz	
SLF7055T-3R3N3R3-3PF	L=3.3uH at 100kHz	
SLF7055T-4R7N3R1-3PF	L=4.7uH at 100kHz	
SLF7055T-6R8N2R8-3PF	L=6.8uH at 100kHz	
SLF7055T-100M2R5-3PF	L=10uH at 100kHz	
SLF7055T-150M2R1-3PF	L=15uH at 100kHz	
SLF7055T-220M1R7-3PF	L=22uH at 100kHz	

## SLF10145 Series - 16 Products

Product Name	Main Characteristic	Note
SLF10145T-3R3N3R7-PF	L=3.3uH at 1kHz	
SLF10145T-5R6M3R2-PF	L=5.6uH at 1kHz	
SLF10145T-100M2R5-PF	L=10uH at 1kHz	
SLF10145T-150M2R2-PF	L=15uH at 1kHz	
SLF10145T-220M1R9-PF	L=22uH at 1kHz	
SLF10145T-330M1R6-PF	L=33uH at 1kHz	
SLF10145T-470M1R4-PF	L=47uH at 1kHz	
SLF10145T-680M1R2-PF	L=68uH at 1kHz	
SLF10145T-101M1R0-PF	L=100uH at 1kHz	
SLF10145T-151MR79-PF	L=150uH at 1kHz	
SLF10145T-221MR65-PF	L=220uH at 1kHz	
SLF10145T-331MR54-PF	L=330uH at 1kHz	
SLF10145T-471MR47-PF	L=470uH at 1kHz	
SLF10145T-681MR38-PF	L=680uH at 1kHz	
SLF10145T-102MR29-PF	L=1000uH at 1kHz	
SLF10145T-152MR22-PF	L=1500uH at 1kHz	

## SLF10145-H Series - 16 Products

Product Name	Main Characteristic	Note
SLF10145T-3R3N3R7-H	L=3.3uH at 1kHz	
SLF10145T-5R6M3R2-H	L=5.6uH at 1kHz	
SLF10145T-100M2R5-H	L=10uH at 1kHz	
SLF10145T-150M2R2-H	L=15uH at 1kHz	
SLF10145T-220M1R9-H	L=22uH at 1kHz	
SLF10145T-330M1R6-H	L=33uH at 1kHz	
SLF10145T-470M1R4-H	L=47uH at 1kHz	
SLF10145T-680M1R2-H	L=68uH at 1kHz	
SLF10145T-101M1R0-H	L=100uH at 1kHz	
SLF10145T-151MR79-H	L=150uH at 1kHz	
SLF10145T-221MR65-H	L=220uH at 1kHz	
SLF10145T-331MR54-H	L=330uH at 1kHz	
SLF10145T-471MR47-H	L=470uH at 1kHz	
SLF10145T-681MR38-H	L=680uH at 1kHz	
SLF10145T-102MR29-H	L=1000uH at 1kHz	
SLF10145T-152MR22-H	L=1500uH at 1kHz	

## SLF10165-3 Series - 8 Products

Product Name	Main Characteristic	Note
SLF10165T-1R5N6R83PF	L=1.5uH at 100kHz	
SLF10165T-2R2N6R33PF	L=2.2uH at 100kHz	
SLF10165T-3R3N5R83PF	L=3.3uH at 100kHz	
SLF10165T-4R7N4R73PF	L=4.7uH at 100kHz	
SLF10165T-6R8N4R33PF	L=6.8uH at 100kHz	
SLF10165T-100M3R83PF	L=10uH at 100kHz	
SLF10165T-150M3R13PF	L=15uH at 100kHz	
SLF10165T-220M2R43PF	L=22uH at 100kHz	

## SLF12555 Series - 15 Products

Product Name	Main Characteristic	Note
SLF12555T-6R0N3R6-PF	L=6.0uH at 1kHz	
SLF12555T-100M3R4-PF	L=10uH at 1kHz	
SLF12555T-150M2R8-PF	L=15uH at 1kHz	
SLF12555T-220M2R3-PF	L=22uH at 1kHz	
SLF12555T-330M1R9-PF	L=33uH at 1kHz	
SLF12555T-470M1R6-PF	L=47uH at 1kHz	
SLF12555T-680M1R3-PF	L=68uH at 1kHz	
SLF12555T-101M1R1-PF	L=100uH at 1kHz	
SLF12555T-151MR88-PF	L=150uH at 1kHz	
SLF12555T-221MR72-PF	L=220uH at 1kHz	
SLF12555T-331MR59-PF	L=330uH at 1kHz	
SLF12555T-471MR49-PF	L=470uH at 1kHz	
SLF12555T-681MR43-PF	L=680uH at 1kHz	
SLF12555T-102MR34-PF	L=1000uH at 1kHz	
SLF12555T-152MR29-PF	L=1500uH at 1kHz	

## SLF12565 Series - 12 Products

Product Name	Main Characteristic	Note
SLF12565T-2R0N6R2-PF	L=2.0uH at 1kHz	
SLF12565T-4R2N5R5-PF	L=4.2uH at 1kHz	
SLF12565T-7R0N5R0-PF	L=7.0uH at 1kHz	
SLF12565T-100M4R8-PF	L=10uH at 1kHz	
SLF12565T-150M4R2-PF	L=15uH at 1kHz	
SLF12565T-220M3R5-PF	L=22uH at 1kHz	
SLF12565T-330M2R8-PF	L=33uH at 1kHz	
SLF12565T-470M2R4-PF	L=47uH at 1kHz	
SLF12565T-680M2R0-PF	L=68uH at 1kHz	
SLF12565T-101M1R6-PF	L=100uH at 1kHz	
SLF12565T-151M1R3-PF	L=150uH at 1kHz	
SLF12565T-221M1R0-PF	L=220uH at 1kHz	

## SLF12565-H Series - 16 Products

Product Name	Main Characteristic	Note
SLF12565T-2R0N6R2-H	L=2.0uH at 1kHz	

SLF12565T-4R2N5R5-H	L=4.2uH at 1kHz	
SLF12565T-7R0N5R0-H	L=7.0uH at 1kHz	
SLF12565T-100M4R8-H	L=10uH at 1kHz	
SLF12565T-150M4R2-H	L=15uH at 1kHz	
SLF12565T-220M3R5-H	L=22uH at 1kHz	
SLF12565T-330M2R8-H	L=33uH at 1kHz	
SLF12565T-470M2R4-H	L=47uH at 1kHz	
SLF12565T-680M2R0-H	L=68uH at 1kHz	
SLF12565T-101M1R6-H	L=100uH at 1kHz	
SLF12565T-151M1R3-H	L=150uH at 1kHz	
SLF12565T-221M1R0-H	L=220uH at 1kHz	
SLF12565T-331MR87-H	L=330uH at 1kHz	
SLF12565T-471MR70-H	L=470uH at 1kHz	
SLF12565T-102MR45-H	L=1000uH at 1kHz	
SLF12565T-152MR37-H	L=1500uH at 1kHz	

## SLF12575 Series - 14 Products

Product Name	Main Characteristic	Note
SLF12575T-1R2N8R2-PF	L=1.2uH at 1kHz	
SLF12575T-2R7N7R0-PF	L=2.7uH at 1kHz	
SLF12575T-3R9N6R7-PF	L=3.9uH at 1kHz	
SLF12575T-5R6N6R3-PF	L=5.6uH at 1kHz	
SLF12575T-6R8N5R9-PF	L=6.8uH at 1kHz	
SLF12575T-100M5R4-PF	L=10uH at 1kHz	
SLF12575T-150M4R7-PF	L=15uH at 1kHz	
SLF12575T-220M4R0-PF	L=22uH at 1kHz	
SLF12575T-330M3R2-PF	L=33uH at 1kHz	
SLF12575T-470M2R7-PF	L=47uH at 1kHz	
SLF12575T-680M2R0-PF	L=68uH at 1kHz	
SLF12575T-101M1R9-PF	L=100uH at 1kHz	
SLF12575T-151M1R5-PF	L=150uH at 1kHz	
SLF12575T-221M1R3-PF	L=220uH at 1kHz	

## SLF12575-H Series - 16 Products

Product Name	Main Characteristic	Note
SLF12575T-1R2N8R2-H	L=1.2uH at 1kHz	
SLF12575T-2R7N7R0-H	L=2.7uH at 1kHz	
SLF12575T-3R9N6R7-H	L=3.9uH at 1kHz	
SLF12575T-5R6N6R3-H	L=5.6uH at 1kHz	
SLF12575T-6R8N5R9-H	L=6.8uH at 1kHz	
SLF12575T-100M5R4-H	L=10uH at 1kHz	
SLF12575T-150M4R7-H	L=15uH at 1kHz	
SLF12575T-220M4R0-H	L=22uH at 1kHz	
SLF12575T-330M3R2-H	L=33uH at 1kHz	
SLF12575T-470M2R7-H	L=47uH at 1kHz	
SLF12575T-680M2R0-H	L=68uH at 1kHz	
SLF12575T-101M1R9-H	L=100uH at 1kHz	
SLF12575T-151M1R5-H	L=150uH at 1kHz	

SLF12575T-221M1R3-H	L=220uH at 1kHz	
SLF12575T-331M1R0-H	L=330uH at 1kHz	
SLF12575T-471MR80-H	L=470uH at 1kHz	

## SPM3012 Series - 5 Products

Product Name	Main Characteristic	Note
SPM3012T-1R0M	L=1.0uH at 100kHz	
SPM3012T-1R5M	L=1.5uH at 100kHz	
SPM3012T-2R2M	L=2.2uH at 100kHz	
SPM3012T-3R3M	L=3.3uH at 100kHz	
SPM3012T-4R7M	L=4.7uH at 100kHz	

## SPM5030 Series - 3 Products

Product Name	Main Characteristic	Note
SPM5030T-R20M	L=0.20uH at 100kHz	
SPM5030T-R35M	L=0.35uH at 100kHz	
SPM5030T-R75M	L=0.75uH at 100kHz	

## SPM6530 Series - 8 Products

Product Name	Main Characteristic	Note
SPM6530T-R25M230	L=0.25uH at 100kHz	
SPM6530T-R47M170	L=0.47uH at 100kHz	
SPM6530T-R68M140	L=0.68uH at 100kHz	
SPM6530T-1R0M120	L=1.0uH at 100kHz	
SPM6530T-1R5M100	L=1.5uH at 100kHz	
SPM6530T-2R2M	L=2.2uH at 100kHz	
SPM6530T-3R3M	L=3.3uH at 100kHz	
SPM6530T-4R7M	L=4.7uH at 100kHz	

## TFC252008MC Series - 3 Products

Product Name	Main Characteristic	Note
TFC252008MC-1R0M1R4	L=1.0uH at 1MHz	
TFC252008MC-1R5M1R0	L=1.5uH at 1MHz	
TFC252008MC-2R2MR80	L=2.2uH at 1MHz	

## TPL1183427 Series - 1 Product

Product Name	Main Characteristic	Note
TPL1183427-722J-720N	L=7.20mH at 125kHz	

## TPL1183525 Series - 1 Product

Product Name	Main Characteristic	Note
TPL1183525-262J-261N	L=2.61mH at 125kHz	

## VLB7050 Series - 3 Products

Product Name	Main Characteristic	Note
VLB7050HT-R09M	L=0.09uH at 1MHz	
VLB7050HT-R11M	L=0.11uH at 1MHz	

VLB7050HT-R15M	L=0.15uH at 1MHz	
----------------	------------------	--

## VLB8030 Series - 4 Products

Product Name	Main Characteristic	Note
VLB8030HT-R09M	L=0.09uH at 1MHz	
VLB8030HT-R11M	L=0.11uH at 1MHz	
VLB8030HT-R16M	L=0.16uH at 1MHz	
VLB8030HT-R20M	L=0.20uH at 1MHz	

## VLB10050 Series - 4 Products

Product Name	Main Characteristic	Note
VLB10050HT-R12M	L=0.12uH at 1MHz	
VLB10050HT-R15M	L=0.15uH at 1MHz	
VLB10050HT-R20M	L=0.20uH at 1MHz	
VLB10050HT-R30N	L=0.30uH at 1MHz	

## VLB12065 Series - 3 Products

Product Name	Main Characteristic	Note
VLB12065HT-R20M	L=0.20uH at 1MHz	
VLB12065HT-R29M	L=0.29uH at 1MHz	
VLB12065HT-R36M	L=0.36uH at 1MHz	

## VLC5018-2 Series - 4 Products

Product Name	Main Characteristic	Note
VLC5018T-1R2N-2	L=1.2uH at 100kHz	
VLC5018T-2R2N-2	L=2.2uH at 100kHz	
VLC5018T-3R3N-2	L=3.3uH at 100kHz	
VLC5018T-4R7M-2	L=4.7uH at 100kHz	

## VLC5020 Series - 12 Products

Product Name	Main Characteristic	Note
VLC5020T-R47N	L=0.47uH at 100kHz	
VLC5020T-1R2N	L=1.2uH at 100kHz	
VLC5020T-1R5N	L=1.5uH at 100kHz	
VLC5020T-2R2N	L=2.2uH at 100kHz	
VLC5020T-2R7N	L=2.7uH at 100kHz	
VLC5020T-3R3N	L=3.3uH at 100kHz	
VLC5020T-4R7N	L=4.7uH at 100kHz	
VLC5020T-6R8M	L=6.8uH at 100kHz	
VLC5020T-100M	L=10uH at 100kHz	
VLC5020T-150M	L=15uH at 100kHz	
VLC5020T-220M	L=22uH at 100kHz	
VLC5020T-151M	L=150uH at 100kHz	

## VLC5045 Series - 15 Products

Product Name	Main Characteristic	Note
VLC5045T-1R0N	L=1.0uH at 100kHz	

VLC5045T-1R5N	L=1.5uH at 100kHz	
VLC5045T-2R2N	L=2.2uH at 100kHz	
VLC5045T-3R3N	L=3.3uH at 100kHz	
VLC5045T-4R7M	L=4.7uH at 100kHz	
VLC5045T-6R8M	L=6.8uH at 100kHz	
VLC5045T-100M	L=10uH at 100kHz	
VLC5045T-150M	L=15uH at 100kHz	
VLC5045T-220M	L=22uH at 100kHz	
VLC5045T-330M	L=33uH at 100kHz	
VLC5045T-470M	L=47uH at 100kHz	
VLC5045T-680M	L=68uH at 100kHz	
VLC5045T-101M	L=100uH at 100kHz	
VLC5045T-151M	L=150uH at 100kHz	
VLC5045T-221M	L=220uH at 100kHz	

## VLC6020 Series - 9 Products

Product Name	Main Characteristic	Note
VLC6020T-R50N	L=0.5uH at 100kHz	
VLC6020T-R80N	L=0.8uH at 100kHz	
VLC6020T-1R5N	L=1.5uH at 100kHz	
VLC6020T-2R2N	L=2.2uH at 100kHz	
VLC6020T-3R3N	L=3.3uH at 100kHz	
VLC6020T-4R7N	L=4.7uH at 100kHz	
VLC6020T-6R8M	L=6.8uH at 100kHz	
VLC6020T-100M	L=10uH at 100kHz	
VLC6020T-150M	L=15uH at 100kHz	

## VLC6038 Series - 6 Products

Product Name	Main Characteristic	Note
VLC6038T-2R2N	L=2.2uH at 100kHz	
VLC6038T-3R3N	L=3.3uH at 100kHz	
VLC6038T-4R7M	L=4.7uH at 100kHz	
VLC6038T-6R8M	L=6.8uH at 100kHz	
VLC6038T-100M	L=10uH at 100kHz	
VLC6038T-150M	L=15uH at 100kHz	

## VLC6045 Series - 16 Products

Product Name	Main Characteristic	Note
VLC6045T-R47N	L=0.47uH at 100kHz	
VLC6045T-1R0N	L=1.0uH at 100kHz	
VLC6045T-1R5N	L=1.5uH at 100kHz	
VLC6045T-2R2N	L=2.2uH at 100kHz	
VLC6045T-3R3N	L=3.3uH at 100kHz	
VLC6045T-4R7M	L=4.7uH at 100kHz	
VLC6045T-6R8M	L=6.8uH at 100kHz	
VLC6045T-100M	L=10uH at 100kHz	
VLC6045T-150M	L=15uH at 100kHz	

VLC6045T-220M	L=22uH at 100kHz	
VLC6045T-330M	L=33uH at 100kHz	
VLC6045T-470M	L=47uH at 100kHz	
VLC6045T-680M	L=68uH at 100kHz	
VLC6045T-101M	L=100uH at 100kHz	
VLC6045T-151M	L=150uH at 100kHz	
VLC6045T-221M	L=220uH at 100kHz	

## VLCF4018-2 Series - 10 Products

Product Name	Main Characteristic	Note
VLCF4018T-1R6N1R7-2	L=1.6uH at 100kHz	
VLCF4018T-2R2N1R4-2	L=2.2uH at 100kHz	
VLCF4018T-3R3N1R2-2	L=3.3uH at 100kHz	
VLCF4018T-4R7N1R0-2	L=4.7uH at 100kHz	
VLCF4018T-6R8NR94-2	L=6.8uH at 100kHz	
VLCF4018T-100MR74-2	L=10uH at 100kHz	
VLCF4018T-150MR59-2	L=15uH at 100kHz	
VLCF4018T-220MR49-2	L=22uH at 100kHz	
VLCF4018T-330MR42-2	L=33uH at 100kHz	
VLCF4018T-470MR34-2	L=47uH at 100kHz	

## VLCF4020 Series - 12 Products

Product Name	Main Characteristic	Note
VLCF4020T-1R8N1R9	L=1.8uH at 100kHz	
VLCF4020T-2R2N1R7	L=2.2uH at 100kHz	
VLCF4020T-3R3N1R5	L=3.3uH at 100kHz	
VLCF4020T-4R7N1R2	L=4.7uH at 100kHz	
VLCF4020T-6R8N1R0	L=6.8uH at 100kHz	
VLCF4020T-100MR85	L=10uH at 100kHz	
VLCF4020T-150MR68	L=15uH at 100kHz	
VLCF4020T-220MR56	L=22uH at 100kHz	
VLCF4020T-270MR48	L=27uH at 100kHz	
VLCF4020T-330MR47	L=33uH at 100kHz	
VLCF4020T-470MR39	L=47uH at 100kHz	
VLCF4020T-101MR26	L=100uH at 100kHz	

## VLCF4024-2 Series - 12 Products

Product Name	Main Characteristic	Note
VLCF4024T-1R2N2R4-2	L=1.2uH at 100kHz	
VLCF4024T-1R6N2R1-2	L=1.6uH at 100kHz	
VLCF4024T-2R2N1R7-2	L=2.2uH at 100kHz	
VLCF4024T-3R3N1R6-2	L=3.3uH at 100kHz	
VLCF4024T-4R7N1R4-2	L=4.7uH at 100kHz	
VLCF4024T-6R8N1R1-2	L=6.8uH at 100kHz	
VLCF4024T-100MR90-2	L=10uH at 100kHz	
VLCF4024T-150MR80-2	L=15uH at 100kHz	
VLCF4024T-220MR65-2	L=22uH at 100kHz	

VLCF4024T-330MR55-2	L=33uH at 100kHz	
VLCF4024T-470MR44-2	L=47uH at 100kHz	
VLCF4024T-101MR30-2	L=100uH at 100kHz	

## VLCF4028-2 Series - 16 Products

Product Name	Main Characteristic	Note
VLCF4028T-1R2N2R7-2	L=1.2uH at 100kHz	
VLCF4028T-1R6N2R3-2	L=1.6uH at 100kHz	
VLCF4028T-2R2N1R9-2	L=2.2uH at 100kHz	
VLCF4028T-2R7N1R8-2	L=2.7uH at 100kHz	
VLCF4028T-4R7N1R5-2	L=4.7uH at 100kHz	
VLCF4028T-6R8N1R3-2	L=6.8uH at 100kHz	
VLCF4028T-100M1R0-2	L=10uH at 100kHz	
VLCF4028T-150MR88-2	L=15uH at 100kHz	
VLCF4028T-220MR72-2	L=22uH at 100kHz	
VLCF4028T-330MR61-2	L=33uH at 100kHz	
VLCF4028T-470MR48-2	L=47uH at 100kHz	
VLCF4028T-101MR33-2	L=100uH at 100kHz	
VLCF4028T-181MR25-2	L=180uH at 100kHz	
VLCF4028T-221MR22-2	L=220uH at 100kHz	
VLCF4028T-331MR18-2	L=330uH at 100kHz	
VLCF4028T-471MR14-2	L=470uH at 100kHz	

## VLCF5020 Series - 11 Products

Product Name	Main Characteristic	Note
VLCF5020T-1R8N2R0	L=1.8uH at 100kHz	
VLCF5020T-2R7N1R7	L=2.7uH at 100kHz	
VLCF5020T-3R3N1R6	L=3.3uH at 100kHz	
VLCF5020T-4R7N1R4	L=4.7uH at 100kHz	
VLCF5020T-6R8N1R1	L=6.8uH at 100kHz	
VLCF5020T-100MR87	L=10uH at 100kHz	
VLCF5020T-150MR71	L=15uH at 100kHz	
VLCF5020T-220MR58	L=22uH at 100kHz	
VLCF5020T-330MR48	L=33uH at 100kHz	
VLCF5020T-470MR40	L=47uH at 100kHz	
VLCF5020T-101MR27	L=100uH at 100kHz	

## VLCF5020-1 Series - 10 Products

Product Name	Main Characteristic	Note
VLCF5020T-2R2N2R6-1	L=2.2uH at 100kHz	
VLCF5020T-2R7N2R2-1	L=2.7uH at 100kHz	
VLCF5020T-3R3N2R0-1	L=3.3uH at 100kHz	
VLCF5020T-4R7N1R7-1	L=4.7uH at 100kHz	
VLCF5020T-6R8N1R3-1	L=6.8uH at 100kHz	
VLCF5020T-100M1R1-1	L=10uH at 100kHz	
VLCF5020T-150MR90-1	L=15uH at 100kHz	
VLCF5020T-220MR75-1	L=22uH at 100kHz	

VLCF5020T-330MR62-1	L=33uH at 100kHz	
VLCF5020T-470MR51-1	L=47uH at 100kHz	

## VLCF5020-3 Series - 3 Products

Product Name	Main Characteristic	Note
VLCF5020T-2R2N2R6-3	L=2.2uH at 100kHz	
VLCF5020T-2R7N2R2-3	L=2.7uH at 100kHz	
VLCF5020T-3R3N2R0-3	L=3.3uH at 100kHz	

## VLCF5024-2 Series - 11 Products

Product Name	Main Characteristic	Note
VLCF5024T-1R8N1R8-2	L=1.8uH at 100kHz	
VLCF5024T-2R7N1R5-2	L=2.7uH at 100kHz	
VLCF5024T-3R3N1R4-2	L=3.3uH at 100kHz	
VLCF5024T-4R7N1R3-2	L=4.7uH at 100kHz	
VLCF5024T-6R8N1R1-2	L=6.8uH at 100kHz	
VLCF5024T-100MR88-2	L=10uH at 100kHz	
VLCF5024T-150MR71-2	L=15uH at 100kHz	
VLCF5024T-220MR59-2	L=22uH at 100kHz	
VLCF5024T-330MR50-2	L=33uH at 100kHz	
VLCF5024T-470MR40-2	L=47uH at 100kHz	
VLCF5024T-101MR28-2	L=100uH at 100kHz	

## VLCF5028-1 Series - 3 Products

Product Name	Main Characteristic	Note
VLCF5028T-4R7N2R2-1	L=4.7uH at 100kHz	
VLCF5028T-100M1R5-1	L=10uH at 100kHz	
VLCF5028T-220M1R0-1	L=22uH at 100kHz	

## VLCF5028-2 Series - 16 Products

Product Name	Main Characteristic	Note
VLCF5028T-1R3N2R5-2	L=1.3uH at 100kHz	
VLCF5028T-1R8N2R2-2	L=1.8uH at 100kHz	
VLCF5028T-2R7N1R8-2	L=2.7uH at 100kHz	
VLCF5028T-3R3N1R7-2	L=3.3uH at 100kHz	
VLCF5028T-4R7N1R5-2	L=4.7uH at 100kHz	
VLCF5028T-6R8N1R3-2	L=6.8uH at 100kHz	
VLCF5028T-100M1R0-2	L=10uH at 100kHz	
VLCF5028T-150MR85-2	L=15uH at 100kHz	
VLCF5028T-220MR71-2	L=22uH at 100kHz	
VLCF5028T-330MR62-2	L=33uH at 100kHz	
VLCF5028T-470MR49-2	L=47uH at 100kHz	
VLCF5028T-560MR43-2	L=56uH at 100kHz	
VLCF5028T-680MR40-2	L=68uH at 100kHz	
VLCF5028T-101MR33-2	L=100uH at 100kHz	
VLCF5028T-221MR22-2	L=220uH at 100kHz	
VLCF5028T-471MR14-2	L=470uH at 100kHz	

## VLF252010M Series - 11 Products

Product Name	Main Characteristic	Note
VLF252010MT-R47N	L=0.47uH at 1MHz	
VLF252010MT-R68N	L=0.68uH at 1MHz	
VLF252010MT-1R0N	L=1.0uH at 1MHz	
VLF252010MT-1R5N	L=1.5uH at 1MHz	
VLF252010MT-2R2M	L=2.2uH at 1MHz	
VLF252010MT-3R3M	L=3.3uH at 1MHz	
VLF252010MT-4R7M	L=4.7uH at 1MHz	
VLF252010MT-6R8M	L=6.8uH at 1MHz	
VLF252010MT-100M	L=10uH at 1MHz	
VLF252010MT-150M	L=15uH at 1MHz	
VLF252010MT-220M	L=22uH at 1MHz	

## VLF252012M Series - 11 Products

Product Name	Main Characteristic	Note
VLF252012MT-R47N	L=0.47uH at 1MHz	
VLF252012MT-R68N	L=0.68uH at 1MHz	
VLF252012MT-1R0N	L=1.0uH at 1MHz	
VLF252012MT-1R5N	L=1.5uH at 1MHz	
VLF252012MT-2R2M	L=2.2uH at 1MHz	
VLF252012MT-3R3M	L=3.3uH at 1MHz	
VLF252012MT-4R7M	L=4.7uH at 1MHz	
VLF252012MT-6R8M	L=6.8uH at 1MHz	
VLF252012MT-100M	L=10uH at 1MHz	
VLF252012MT-150M	L=15uH at 1MHz	
VLF252012MT-220M	L=22uH at 1MHz	

## VLF252015M Series - 11 Products

Product Name	Main Characteristic	Note
VLF252015MT-R47N	L=0.47uH at 1MHz	
VLF252015MT-R68N	L=0.68uH at 1MHz	
VLF252015MT-1R0N	L=1.0uH at 1MHz	
VLF252015MT-1R5N	L=1.5uH at 1MHz	
VLF252015MT-2R2M	L=2.2uH at 1MHz	
VLF252015MT-3R3M	L=3.3uH at 1MHz	
VLF252015MT-4R7M	L=4.7uH at 1MHz	
VLF252015MT-6R8M	L=6.8uH at 1MHz	
VLF252015MT-100M	L=10uH at 1MHz	
VLF252015MT-150M	L=15uH at 1MHz	
VLF252015MT-220M	L=22uH at 1MHz	

## VLF3010A Series - 8 Products

Product Name	Main Characteristic	Note
VLF3010AT-1R5N1R2	L=1.5uH at 100kHz [ at I <sub>dc</sub> =0.6A ]	
VLF3010AT-2R2M1R0	L=2.2uH at 100kHz [ at I <sub>dc</sub> =0.5A ]	

VLF3010AT-3R3MR87	L=3.3uH at 100kHz [ at Idc=0.44A ]	
VLF3010AT-4R7MR70	L=4.7uH at 100kHz [ at Idc=0.35A ]	
VLF3010AT-6R8MR61	L=6.8uH at 100kHz [ at Idc=0.31A ]	
VLF3010AT-100MR49	L=10uH at 100kHz [ at Idc=0.25A ]	
VLF3010AT-150MR40	L=15uH at 100kHz [ at Idc=0.2A ]	
VLF3010AT-220MR33	L=22uH at 100kHz [ at Idc=0.17A ]	

## VLF3012A Series - 10 Products

Product Name	Main Characteristic	Note
VLF3012AT-1R5N1R2	L=1.5uH at 100kHz [ at Idc=0.6A ]	
VLF3012AT-2R2M1R0	L=2.2uH at 100kHz [ at Idc=0.5A ]	
VLF3012AT-3R3MR87	L=3.3uH at 100kHz [ at Idc=0.44A ]	
VLF3012AT-4R7MR74	L=4.7uH at 100kHz [ at Idc=0.37A ]	
VLF3012AT-6R8MR59	L=6.8uH at 100kHz [ at Idc=0.30A ]	
VLF3012AT-100MR49	L=10uH at 100kHz [ at Idc=0.25A ]	
VLF3012AT-150MR41	L=15uH at 100kHz [ at Idc=0.21A ]	
VLF3012AT-220MR33	L=22uH at 100kHz [ at Idc=0.17A ]	
VLF3012AT-330MR27	L=33uH at 100kHz [ at Idc=0.14A ]	
VLF3012AT-470MR22	L=47uH at 100kHz [ at Idc=0.11A ]	

## VLF3014A Series - 7 Products

Product Name	Main Characteristic	Note
VLF3014AT-1R0N1R7	L=1.0uH at 100kHz [ at Idc=1.3A ]	
VLF3014AT-2R2M1R2	L=2.2uH at 100kHz [ at Idc=0.85A ]	
VLF3014AT-3R3M1R0	L=3.3uH at 100kHz [ at Idc=0.65A ]	
VLF3014AT-4R7MR90	L=4.7uH at 100kHz [ at Idc=0.6A ]	
VLF3014AT-6R8MR72	L=6.8uH at 100kHz [ at Idc=0.5A ]	
VLF3014AT-100MR59	L=10uH at 100kHz [ at Idc=0.4A ]	
VLF3014AT-220MR37	L=22uH at 100kHz [ at Idc=0.26A ]	

## VLF4010A Series - 3 Products

Product Name	Main Characteristic	Note
VLF4010AT-4R7M1R0	L=4.7uH at 100kHz [ at Idc=0.5A ]	
VLF4010AT-6R8MR81	L=6.8uH at 100kHz [ at Idc=0.41A ]	
VLF4010AT-100MR64	L=10uH at 100kHz [ at Idc=0.32A ]	

## VLF4012A Series - 10 Products

Product Name	Main Characteristic	Note
VLF4012AT-1R5M1R6	L=1.5uH at 100kHz [ at Idc=0.9A ]	
VLF4012AT-2R2M1R5	L=2.2uH at 100kHz [ at Idc=0.75A ]	
VLF4012AT-3R3M1R3	L=3.3uH at 100kHz [ at Idc=0.65A ]	
VLF4012AT-4R7M1R1	L=4.7uH at 100kHz [ at Idc=0.55A ]	
VLF4012AT-6R8MR96	L=6.8uH at 100kHz [ at Idc=0.48A ]	
VLF4012AT-100MR79	L=10uH at 100kHz [ at Idc=0.4A ]	
VLF4012AT-150MR63	L=15uH at 100kHz [ at Idc=0.32A ]	
VLF4012AT-220MR51	L=22uH at 100kHz [ at Idc=0.26A ]	
VLF4012AT-330MR39	L=33uH at 100kHz [ at Idc=0.22A ]	

VLF4012AT-470MR30	L=47uH at 100kHz [ at I <sub>dc</sub> =0.18A ]	
-------------------	--	--

## VLF4012A-2 Series - 4 Products

Product Name	Main Characteristic	Note
VLF4012AT-3R3M1R0-2	L=3.3uH at 100kHz [ at I <sub>dc</sub> =0.5A ]	
VLF4012AT-4R7MR82-2	L=4.7uH at 100kHz [ at I <sub>dc</sub> =0.41A ]	
VLF4012AT-6R8MR74-2	L=6.8uH at 100kHz [ at I <sub>dc</sub> =0.37A ]	
VLF4012AT-100MR50-2	L=10uH at 100kHz [ at I <sub>dc</sub> =0.25A ]	

## VLF4014A Series - 2 Products

Product Name	Main Characteristic	Note
VLF4014AT-4R7M1R1	L=4.7uH at 100kHz	
VLF4014AT-100MR90	L=10uH at 100kHz	

## VLF5010A-2 Series - 4 Products

Product Name	Main Characteristic	Note
VLF5010AT-100MR78-2	L=10uH at 100kHz [ at I <sub>dc</sub> =0.4A ]	
VLF5010AT-150MR62-2	L=15uH at 100kHz [ at I <sub>dc</sub> =0.32A ]	
VLF5010AT-220MR50-2	L=22uH at 100kHz [ at I <sub>dc</sub> =0.27A ]	
VLF5010AT-330MR41-2	L=33uH at 100kHz [ at I <sub>dc</sub> =0.22A ]	

## VLF5012A Series - 5 Products

Product Name	Main Characteristic	Note
VLF5012AT-2R2M1R5	L=2.2uH at 100kHz [ at I <sub>dc</sub> =1.2A ]	
VLF5012AT-3R3M1R3	L=3.3uH at 100kHz [ at I <sub>dc</sub> =0.85A ]	
VLF5012AT-4R7M1R2	L=4.7uH at 100kHz [ at I <sub>dc</sub> =0.75A ]	
VLF5012AT-6R8M1R0	L=6.8uH at 100kHz [ at I <sub>dc</sub> =0.6A ]	
VLF5012AT-100MR80	L=10uH at 100kHz [ at I <sub>dc</sub> =0.5A ]	

## VLF5014A Series - 10 Products

Product Name	Main Characteristic	Note
VLF5014AT-1R5M1R7	L=1.5uH at 100kHz [ at I <sub>dc</sub> =1.5A ]	
VLF5014AT-2R7M1R5	L=2.7uH at 100kHz [ at I <sub>dc</sub> =1.1A ]	
VLF5014AT-4R7M1R1	L=4.7uH at 100kHz [ at I <sub>dc</sub> =0.85A ]	
VLF5014AT-6R8MR99	L=6.8uH at 100kHz [ at I <sub>dc</sub> =0.7A ]	
VLF5014AT-100MR92	L=10uH at 100kHz [ at I <sub>dc</sub> =0.55A ]	
VLF5014AT-150MR76	L=15uH at 100kHz [ at I <sub>dc</sub> =0.49A ]	
VLF5014AT-220MR62	L=22uH at 100kHz [ at I <sub>dc</sub> =0.41A ]	
VLF5014AT-330MR50	L=33uH at 100kHz [ at I <sub>dc</sub> =0.32A ]	
VLF5014AT-470MR41	L=47uH at 100kHz [ at I <sub>dc</sub> =0.27A ]	
VLF5014AT-101MR26	L=100uH at 100kHz [ at I <sub>dc</sub> =0.19A ]	

## VLF3014S Series - 6 Products

Product Name	Main Characteristic	Note
VLF3014ST-1R0N2R0	L=1.0uH at 1MHz	
VLF3014ST-2R2M1R4	L=2.2uH at 1MHz	
VLF3014ST-3R3M1R2	L=3.3uH at 1MHz	

VLF3014ST-4R7M1R1	L=4.7uH at 1MHz	
VLF3014ST-6R8M1R0	L=6.8uH at 1MHz	
VLF3014ST-100MR82	L=10uH at 1MHz	

## VLF302510M Series - 9 Products

Product Name	Main Characteristic	Note
VLF302510MT-1R0N	L=1.0uH at 1MHz	
VLF302510MT-1R5N	L=1.5uH at 1MHz	
VLF302510MT-2R2M	L=2.2uH at 1MHz	
VLF302510MT-3R3M	L=3.3uH at 1MHz	
VLF302510MT-4R7M	L=4.7uH at 1MHz	
VLF302510MT-6R8M	L=6.8uH at 1MHz	
VLF302510MT-100M	L=10uH at 1MHz	
VLF302510MT-150M	L=15uH at 1MHz	
VLF302510MT-220M	L=22uH at 1MHz	

## VLF302512M Series - 9 Products

Product Name	Main Characteristic	Note
VLF302512MT-1R0N	L=1.0uH at 1MHz	
VLF302512MT-1R5N	L=1.5uH at 1MHz	
VLF302512MT-2R2M	L=2.2uH at 1MHz	
VLF302512MT-3R3M	L=3.3uH at 1MHz	
VLF302512MT-4R7M	L=4.7uH at 1MHz	
VLF302512MT-6R8M	L=6.8uH at 1MHz	
VLF302512MT-100M	L=10uH at 1MHz	
VLF302512MT-150M	L=15uH at 1MHz	
VLF302512MT-220M	L=22uH at 1MHz	

## VLF302515M Series - 9 Products

Product Name	Main Characteristic	Note
VLF302515MT-1R0N	L=1.0uH at 1MHz	
VLF302515MT-1R5N	L=1.5uH at 1MHz	
VLF302515MT-2R2M	L=2.2uH at 1MHz	
VLF302515MT-3R3M	L=3.3uH at 1MHz	
VLF302515MT-4R7M	L=4.7uH at 1MHz	
VLF302515MT-6R8M	L=6.8uH at 1MHz	
VLF302515MT-100M	L=10uH at 1MHz	
VLF302515MT-150M	L=15uH at 1MHz	
VLF302515MT-220M	L=22uH at 1MHz	

## VLF4010S Series - 7 Products

Product Name	Main Characteristic	Note
VLF4010ST-1R0N1R9	L=1.0uH at 1MHz	
VLF4010ST-2R2M1R4	L=2.2uH at 1MHz	
VLF4010ST-3R3M1R2	L=3.3uH at 1MHz	
VLF4010ST-4R7M1R0	L=4.7uH at 1MHz	
VLF4010ST-6R8MR85	L=6.8uH at 1MHz	

VLF4010ST-100MR80	L=10uH at 1MHz	
VLF4010ST-220MR50	L=22uH at 1MHz	

## VLF4012S Series - 6 Products

Product Name	Main Characteristic	Note
VLF4012ST-1R0N1R9	L=1.0uH at 1MHz	
VLF4012ST-2R2M1R3	L=2.2uH at 1MHz	
VLF4012ST-3R3M1R1	L=3.3uH at 1MHz	
VLF4012ST-4R7M1R0	L=4.7uH at 1MHz	
VLF4012ST-6R8MR80	L=6.8uH at 1MHz	
VLF4012ST-100MR65	L=10uH at 1MHz	

## VLF4014S Series - 6 Products

Product Name	Main Characteristic	Note
VLF4014ST-1R0N2R3	L=1.0uH at 1MHz	
VLF4014ST-2R2M1R9	L=2.2uH at 1MHz	
VLF4014ST-3R3M1R6	L=3.3uH at 1MHz	
VLF4014ST-4R7M1R4	L=4.7uH at 1MHz	
VLF4014ST-6R8M1R2	L=6.8uH at 1MHz	
VLF4014ST-100M1R0	L=10uH at 1MHz	

## VLF403210M Series - 9 Products

Product Name	Main Characteristic	Note
VLF403210MT-1R0N	L=1.0uH at 1MHz	
VLF403210MT-1R5N	L=1.5uH at 1MHz	
VLF403210MT-2R2M	L=2.2uH at 1MHz	
VLF403210MT-3R3M	L=3.3uH at 1MHz	
VLF403210MT-4R7M	L=4.7uH at 1MHz	
VLF403210MT-6R8M	L=6.8uH at 1MHz	
VLF403210MT-100M	L=10uH at 1MHz	
VLF403210MT-150M	L=15uH at 1MHz	
VLF403210MT-220M	L=22uH at 1MHz	

## VLF403212M Series - 9 Products

Product Name	Main Characteristic	Note
VLF403212MT-1R0N	L=1.0uH at 1MHz	
VLF403212MT-1R5N	L=1.5uH at 1MHz	
VLF403212MT-2R2M	L=2.2uH at 1MHz	
VLF403212MT-3R3M	L=3.3uH at 1MHz	
VLF403212MT-4R7M	L=4.7uH at 1MHz	
VLF403212MT-6R8M	L=6.8uH at 1MHz	
VLF403212MT-100M	L=10uH at 1MHz	
VLF403212MT-150M	L=15uH at 1MHz	
VLF403212MT-220M	L=22uH at 1MHz	

## VLF403215M Series - 9 Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

VLF403215MT-1R0N	L=1.0uH at 1MHz	
VLF403215MT-1R5N	L=1.5uH at 1MHz	
VLF403215MT-2R2M	L=2.2uH at 1MHz	
VLF403215MT-3R3M	L=3.3uH at 1MHz	
VLF403215MT-4R7M	L=4.7uH at 1MHz	
VLF403215MT-6R8M	L=6.8uH at 1MHz	
VLF403215MT-100M	L=10uH at 1MHz	
VLF403215MT-150M	L=15uH at 1MHz	
VLF403215MT-220M	L=22uH at 1MHz	

## VLF5010S Series - 6 Products

Product Name	Main Characteristic	Note
VLF5010ST-1R0N2R5	L=1.0uH at 1MHz	
VLF5010ST-2R2M2R0	L=2.2uH at 1MHz	
VLF5010ST-3R3M1R4	L=3.3uH at 1MHz	
VLF5010ST-4R7M1R3	L=4.7uH at 1MHz	
VLF5010ST-6R8M1R1	L=6.8uH at 1MHz	
VLF5010ST-100MR94	L=10uH at 1MHz	

## VLF5012S Series - 6 Products

Product Name	Main Characteristic	Note
VLF5012ST-1R0N2R5	L=1.0uH at 1MHz	
VLF5012ST-2R2M2R0	L=2.2uH at 1MHz	
VLF5012ST-3R3M1R7	L=3.3uH at 1MHz	
VLF5012ST-4R7M1R4	L=4.7uH at 1MHz	
VLF5012ST-6R8M1R2	L=6.8uH at 1MHz	
VLF5012ST-100M1R0	L=10uH at 1MHz	

## VLF5014S Series - 6 Products

Product Name	Main Characteristic	Note
VLF5014ST-1R0N2R7	L=1.0uH at 1MHz	
VLF5014ST-2R2M2R3	L=2.2uH at 1MHz	
VLF5014ST-3R3M2R0	L=3.3uH at 1MHz	
VLF5014ST-4R7M1R7	L=4.7uH at 1MHz	
VLF5014ST-6R8M1R4	L=6.8uH at 1MHz	
VLF5014ST-100M1R2	L=10uH at 1MHz	

## VLF10045 Series - 16 Products

Product Name	Main Characteristic	Note
VLF10045T-1R0N100	L=1.0uH at 100kHz [ at Idc=6.8A ]	
VLF10045T-1R5N9R0	L=1.5uH at 100kHz [ at Idc=5.6A ]	
VLF10045T-2R2N7R4	L=2.2uH at 100kHz [ at Idc=4.6A ]	
VLF10045T-3R3N6R9	L=3.3uH at 100kHz [ at Idc=3.8A ]	
VLF10045T-4R7N6R1	L=4.7uH at 100kHz [ at Idc=3.2A ]	
VLF10045T-6R8N5R1	L=6.8uH at 100kHz [ at Idc=2.6A ]	
VLF10045T-100M4R3	L=10uH at 100kHz [ at Idc=2.2A ]	
VLF10045T-150M3R5	L=15uH at 100kHz [ at Idc=1.8A ]	

VLF10045T-220M2R8	L=22uH at 100kHz [ at I <sub>dc</sub> =1.4A ]	
VLF10045T-330M2R3	L=33uH at 100kHz [ at I <sub>dc</sub> =1.2A ]	
VLF10045T-470M1R9	L=47uH at 100kHz [ at I <sub>dc</sub> =0.95A ]	
VLF10045T-680M1R6	L=68uH at 100kHz [ at I <sub>dc</sub> =0.80A ]	
VLF10045T-101M1R3	L=100uH at 100kHz [ at I <sub>dc</sub> =0.65A ]	
VLF10045T-151M1R1	L=150uH at 100kHz [ at I <sub>dc</sub> =0.55A ]	
VLF10045T-221MR90	L=220uH at 100kHz [ at I <sub>dc</sub> =0.45A ]	
VLF10045T-331MR70	L=330uH at 100kHz [ at I <sub>dc</sub> =0.35A ]	

## VLF12060 Series - 15 Products

Product Name	Main Characteristic	Note
VLF12060T-1R8N120	L=1.8uH at 100kHz [ at I <sub>dc</sub> =7.3A ]	
VLF12060T-2R7N100	L=2.7uH at 100kHz [ at I <sub>dc</sub> =6.0A ]	
VLF12060T-3R9N9R0	L=3.9uH at 100kHz [ at I <sub>dc</sub> =5.0A ]	
VLF12060T-4R7N7R7	L=4.7uH at 100kHz [ at I <sub>dc</sub> =4.6A ]	
VLF12060T-6R8N7R2	L=6.8uH at 100kHz [ at I <sub>dc</sub> =3.8A ]	
VLF12060T-100M6R2	L=10uH at 100kHz [ at I <sub>dc</sub> =3.1A ]	
VLF12060T-150M5R0	L=15uH at 100kHz [ at I <sub>dc</sub> =2.5A ]	
VLF12060T-220M4R1	L=22uH at 100kHz [ at I <sub>dc</sub> =2.1A ]	
VLF12060T-330M3R4	L=33uH at 100kHz [ at I <sub>dc</sub> =1.7A ]	
VLF12060T-470M2R8	L=47uH at 100kHz [ at I <sub>dc</sub> =1.4A ]	
VLF12060T-680M2R3	L=68uH at 100kHz [ at I <sub>dc</sub> =1.2A ]	
VLF12060T-101M1R9	L=100uH at 100kHz [ at I <sub>dc</sub> =0.99A ]	
VLF12060T-151M1R6	L=150uH at 100kHz [ at I <sub>dc</sub> =0.80A ]	
VLF12060T-221M1R3	L=220uH at 100kHz [ at I <sub>dc</sub> =0.67A ]	
VLF12060T-331M1R0	L=330uH at 100kHz [ at I <sub>dc</sub> =0.55A ]	

## VLM10555-2 Series - 4 Products

Product Name	Main Characteristic	Note
VLM10555T-1R8M8R8-2	L=1.8uH at 100kHz	
VLM10555T-2R5M8R0-2	L=2.5uH at 100kHz	
VLM10555T-3R3M7R2-2	L=3.3uH at 100kHz	
VLM10555T-4R3M7R2-2	L=4.3uH at 100kHz	

## VLM10555-3 Series - 5 Products

Product Name	Main Characteristic	Note
VLM10555T-R33M180-3	L=0.33uH at 100kHz	
VLM10555T-R45M110-3	L=0.45uH at 100kHz	
VLM10555T-R56M120-3	L=0.56uH at 100kHz	
VLM10555T-R70M120-3	L=0.70uH at 100kHz	
VLM10555T-1R2M100-3	L=1.2uH at 100kHz	

## VLP8040 Series - 17 Products

Product Name	Main Characteristic	Note
VLP8040T-1R0N	L=1.0uH at 100kHz	
VLP8040T-1R5N	L=1.5uH at 100kHz	
VLP8040T-2R2N	L=2.2uH at 100kHz	

VLP8040T-3R3N	L=3.3uH at 100kHz	
VLP8040T-4R7M	L=4.7uH at 100kHz	
VLP8040T-6R8M	L=6.8uH at 100kHz	
VLP8040T-100M	L=10uH at 100kHz	
VLP8040T-150M	L=15uH at 100kHz	
VLP8040T-220M	L=22uH at 100kHz	
VLP8040T-330M	L=33uH at 100kHz	
VLP8040T-470M	L=47uH at 100kHz	
VLP8040T-680M	L=68uH at 100kHz	
VLP8040T-101M	L=100uH at 100kHz	
VLP8040T-151M	L=150uH at 100kHz	
VLP8040T-221M	L=220uH at 100kHz	
VLP8040T-331M	L=330uH at 100kHz	
VLP8040T-681M	L=680uH at 100kHz	

## VLP10163-H Series - 2 Products

Product Name	Main Characteristic	Note
VLP10163T-470M2R1-H	L=47uH at 100kHz	
VLP10163T-151M1R3-H	L=150uH at 100kHz	

## VLS2010E Series - 10 Products

Product Name	Main Characteristic	Note
VLS2010ET-R56N	L=0.56uH at 1MHz	
VLS2010ET-1R0N	L=1.0uH at 1MHz	
VLS2010ET-1R5N	L=1.5uH at 1MHz	
VLS2010ET-2R2M	L=2.2uH at 1MHz	
VLS2010ET-3R3M	L=3.3uH at 1MHz	
VLS2010ET-4R7M	L=4.7uH at 1MHz	
VLS2010ET-6R8M	L=6.8uH at 1MHz	
VLS2010ET-100M	L=10uH at 1MHz	
VLS2010ET-150M	L=15uH at 1MHz	
VLS2010ET-220M	L=22uH at 1MHz	

## VLS2012E Series - 11 Products

Product Name	Main Characteristic	Note
VLS2012ET-R47N	L=0.47uH at 1MHz	
VLS2012ET-R68N	L=0.68uH at 1MHz	
VLS2012ET-1R0N	L=1.0uH at 1MHz	
VLS2012ET-1R5N	L=1.5uH at 1MHz	
VLS2012ET-2R2M	L=2.2uH at 1MHz	
VLS2012ET-3R3M	L=3.3uH at 1MHz	
VLS2012ET-4R7M	L=4.7uH at 1MHz	
VLS2012ET-6R8M	L=6.8uH at 1MHz	
VLS2012ET-100M	L=10uH at 1MHz	
VLS2012ET-150M	L=15uH at 1MHz	
VLS2012ET-220M	L=22uH at 1MHz	

## VLS201610E Series - 9 Products

Product Name	Main Characteristic	Note
VLS201610ET-R47N	L=0.47uH at 1MHz	
VLS201610ET-R68N	L=0.68uH at 1MHz	
VLS201610ET-1R0N	L=1.0uH at 1MHz	
VLS201610ET-1R5N	L=1.5uH at 1MHz	
VLS201610ET-2R2M	L=2.2uH at 1MHz	
VLS201610ET-3R3M	L=3.3uH at 1MHz	
VLS201610ET-4R7M	L=4.7uH at 1MHz	
VLS201610ET-6R8M	L=6.8uH at 1MHz	
VLS201610ET-100M	L=10uH at 1MHz	

## VLS201612E Series - 9 Products

Product Name	Main Characteristic	Note
VLS201612ET-R47N	L=0.47uH at 1MHz	
VLS201612ET-R68N	L=0.68uH at 1MHz	
VLS201612ET-1R0N	L=1.0uH at 1MHz	
VLS201612ET-1R5N	L=1.5uH at 1MHz	
VLS201612ET-2R2M	L=2.2uH at 1MHz	
VLS201612ET-3R3M	L=3.3uH at 1MHz	
VLS201612ET-4R7M	L=4.7uH at 1MHz	
VLS201612ET-6R8M	L=6.8uH at 1MHz	
VLS201612ET-100M	L=10uH at 1MHz	

## VLS252010E Series - 9 Products

Product Name	Main Characteristic	Note
VLS252010ET-R47N	L=0.47uH at 1MHz	
VLS252010ET-R68N	L=0.68uH at 1MHz	
VLS252010ET-1R0N	L=1.0uH at 1MHz	
VLS252010ET-1R5N	L=1.5uH at 1MHz	
VLS252010ET-2R2M	L=2.2uH at 1MHz	
VLS252010ET-3R3M	L=3.3uH at 1MHz	
VLS252010ET-4R7M	L=4.7uH at 1MHz	
VLS252010ET-6R8M	L=6.8uH at 1MHz	
VLS252010ET-100M	L=10uH at 1MHz	

## VLS252012E Series - 8 Products

Product Name	Main Characteristic	Note
VLS252012ET-R47N	L=0.47uH at 1MHz	
VLS252012ET-1R0N	L=1.0uH at 1MHz	
VLS252012ET-1R5N	L=1.5uH at 1MHz	
VLS252012ET-2R2M	L=2.2uH at 1MHz	
VLS252012ET-3R3M	L=3.3uH at 1MHz	
VLS252012ET-4R7M	L=4.7uH at 1MHz	
VLS252012ET-6R8M	L=6.8uH at 1MHz	
VLS252012ET-100M	L=10uH at 1MHz	

## VLS252015E Series - 7 Products

Product Name	Main Characteristic	Note
VLS252015ET-1R0N	L=1.0uH at 1MHz	
VLS252015ET-1R5N	L=1.5uH at 1MHz	
VLS252015ET-2R2M	L=2.2uH at 1MHz	
VLS252015ET-3R3M	L=3.3uH at 1MHz	
VLS252015ET-4R7M	L=4.7uH at 1MHz	
VLS252015ET-6R8M	L=6.8uH at 1MHz	
VLS252015ET-100M	L=10uH at 1MHz	

## VLS3010E Series - 9 Products

Product Name	Main Characteristic	Note
VLS3010ET-1R0N	L=1.0uH at 1MHz	
VLS3010ET-1R5N	L=1.5uH at 1MHz	
VLS3010ET-2R2M	L=2.2uH at 1MHz	
VLS3010ET-3R3M	L=3.3uH at 1MHz	
VLS3010ET-4R7M	L=4.7uH at 1MHz	
VLS3010ET-6R8M	L=6.8uH at 1MHz	
VLS3010ET-100M	L=10uH at 1MHz	
VLS3010ET-150M	L=15uH at 1MHz	
VLS3010ET-220M	L=22uH at 1MHz	

## VLS3012E Series - 11 Products

Product Name	Main Characteristic	Note
VLS3012ET-1R0N	L=1.0uH at 1MHz	
VLS3012ET-1R5N	L=1.5uH at 1MHz	
VLS3012ET-2R2M	L=2.2uH at 1MHz	
VLS3012ET-3R3M	L=3.3uH at 1MHz	
VLS3012ET-4R7M	L=4.7uH at 1MHz	
VLS3012ET-6R8M	L=6.8uH at 1MHz	
VLS3012ET-100M	L=10uH at 1MHz	
VLS3012ET-150M	L=15uH at 1MHz	
VLS3012ET-220M	L=22uH at 1MHz	
VLS3012ET-330M	L=33uH at 1MHz	
VLS3012ET-470M	L=47uH at 1MHz	

## VLS3015E Series - 11 Products

Product Name	Main Characteristic	Note
VLS3015ET-1R0N	L=1.0uH at 1MHz	
VLS3015ET-1R5N	L=1.5uH at 1MHz	
VLS3015ET-2R2M	L=2.2uH at 1MHz	
VLS3015ET-3R3M	L=3.3uH at 1MHz	
VLS3015ET-4R7M	L=4.7uH at 1MHz	
VLS3015ET-6R8M	L=6.8uH at 1MHz	
VLS3015ET-100M	L=10uH at 1MHz	
VLS3015ET-150M	L=15uH at 1MHz	
VLS3015ET-220M	L=22uH at 1MHz	

VLS3015ET-330M	L=33uH at 1MHz	
VLS3015ET-470M	L=47uH at 1MHz	

## VLS4012E Series - 11 Products

Product Name	Main Characteristic	Note
VLS4012ET-1R0N	L=1.0uH at 1MHz	
VLS4012ET-1R5N	L=1.5uH at 1MHz	
VLS4012ET-2R2M	L=2.2uH at 1MHz	
VLS4012ET-3R3M	L=3.3uH at 1MHz	
VLS4012ET-4R7M	L=4.7uH at 1MHz	
VLS4012ET-6R8M	L=6.8uH at 1MHz	
VLS4012ET-100M	L=10uH at 1MHz	
VLS4012ET-150M	L=15uH at 1MHz	
VLS4012ET-220M	L=22uH at 1MHz	
VLS4012ET-330M	L=33uH at 1MHz	
VLS4012ET-470M	L=47uH at 1MHz	

## Multilayer Ceramic Capacitors - 3455(5013) Products

## C0402CH Series - 64(138) Products

Product Name	Main Characteristic	Note
C0402CH1C0R2W	C=0.2pF	Hide in Default
C0402CH1C0R2B	C=0.2pF	
C0402CH1C0R3W	C=0.3pF	Hide in Default
C0402CH1C0R3B	C=0.3pF	
C0402CH1C0R4W	C=0.4pF	Hide in Default
C0402CH1C0R4B	C=0.4pF	
C0402CH1C0R5W	C=0.5pF	Hide in Default
C0402CH1C0R5B	C=0.5pF	
C0402CH1C0R6W	C=0.6pF	Hide in Default
C0402CH1C0R6B	C=0.6pF	
C0402CH1C0R7W	C=0.7pF	Hide in Default
C0402CH1C0R7B	C=0.7pF	
C0402CH1CR75B	C=0.75pF	
C0402CH1C0R8W	C=0.8pF	Hide in Default
C0402CH1C0R8B	C=0.8pF	
C0402CH1C0R9W	C=0.9pF	Hide in Default
C0402CH1C0R9B	C=0.9pF	
C0402CH1C010B	C=1pF	Hide in Default
C0402CH1C010C	C=1pF	
C0402CH1C1R1B	C=1.1pF	Hide in Default
C0402CH1C1R1C	C=1.1pF	
C0402CH1C1R2B	C=1.2pF	Hide in Default
C0402CH1C1R2C	C=1.2pF	
C0402CH1C1R3B	C=1.3pF	Hide in Default
C0402CH1C1R3C	C=1.3pF	
C0402CH1C1R5C	C=1.5pF	
C0402CH1C1R6B	C=1.6pF	Hide in Default
C0402CH1C1R6C	C=1.6pF	
C0402CH1C1R8B	C=1.8pF	Hide in Default
C0402CH1C1R8C	C=1.8pF	
C0402CH1C020B	C=2pF	Hide in Default
C0402CH1C020C	C=2pF	
C0402CH1C2R2B	C=2.2pF	Hide in Default
C0402CH1C2R2C	C=2.2pF	
C0402CH1C2R4B	C=2.4pF	Hide in Default
C0402CH1C2R4C	C=2.4pF	
C0402CH1C2R7B	C=2.7pF	Hide in Default
C0402CH1C2R7C	C=2.7pF	
C0402CH1C030B	C=3pF	Hide in Default
C0402CH1C030C	C=3pF	
C0402CH1C3R3B	C=3.3pF	Hide in Default
C0402CH1C3R3C	C=3.3pF	
C0402CH1C3R6B	C=3.6pF	Hide in Default

C0402CH1C3R6C	C=3.6pF	
C0402CH1C3R9B	C=3.9pF	Hide in Default
C0402CH1C3R9C	C=3.9pF	
C0402CH1C040B	C=4pF	Hide in Default
C0402CH1C040C	C=4pF	
C0402CH1C4R3B	C=4.3pF	Hide in Default
C0402CH1C4R3C	C=4.3pF	
C0402CH1C4R7B	C=4.7pF	Hide in Default
C0402CH1C4R7C	C=4.7pF	
C0402CH1C050B	C=5pF	Hide in Default
C0402CH1C050C	C=5pF	
C0402CH1C5R1B	C=5.1pF	Hide in Default
C0402CH1C5R1C	C=5.1pF	Hide in Default
C0402CH1C5R1D	C=5.1pF	
C0402CH1C5R6B	C=5.6pF	Hide in Default
C0402CH1C5R6C	C=5.6pF	Hide in Default
C0402CH1C5R6D	C=5.6pF	
C0402CH1C060B	C=6pF	Hide in Default
C0402CH1C060C	C=6pF	Hide in Default
C0402CH1C060D	C=6pF	
C0402CH1C6R2B	C=6.2pF	Hide in Default
C0402CH1C6R2C	C=6.2pF	Hide in Default
C0402CH1C6R2D	C=6.2pF	
C0402CH1C6R8B	C=6.8pF	Hide in Default
C0402CH1C6R8C	C=6.8pF	Hide in Default
C0402CH1C6R8D	C=6.8pF	
C0402CH1C070B	C=7pF	Hide in Default
C0402CH1C070C	C=7pF	Hide in Default
C0402CH1C070D	C=7pF	
C0402CH1C7R5B	C=7.5pF	Hide in Default
C0402CH1C7R5C	C=7.5pF	Hide in Default
C0402CH1C7R5D	C=7.5pF	
C0402CH1C080B	C=8pF	Hide in Default
C0402CH1C080C	C=8pF	Hide in Default
C0402CH1C080D	C=8pF	
C0402CH1C8R2B	C=8.2pF	Hide in Default
C0402CH1C8R2C	C=8.2pF	Hide in Default
C0402CH1C8R2D	C=8.2pF	
C0402CH1C090B	C=9pF	Hide in Default
C0402CH1C090C	C=9pF	Hide in Default
C0402CH1C090D	C=9pF	
C0402CH1C9R1B	C=9.1pF	Hide in Default
C0402CH1C9R1C	C=9.1pF	Hide in Default
C0402CH1C9R1D	C=9.1pF	
C0402CH1C100B	C=10pF	Hide in Default
C0402CH1C100C	C=10pF	Hide in Default
C0402CH1C100D	C=10pF	
C0402CH1C110G	C=11pF	Hide in Default

C0402CH1C110J	C=11pF	
C0402CH1C120G	C=12pF	Hide in Default
C0402CH1C120J	C=12pF	
C0402CH1C130G	C=13pF	Hide in Default
C0402CH1C130J	C=13pF	
C0402CH1C150G	C=15pF	Hide in Default
C0402CH1C150J	C=15pF	
C0402CH1C160G	C=16pF	Hide in Default
C0402CH1C160J	C=16pF	
C0402CH1C180G	C=18pF	Hide in Default
C0402CH1C180J	C=18pF	
C0402CH1C200G	C=20pF	Hide in Default
C0402CH1C200J	C=20pF	
C0402CH1C220G	C=22pF	Hide in Default
C0402CH1C220J	C=22pF	
C0402CH1C240G	C=24pF	Hide in Default
C0402CH1C240J	C=24pF	
C0402CH1C270G	C=27pF	Hide in Default
C0402CH1C270J	C=27pF	
C0402CH1C300G	C=30pF	Hide in Default
C0402CH1C300J	C=30pF	
C0402CH1C330G	C=33pF	Hide in Default
C0402CH1C330J	C=33pF	
C0402CH1C360G	C=36pF	Hide in Default
C0402CH1C360J	C=36pF	
C0402CH1C390G	C=39pF	Hide in Default
C0402CH1C390J	C=39pF	
C0402CH1C430G	C=43pF	Hide in Default
C0402CH1C430J	C=43pF	
C0402CH1C470G	C=47pF	Hide in Default
C0402CH1C470J	C=47pF	
C0402CH1C510G	C=51pF	Hide in Default
C0402CH1C510J	C=51pF	
C0402CH1C560G	C=56pF	Hide in Default
C0402CH1C560J	C=56pF	
C0402CH1C620G	C=62pF	Hide in Default
C0402CH1C620J	C=62pF	
C0402CH1C680G	C=68pF	Hide in Default
C0402CH1C680J	C=68pF	
C0402CH1C750G	C=75pF	Hide in Default
C0402CH1C750J	C=75pF	
C0402CH1C820G	C=82pF	Hide in Default
C0402CH1C820J	C=82pF	
C0402CH1C910G	C=91pF	Hide in Default
C0402CH1C910J	C=91pF	
C0402CH1C101G	C=100pF	Hide in Default
C0402CH1C101J	C=100pF	

## C0603CH Series - 102 Products

Product Name	Main Characteristic	Note
C0603CH1H0R5C	C=0.5pF	
C0603CH1E0R5C	C=0.5pF	
C0603CH1HR75C	C=0.75pF	
C0603CH1ER75C	C=0.75pF	
C0603CH1H010C	C=1pF	
C0603CH1E010C	C=1pF	
C0603CH1H1R2C	C=1.2pF	
C0603CH1E1R2C	C=1.2pF	
C0603CH1H1R5C	C=1.5pF	
C0603CH1E1R5C	C=1.5pF	
C0603CH1H1R8C	C=1.8pF	
C0603CH1E1R8C	C=1.8pF	
C0603CH1H020C	C=2pF	
C0603CH1E020C	C=2pF	
C0603CH1H2R2C	C=2.2pF	
C0603CH1E2R2C	C=2.2pF	
C0603CH1H2R7C	C=2.7pF	
C0603CH1E2R7C	C=2.7pF	
C0603CH1H030C	C=3pF	
C0603CH1E030C	C=3pF	
C0603CH1H3R3C	C=3.3pF	
C0603CH1E3R3C	C=3.3pF	
C0603CH1H3R9C	C=3.9pF	
C0603CH1E3R9C	C=3.9pF	
C0603CH1H040C	C=4pF	
C0603CH1E040C	C=4pF	
C0603CH1H4R7C	C=4.7pF	
C0603CH1E4R7C	C=4.7pF	
C0603CH1H050C	C=5pF	
C0603CH1E050C	C=5pF	
C0603CH1H5R1D	C=5.1pF	
C0603CH1E5R1D	C=5.1pF	
C0603CH1H5R6D	C=5.6pF	
C0603CH1E5R6D	C=5.6pF	
C0603CH1H060D	C=6pF	
C0603CH1E060D	C=6pF	
C0603CH1H6R2D	C=6.2pF	
C0603CH1E6R2D	C=6.2pF	
C0603CH1H6R8D	C=6.8pF	
C0603CH1E6R8D	C=6.8pF	
C0603CH1H070D	C=7pF	
C0603CH1E070D	C=7pF	
C0603CH1H7R5D	C=7.5pF	
C0603CH1E7R5D	C=7.5pF	
C0603CH1H080D	C=8pF	
C0603CH1E080D	C=8pF	

C0603CH1H8R2D	C=8.2pF	
C0603CH1E8R2D	C=8.2pF	
C0603CH1H090D	C=9pF	
C0603CH1E090D	C=9pF	
C0603CH1H9R1D	C=9.1pF	
C0603CH1E9R1D	C=9.1pF	
C0603CH1H100D	C=10pF	
C0603CH1E100D	C=10pF	
C0603CH1H110J	C=11pF	
C0603CH1E110J	C=11pF	
C0603CH1H120J	C=12pF	
C0603CH1E120J	C=12pF	
C0603CH1H130J	C=13pF	
C0603CH1E130J	C=13pF	
C0603CH1H150J	C=15pF	
C0603CH1E150J	C=15pF	
C0603CH1H160J	C=16pF	
C0603CH1E160J	C=16pF	
C0603CH1H180J	C=18pF	
C0603CH1E180J	C=18pF	
C0603CH1H200J	C=20pF	
C0603CH1E200J	C=20pF	
C0603CH1H220J	C=22pF	
C0603CH1E220J	C=22pF	
C0603CH1H240J	C=24pF	
C0603CH1E240J	C=24pF	
C0603CH1H270J	C=27pF	
C0603CH1E270J	C=27pF	
C0603CH1H300J	C=30pF	
C0603CH1E300J	C=30pF	
C0603CH1H330J	C=33pF	
C0603CH1E330J	C=33pF	
C0603CH1H360J	C=36pF	
C0603CH1E360J	C=36pF	
C0603CH1H390J	C=39pF	
C0603CH1E390J	C=39pF	
C0603CH1H430J	C=43pF	
C0603CH1E430J	C=43pF	
C0603CH1H470J	C=47pF	
C0603CH1E470J	C=47pF	
C0603CH1H510J	C=51pF	
C0603CH1E510J	C=51pF	
C0603CH1H560J	C=56pF	
C0603CH1E560J	C=56pF	
C0603CH1H620J	C=62pF	
C0603CH1E620J	C=62pF	
C0603CH1H680J	C=68pF	
C0603CH1E680J	C=68pF	

C0603CH1H750J	C=75pF	
C0603CH1E750J	C=75pF	
C0603CH1H820J	C=82pF	
C0603CH1E820J	C=82pF	
C0603CH1H910J	C=91pF	
C0603CH1E910J	C=91pF	
C0603CH1H101J	C=100pF	
C0603CH1E101J	C=100pF	

## C1005CH Series - 65(90) Products

Product Name	Main Characteristic	Note
C1005CH1H0R5B	C=0.5pF	Hide in Default
C1005CH1H0R5C	C=0.5pF	
C1005CH1HR75B	C=0.75pF	Hide in Default
C1005CH1HR75C	C=0.75pF	
C1005CH1H010B	C=1pF	Hide in Default
C1005CH1H010C	C=1pF	
C1005CH1H1R2B	C=1.2pF	Hide in Default
C1005CH1H1R2C	C=1.2pF	
C1005CH1H1R5B	C=1.5pF	Hide in Default
C1005CH1H1R5C	C=1.5pF	
C1005CH1H1R8B	C=1.8pF	Hide in Default
C1005CH1H1R8C	C=1.8pF	
C1005CH1H020B	C=2pF	Hide in Default
C1005CH1H020C	C=2pF	
C1005CH1H2R2B	C=2.2pF	Hide in Default
C1005CH1H2R2C	C=2.2pF	
C1005CH1H2R5B	C=2.5pF	Hide in Default
C1005CH1H2R5C	C=2.5pF	
C1005CH1H2R7B	C=2.7pF	Hide in Default
C1005CH1H2R7C	C=2.7pF	
C1005CH1H030B	C=3pF	Hide in Default
C1005CH1H030C	C=3pF	
C1005CH1H3R3B	C=3.3pF	Hide in Default
C1005CH1H3R3C	C=3.3pF	
C1005CH1H3R5B	C=3.5pF	Hide in Default
C1005CH1H3R5C	C=3.5pF	
C1005CH1H3R9B	C=3.9pF	Hide in Default
C1005CH1H3R9C	C=3.9pF	
C1005CH1H040B	C=4pF	Hide in Default
C1005CH1H040C	C=4pF	
C1005CH1H4R7B	C=4.7pF	Hide in Default
C1005CH1H4R7C	C=4.7pF	
C1005CH1H050B	C=5pF	Hide in Default
C1005CH1H050C	C=5pF	
C1005CH1H5R6C	C=5.6pF	Hide in Default
C1005CH1H5R6D	C=5.6pF	
C1005CH1H060C	C=6pF	Hide in Default

C1005CH1H060D	C=6pF	
C1005CH1H6R8C	C=6.8pF	Hide in Default
C1005CH1H6R8D	C=6.8pF	
C1005CH1H070C	C=7pF	Hide in Default
C1005CH1H070D	C=7pF	
C1005CH1H080C	C=8pF	Hide in Default
C1005CH1H080D	C=8pF	
C1005CH1H8R2C	C=8.2pF	Hide in Default
C1005CH1H8R2D	C=8.2pF	
C1005CH1H090C	C=9pF	Hide in Default
C1005CH1H090D	C=9pF	
C1005CH1H100C	C=10pF	Hide in Default
C1005CH1H100D	C=10pF	
C1005CH1H110J	C=11pF	
C1005CH1H120J	C=12pF	
C1005CH1H130J	C=13pF	
C1005CH1H150J	C=15pF	
C1005CH1H160J	C=16pF	
C1005CH1H180J	C=18pF	
C1005CH1H200J	C=20pF	
C1005CH1H220J	C=22pF	
C1005CH1H240J	C=24pF	
C1005CH1H270J	C=27pF	
C1005CH1H300J	C=30pF	
C1005CH1H330J	C=33pF	
C1005CH1H360J	C=36pF	
C1005CH1H390J	C=39pF	
C1005CH1H430J	C=43pF	
C1005CH1H470J	C=47pF	
C1005CH1H510J	C=51pF	
C1005CH1H560J	C=56pF	
C1005CH1H620J	C=62pF	
C1005CH1H680J	C=68pF	
C1005CH1H750J	C=75pF	
C1005CH1H820J	C=82pF	
C1005CH1H910J	C=91pF	
C1005CH1H101J	C=100pF	
C1005CH1H121J	C=120pF	
C1005CH1H151J	C=150pF	
C1005CH1H181J	C=180pF	
C1005CH1H221J	C=220pF	
C1005CH1H271J	C=270pF	
C1005CH1H331J	C=330pF	
C1005CH1H391J	C=390pF	
C1005CH1H471J	C=470pF	
C1005CH1H561J	C=560pF	
C1005CH1E561J	C=560pF	
C1005CH1H681J	C=680pF	

C1005CH1E681J	C=680pF	
C1005CH1H821J	C=820pF	
C1005CH1E821J	C=820pF	
C1005CH1H102J	C=1000pF	
C1005CH1E102J	C=1000pF	

## C1608CH Series - 114(162) Products

Product Name	Main Characteristic	Note
C1608CH1H0R5B	C=0.5pF	Hide in Default
C1608CH1H0R5C	C=0.5pF	
C1608CH1HR75B	C=0.75pF	Hide in Default
C1608CH1HR75C	C=0.75pF	
C1608CH1H010B	C=1pF	Hide in Default
C1608CH1H010C	C=1pF	
C1608CH1H1R2B	C=1.2pF	Hide in Default
C1608CH1H1R2C	C=1.2pF	
C1608CH1H1R5B	C=1.5pF	Hide in Default
C1608CH1H1R5C	C=1.5pF	
C1608CH1H1R8B	C=1.8pF	Hide in Default
C1608CH1H1R8C	C=1.8pF	
C1608CH1H020B	C=2pF	Hide in Default
C1608CH1H020C	C=2pF	
C1608CH1H2R2B	C=2.2pF	Hide in Default
C1608CH1H2R2C	C=2.2pF	
C1608CH1H2R7B	C=2.7pF	Hide in Default
C1608CH1H2R7C	C=2.7pF	
C1608CH1H030B	C=3pF	Hide in Default
C1608CH1H030C	C=3pF	
C1608CH1H3R3B	C=3.3pF	Hide in Default
C1608CH1H3R3C	C=3.3pF	
C1608CH1H3R9B	C=3.9pF	Hide in Default
C1608CH1H3R9C	C=3.9pF	
C1608CH1H040B	C=4pF	Hide in Default
C1608CH1H040C	C=4pF	
C1608CH1H4R7B	C=4.7pF	Hide in Default
C1608CH1H4R7C	C=4.7pF	
C1608CH1H050B	C=5pF	Hide in Default
C1608CH1H050C	C=5pF	
C1608CH1H5R6C	C=5.6pF	Hide in Default
C1608CH1H5R6D	C=5.6pF	
C1608CH1H060C	C=6pF	Hide in Default
C1608CH1H060D	C=6pF	
C1608CH1H6R8C	C=6.8pF	Hide in Default
C1608CH1H6R8D	C=6.8pF	
C1608CH1H070C	C=7pF	Hide in Default
C1608CH1H070D	C=7pF	
C1608CH1H080C	C=8pF	Hide in Default
C1608CH1H080D	C=8pF	

C1608CH1H8R2C	C=8.2pF	Hide in Default
C1608CH1H8R2D	C=8.2pF	
C1608CH1H090C	C=9pF	Hide in Default
C1608CH1H090D	C=9pF	
C1608CH1H100C	C=10pF	Hide in Default
C1608CH1H100D	C=10pF	
C1608CH1H110J	C=11pF	
C1608CH1H120J	C=12pF	
C1608CH1H130J	C=13pF	
C1608CH1H150J	C=15pF	
C1608CH1H160J	C=16pF	
C1608CH1H180J	C=18pF	
C1608CH1H200J	C=20pF	
C1608CH1H220J	C=22pF	
C1608CH1H240J	C=24pF	
C1608CH1H270J	C=27pF	
C1608CH1H300J	C=30pF	
C1608CH1H330J	C=33pF	
C1608CH1H360J	C=36pF	
C1608CH1H390J	C=39pF	
C1608CH1H430J	C=43pF	
C1608CH1H470J	C=47pF	
C1608CH1H510J	C=51pF	
C1608CH1H560J	C=56pF	
C1608CH1H620J	C=62pF	
C1608CH1H680J	C=68pF	
C1608CH1H750J	C=75pF	
C1608CH1H820J	C=82pF	
C1608CH1H910J	C=91pF	
C1608CH1H101J	C=100pF	
C1608CH1H111J	C=100pF	
C1608CH1H121J	C=120pF	
C1608CH1H131J	C=130pF	
C1608CH1H151J	C=150pF	
C1608CH1H161J	C=160pF	
C1608CH1H181J	C=180pF	
C1608CH1H201J	C=200pF	
C1608CH1H221J	C=220pF	
C1608CH1H241J	C=240pF	
C1608CH1H271J	C=270pF	
C1608CH1H301J	C=300pF	
C1608CH1H331J	C=330pF	
C1608CH1H361J	C=360pF	
C1608CH1H391J	C=390pF	
C1608CH1H431J	C=430pF	
C1608CH1H471J	C=470pF	
C1608CH1H511J	C=510pF	
C1608CH1H561J	C=560pF	

C1608CH1H621J	C=620pF	
C1608CH1H681J	C=680pF	
C1608CH1H751J	C=750pF	
C1608CH1H821J	C=820pF	
C1608CH1H911J	C=910pF	
C1608CH1H102J	C=1000pF	
C1608CH1H122J	C=1200pF	
C1608CH1H152J	C=1500pF	
C1608CH1H182J	C=1800pF	
C1608CH1H222J	C=2200pF	
C1608CH1H272J	C=2700pF	
C1608CH1H332J	C=3300pF	
C1608CH1H392J	C=3900pF	
C1608CH1E392J	C=3900pF	
C1608CH1H472J	C=4700pF	
C1608CH1E472J	C=4700pF	
C1608CH1H562J	C=5600pF	
C1608CH1E562J	C=5600pF	
C1608CH1H682J	C=6800pF	
C1608CH1E682J	C=6800pF	
C1608CH1H822J	C=8200pF	
C1608CH1E822J	C=8200pF	
C1608CH1H103J	C=10000pF	
C1608CH1E103J	C=10000pF	
C1608CH2E101J	C=100pF	
C1608CH2E101K	C=100pF	Hide in Default
C1608CH2A101J	C=100pF	
C1608CH2A101K	C=100pF	Hide in Default
C1608CH2E121J	C=120pF	
C1608CH2E121K	C=120pF	Hide in Default
C1608CH2A121J	C=120pF	
C1608CH2A121K	C=120pF	Hide in Default
C1608CH2E151J	C=150pF	
C1608CH2E151K	C=150pF	Hide in Default
C1608CH2A151J	C=150pF	
C1608CH2A151K	C=150pF	Hide in Default
C1608CH2E181J	C=180pF	
C1608CH2E181K	C=180pF	Hide in Default
C1608CH2A181J	C=180pF	
C1608CH2A181K	C=180pF	Hide in Default
C1608CH2E221J	C=220pF	
C1608CH2E221K	C=220pF	Hide in Default
C1608CH2A221J	C=220pF	
C1608CH2A221K	C=220pF	Hide in Default
C1608CH2E271J	C=270pF	
C1608CH2E271K	C=270pF	Hide in Default
C1608CH2A271J	C=270pF	
C1608CH2A271K	C=270pF	Hide in Default

C1608CH2E331J	C=330pF	
C1608CH2E331K	C=330pF	Hide in Default
C1608CH2A331J	C=330pF	
C1608CH2A331K	C=330pF	Hide in Default
C1608CH2E391J	C=390pF	
C1608CH2E391K	C=390pF	Hide in Default
C1608CH2A391J	C=390pF	
C1608CH2A391K	C=390pF	Hide in Default
C1608CH2E471J	C=470pF	
C1608CH2E471K	C=470pF	Hide in Default
C1608CH2A471J	C=470pF	
C1608CH2A471K	C=470pF	Hide in Default
C1608CH2E561J	C=560pF	
C1608CH2E561K	C=560pF	Hide in Default
C1608CH2A561J	C=560pF	
C1608CH2A561K	C=560pF	Hide in Default
C1608CH2E681J	C=680pF	
C1608CH2E681K	C=680pF	Hide in Default
C1608CH2A681J	C=680pF	
C1608CH2A681K	C=680pF	Hide in Default
C1608CH2A821J	C=820pF	
C1608CH2A821K	C=820pF	Hide in Default
C1608CH2A102J	C=1000pF	
C1608CH2A102K	C=1000pF	Hide in Default
C1608CH2A122J	C=1200pF	
C1608CH2A122K	C=1200pF	Hide in Default

## C2012CH Series - 72(91) Products

Product Name	Main Characteristic	Note
C2012CH1H100D	C=10pF	
C2012CH1H101J	C=100pF	
C2012CH1H121J	C=120pF	
C2012CH1H151J	C=150pF	
C2012CH1H181J	C=180pF	
C2012CH1H221J	C=220pF	
C2012CH1H271J	C=270pF	
C2012CH1H331J	C=330pF	
C2012CH1H391J	C=390pF	
C2012CH1H471J	C=470pF	
C2012CH1H561J	C=560pF	
C2012CH1H681J	C=680pF	
C2012CH1H821J	C=820pF	
C2012CH1H102J	C=1000pF	
C2012CH1H122J	C=1200pF	
C2012CH1H152J	C=1500pF	
C2012CH1H182J[T=0.60mm]	C=1800pF	
C2012CH1H182J[T=0.85mm]	C=1800pF	
C2012CH1H222J[T=0.60mm]	C=2200pF	

C2012CH1H222J[T=0.85mm]	C=2200pF	
C2012CH1H222J[T=1.25mm]	C=2200pF	
C2012CH1H272J[T=0.60mm]	C=2700pF	
C2012CH1H272J[T=1.25mm]	C=2700pF	
C2012CH1H332J[T=0.60mm]	C=3300pF	
C2012CH1H332J[T=0.85mm]	C=3300pF	
C2012CH1H332J[T=1.25mm]	C=3300pF	
C2012CH1H392J[T=0.60mm]	C=3900pF	
C2012CH1H392J[T=0.85mm]	C=3900pF	
C2012CH1H392J[T=1.25mm]	C=3900pF	
C2012CH1E392J	C=3900pF	
C2012CH1H472J[T=0.60mm]	C=4700pF	
C2012CH1H472J[T=0.85mm]	C=4700pF	
C2012CH1H472J[T=1.25mm]	C=4700pF	
C2012CH1E472J	C=4700pF	
C2012CH1H562J[T=0.60mm]	C=5600pF	
C2012CH1H562J[T=0.85mm]	C=5600pF	
C2012CH1H562J[T=1.25mm]	C=5600pF	
C2012CH1E562J	C=5600pF	
C2012CH1H682J[T=0.60mm]	C=6800pF	
C2012CH1H682J[T=1.25mm]	C=6800pF	
C2012CH1E682J	C=6800pF	
C2012CH1H822J[T=0.60mm]	C=8200pF	
C2012CH1H822J[T=1.25mm]	C=8200pF	
C2012CH1E822J	C=8200pF	
C2012CH1H103J[T=0.60mm]	C=10000pF	
C2012CH1H103J[T=1.25mm]	C=10000pF	
C2012CH1E103J	C=10000pF	
C2012CH1H153J	C=15000pF	
C2012CH1E153J	C=15000pF	
C2012CH1H223J	C=22000pF	
C2012CH1E223J	C=22000pF	
C2012CH1H333J	C=33000pF	
C2012CH1E333J	C=33000pF	
C2012CH2E101J	C=100pF	
C2012CH2E101K	C=100pF	Hide in Default
C2012CH2A101J	C=100pF	
C2012CH2A101K	C=100pF	Hide in Default
C2012CH2A221J	C=220pF	
C2012CH2A221K	C=220pF	Hide in Default
C2012CH2A471J	C=470pF	
C2012CH2A471K	C=470pF	Hide in Default
C2012CH2E821J	C=820pF	
C2012CH2E821K	C=820pF	Hide in Default
C2012CH2E102J	C=1000pF	
C2012CH2E102K	C=1000pF	Hide in Default
C2012CH2E122J	C=1200pF	
C2012CH2E122K	C=1200pF	Hide in Default

C2012CH2A122J	C=1200pF	
C2012CH2A122K	C=1200pF	Hide in Default
C2012CH2E152J	C=1500pF	
C2012CH2E152K	C=1500pF	Hide in Default
C2012CH2A152J	C=1500pF	
C2012CH2A152K	C=1500pF	Hide in Default
C2012CH2E182J	C=1800pF	
C2012CH2E182K	C=1800pF	Hide in Default
C2012CH2A182J	C=1800pF	
C2012CH2A182K	C=1800pF	Hide in Default
C2012CH2E222J	C=2200pF	
C2012CH2E222K	C=2200pF	Hide in Default
C2012CH2A222J	C=2200pF	
C2012CH2A222K	C=2200pF	Hide in Default
C2012CH2E272J	C=2700pF	
C2012CH2E272K	C=2700pF	Hide in Default
C2012CH2A272J	C=2700pF	
C2012CH2A272K	C=2700pF	Hide in Default
C2012CH2A332J	C=3300pF	
C2012CH2A332K	C=3300pF	Hide in Default
C2012CH2A392J	C=3900pF	
C2012CH2A392K	C=3900pF	Hide in Default
C2012CH2A472J	C=4700pF	
C2012CH2A472K	C=4700pF	Hide in Default

## C3216CH Series - 44(73) Products

Product Name	Main Characteristic	Note
C3216CH1E822J	C=8200pF	
C3216CH1H103J	C=10000pF	
C3216CH1E103J	C=10000pF	
C3216CH1H153J	C=15000pF	
C3216CH1E153J	C=15000pF	
C3216CH1H223J	C=22000pF	
C3216CH1E223J	C=22000pF	
C3216CH1H333J	C=33000pF	
C3216CH1E333J	C=33000pF	
C3216CH1H473J	C=47000pF	
C3216CH1E473J	C=47000pF	
C3216CH1H683J	C=68000pF	
C3216CH1E683J	C=68000pF	
C3216CH1H104J	C=0.1uF	
C3216CH1E104J	C=0.1uF	
C3216CH2J101J	C=100pF	
C3216CH2J101K	C=100pF	Hide in Default
C3216CH2J121J	C=120pF	
C3216CH2J121K	C=120pF	Hide in Default
C3216CH2J151J	C=150pF	
C3216CH2J151K	C=150pF	Hide in Default

C3216CH2J181J	C=180pF	
C3216CH2J181K	C=180pF	Hide in Default
C3216CH2J221J	C=220pF	
C3216CH2J221K	C=220pF	Hide in Default
C3216CH2J271J	C=270pF	
C3216CH2J271K	C=270pF	Hide in Default
C3216CH2J331J	C=330pF	
C3216CH2J331K	C=330pF	Hide in Default
C3216CH2J391J	C=390pF	
C3216CH2J391K	C=390pF	Hide in Default
C3216CH2J471J	C=470pF	
C3216CH2J471K	C=470pF	Hide in Default
C3216CH2J561J	C=560pF	
C3216CH2J561K	C=560pF	Hide in Default
C3216CH2J681J	C=680pF	
C3216CH2J681K	C=680pF	Hide in Default
C3216CH2J821J	C=820pF	
C3216CH2J821K	C=820pF	Hide in Default
C3216CH2J102J	C=1000pF	
C3216CH2J102K	C=1000pF	Hide in Default
C3216CH2J122J	C=1200pF	
C3216CH2J122K	C=1200pF	Hide in Default
C3216CH2J152J	C=1500pF	
C3216CH2J152K	C=1500pF	Hide in Default
C3216CH2J182J	C=1800pF	
C3216CH2J182K	C=1800pF	Hide in Default
C3216CH2J222J	C=2200pF	
C3216CH2J222K	C=2200pF	Hide in Default
C3216CH2J272J	C=2700pF	
C3216CH2J272K	C=2700pF	Hide in Default
C3216CH2J332J	C=3300pF	
C3216CH2J332K	C=3300pF	Hide in Default
C3216CH2E332J	C=3300pF	
C3216CH2E332K	C=3300pF	Hide in Default
C3216CH2E392J	C=3900pF	
C3216CH2E392K	C=3900pF	Hide in Default
C3216CH2E472J	C=4700pF	
C3216CH2E472K	C=4700pF	Hide in Default
C3216CH2E562J	C=5600pF	
C3216CH2E562K	C=5600pF	Hide in Default
C3216CH2A562J	C=5600pF	
C3216CH2A562K	C=5600pF	Hide in Default
C3216CH2E682J	C=6800pF	
C3216CH2E682K	C=6800pF	Hide in Default
C3216CH2A682J	C=6800pF	
C3216CH2A682K	C=6800pF	Hide in Default
C3216CH2E822J	C=8200pF	
C3216CH2E822K	C=8200pF	Hide in Default

C3216CH2A822J	C=8200pF	
C3216CH2A822K	C=8200pF	Hide in Default
C3216CH2A103J	C=10000pF	
C3216CH2A103K	C=10000pF	Hide in Default

## C3225CH Series - 13(23) Products

Product Name	Main Characteristic	Note
C3225CH1H473J	C=47000pF	
C3225CH1H683J	C=68000pF	
C3225CH1H104J	C=0.1uF	
C3225CH2J392J	C=3900pF	
C3225CH2J392K	C=3900pF	Hide in Default
C3225CH2J472J	C=4700pF	
C3225CH2J472K	C=4700pF	Hide in Default
C3225CH2J562J	C=5600pF	
C3225CH2J562K	C=5600pF	Hide in Default
C3225CH2J682J	C=6800pF	
C3225CH2J682K	C=6800pF	Hide in Default
C3225CH2E103J	C=10000pF	
C3225CH2E103K	C=10000pF	Hide in Default
C3225CH2E153J	C=15000pF	
C3225CH2E153K	C=15000pF	Hide in Default
C3225CH2A153J	C=15000pF	
C3225CH2A153K	C=15000pF	Hide in Default
C3225CH2A223J	C=22000pF	
C3225CH2A223K	C=22000pF	Hide in Default
C3225CH2A333J	C=33000pF	
C3225CH2A333K	C=33000pF	Hide in Default
C3225CH2A473J	C=47000pF	
C3225CH2A473K	C=47000pF	Hide in Default

## C4532CH Series - 14(23) Products

Product Name	Main Characteristic	Note
C4532CH1H473J	C=47000pF	
C4532CH1H683J	C=68000pF	
C4532CH1H104J	C=0.1uF	
C4532CH1H154J	C=0.15uF	
C4532CH1H224J	C=0.22uF	
C4532CH2J822J	C=8200pF	
C4532CH2J822K	C=8200pF	Hide in Default
C4532CH2J103J	C=10000pF	
C4532CH2J103K	C=10000pF	Hide in Default
C4532CH2J153J	C=15000pF	
C4532CH2J153K	C=15000pF	Hide in Default
C4532CH2J223J	C=22000pF	
C4532CH2J223K	C=22000pF	Hide in Default
C4532CH2E223J	C=22000pF	
C4532CH2E223K	C=22000pF	Hide in Default

C4532CH2E333J	C=33000pF	
C4532CH2E333K	C=33000pF	Hide in Default
C4532CH2E473J	C=47000pF	
C4532CH2E473K	C=47000pF	Hide in Default
C4532CH2A683J	C=68000pF	
C4532CH2A683K	C=68000pF	Hide in Default
C4532CH2A104J	C=0.1uF	
C4532CH2A104K	C=0.1uF	Hide in Default

## C0402C0G Series - 64(138) Products

Product Name	Main Characteristic	Note
C0402C0G1C0R2W	C=0.2pF	Hide in Default
C0402C0G1C0R2B	C=0.2pF	
C0402C0G1C0R3W	C=0.3pF	Hide in Default
C0402C0G1C0R3B	C=0.3pF	
C0402C0G1C0R4W	C=0.4pF	Hide in Default
C0402C0G1C0R4B	C=0.4pF	
C0402C0G1C0R5W	C=0.5pF	Hide in Default
C0402C0G1C0R5B	C=0.5pF	
C0402C0G1C0R6W	C=0.6pF	Hide in Default
C0402C0G1C0R6B	C=0.6pF	
C0402C0G1C0R7W	C=0.7pF	Hide in Default
C0402C0G1C0R7B	C=0.7pF	
C0402C0G1CR75B	C=0.75pF	
C0402C0G1C0R8W	C=0.8pF	Hide in Default
C0402C0G1C0R8B	C=0.8pF	
C0402C0G1C0R9W	C=0.9pF	Hide in Default
C0402C0G1C0R9B	C=0.9pF	
C0402C0G1C010B	C=1pF	Hide in Default
C0402C0G1C010C	C=1pF	
C0402C0G1C1R1B	C=1.1pF	Hide in Default
C0402C0G1C1R1C	C=1.1pF	
C0402C0G1C1R2B	C=1.2pF	Hide in Default
C0402C0G1C1R2C	C=1.2pF	
C0402C0G1C1R3B	C=1.3pF	Hide in Default
C0402C0G1C1R3C	C=1.3pF	
C0402C0G1C1R5C	C=1.5pF	
C0402C0G1C1R6B	C=1.6pF	Hide in Default
C0402C0G1C1R6C	C=1.6pF	
C0402C0G1C1R8B	C=1.8pF	Hide in Default
C0402C0G1C1R8C	C=1.8pF	
C0402C0G1C020B	C=2pF	Hide in Default
C0402C0G1C020C	C=2pF	
C0402C0G1C2R2B	C=2.2pF	Hide in Default
C0402C0G1C2R2C	C=2.2pF	
C0402C0G1C2R4B	C=2.4pF	Hide in Default
C0402C0G1C2R4C	C=2.4pF	
C0402C0G1C2R7B	C=2.7pF	Hide in Default

C0402C0G1C2R7C	C=2.7pF	
C0402C0G1C030B	C=3pF	Hide in Default
C0402C0G1C030C	C=3pF	
C0402C0G1C3R3B	C=3.3pF	Hide in Default
C0402C0G1C3R3C	C=3.3pF	
C0402C0G1C3R6B	C=3.6pF	Hide in Default
C0402C0G1C3R6C	C=3.6pF	
C0402C0G1C3R9B	C=3.9pF	Hide in Default
C0402C0G1C3R9C	C=3.9pF	
C0402C0G1C040B	C=4pF	Hide in Default
C0402C0G1C040C	C=4pF	
C0402C0G1C4R3B	C=4.3pF	Hide in Default
C0402C0G1C4R3C	C=4.3pF	
C0402C0G1C4R7B	C=4.7pF	Hide in Default
C0402C0G1C4R7C	C=4.7pF	
C0402C0G1C050B	C=5pF	Hide in Default
C0402C0G1C050C	C=5pF	
C0402C0G1C5R1B	C=5.1pF	Hide in Default
C0402C0G1C5R1C	C=5.1pF	Hide in Default
C0402C0G1C5R1D	C=5.1pF	
C0402C0G1C5R6B	C=5.6pF	Hide in Default
C0402C0G1C5R6C	C=5.6pF	Hide in Default
C0402C0G1C5R6D	C=5.6pF	
C0402C0G1C060B	C=6pF	Hide in Default
C0402C0G1C060C	C=6pF	Hide in Default
C0402C0G1C060D	C=6pF	
C0402C0G1C6R2B	C=6.2pF	Hide in Default
C0402C0G1C6R2C	C=6.2pF	Hide in Default
C0402C0G1C6R2D	C=6.2pF	
C0402C0G1C6R8B	C=6.8pF	Hide in Default
C0402C0G1C6R8C	C=6.8pF	Hide in Default
C0402C0G1C6R8D	C=6.8pF	
C0402C0G1C070B	C=7pF	Hide in Default
C0402C0G1C070C	C=7pF	Hide in Default
C0402C0G1C070D	C=7pF	
C0402C0G1C7R5B	C=7.5pF	Hide in Default
C0402C0G1C7R5C	C=7.5pF	Hide in Default
C0402C0G1C7R5D	C=7.5pF	
C0402C0G1C080B	C=8pF	Hide in Default
C0402C0G1C080C	C=8pF	Hide in Default
C0402C0G1C080D	C=8pF	
C0402C0G1C8R2B	C=8.2pF	Hide in Default
C0402C0G1C8R2C	C=8.2pF	Hide in Default
C0402C0G1C8R2D	C=8.2pF	
C0402C0G1C090B	C=9pF	Hide in Default
C0402C0G1C090C	C=9pF	Hide in Default
C0402C0G1C090D	C=9pF	
C0402C0G1C9R1B	C=9.1pF	Hide in Default

C0402C0G1C9R1C	C=9.1pF	Hide in Default
C0402C0G1C9R1D	C=9.1pF	
C0402C0G1C100B	C=10pF	Hide in Default
C0402C0G1C100C	C=10pF	Hide in Default
C0402C0G1C100D	C=10pF	
C0402C0G1C110G	C=11pF	Hide in Default
C0402C0G1C110J	C=11pF	
C0402C0G1C120G	C=12pF	Hide in Default
C0402C0G1C120J	C=12pF	
C0402C0G1C130G	C=13pF	Hide in Default
C0402C0G1C130J	C=13pF	
C0402C0G1C150G	C=15pF	Hide in Default
C0402C0G1C150J	C=15pF	
C0402C0G1C160G	C=16pF	Hide in Default
C0402C0G1C160J	C=16pF	
C0402C0G1C180G	C=18pF	Hide in Default
C0402C0G1C180J	C=18pF	
C0402C0G1C200G	C=20pF	Hide in Default
C0402C0G1C200J	C=20pF	
C0402C0G1C220G	C=22pF	Hide in Default
C0402C0G1C220J	C=22pF	
C0402C0G1C240G	C=24pF	Hide in Default
C0402C0G1C240J	C=24pF	
C0402C0G1C270G	C=27pF	Hide in Default
C0402C0G1C270J	C=27pF	
C0402C0G1C300G	C=30pF	Hide in Default
C0402C0G1C300J	C=30pF	
C0402C0G1C330G	C=33pF	Hide in Default
C0402C0G1C330J	C=33pF	
C0402C0G1C360G	C=36pF	Hide in Default
C0402C0G1C360J	C=36pF	
C0402C0G1C390G	C=39pF	Hide in Default
C0402C0G1C390J	C=39pF	
C0402C0G1C430G	C=43pF	Hide in Default
C0402C0G1C430J	C=43pF	
C0402C0G1C470G	C=47pF	Hide in Default
C0402C0G1C470J	C=47pF	
C0402C0G1C510G	C=51pF	Hide in Default
C0402C0G1C510J	C=51pF	
C0402C0G1C560G	C=56pF	Hide in Default
C0402C0G1C560J	C=56pF	
C0402C0G1C620G	C=62pF	Hide in Default
C0402C0G1C620J	C=62pF	
C0402C0G1C680G	C=68pF	Hide in Default
C0402C0G1C680J	C=68pF	
C0402C0G1C750G	C=75pF	Hide in Default
C0402C0G1C750J	C=75pF	
C0402C0G1C820G	C=82pF	Hide in Default

C0402C0G1C820J	C=82pF	
C0402C0G1C910G	C=91pF	Hide in Default
C0402C0G1C910J	C=91pF	
C0402C0G1C101G	C=100pF	Hide in Default
C0402C0G1C101J	C=100pF	

## C0603C0G Series - 102 Products

Product Name	Main Characteristic	Note
C0603C0G1H0R5C	C=0.5pF	
C0603C0G1E0R5C	C=0.5pF	
C0603C0G1HR75C	C=0.75pF	
C0603C0G1ER75C	C=0.75pF	
C0603C0G1H010C	C=1pF	
C0603C0G1E010C	C=1pF	
C0603C0G1H1R2C	C=1.2pF	
C0603C0G1E1R2C	C=1.2pF	
C0603C0G1H1R5C	C=1.5pF	
C0603C0G1E1R5C	C=1.5pF	
C0603C0G1H1R8C	C=1.8pF	
C0603C0G1E1R8C	C=1.8pF	
C0603C0G1H020C	C=2pF	
C0603C0G1E020C	C=2pF	
C0603C0G1H2R2C	C=2.2pF	
C0603C0G1E2R2C	C=2.2pF	
C0603C0G1H2R7C	C=2.7pF	
C0603C0G1E2R7C	C=2.7pF	
C0603C0G1H030C	C=3pF	
C0603C0G1E030C	C=3pF	
C0603C0G1H3R3C	C=3.3pF	
C0603C0G1E3R3C	C=3.3pF	
C0603C0G1H3R9C	C=3.9pF	
C0603C0G1E3R9C	C=3.9pF	
C0603C0G1H040C	C=4pF	
C0603C0G1E040C	C=4pF	
C0603C0G1H4R7C	C=4.7pF	
C0603C0G1E4R7C	C=4.7pF	
C0603C0G1H050C	C=5pF	
C0603C0G1E050C	C=5pF	
C0603C0G1H5R1D	C=5.1pF	
C0603C0G1E5R1D	C=5.1pF	
C0603C0G1H5R6D	C=5.6pF	
C0603C0G1E5R6D	C=5.6pF	
C0603C0G1H060D	C=6pF	
C0603C0G1E060D	C=6pF	
C0603C0G1H6R2D	C=6.2pF	
C0603C0G1E6R2D	C=6.2pF	
C0603C0G1H6R8D	C=6.8pF	
C0603C0G1E6R8D	C=6.8pF	

C0603C0G1H070D	C=7pF	
C0603C0G1E070D	C=7pF	
C0603C0G1H7R5D	C=7.5pF	
C0603C0G1E7R5D	C=7.5pF	
C0603C0G1H080D	C=8pF	
C0603C0G1E080D	C=8pF	
C0603C0G1H8R2D	C=8.2pF	
C0603C0G1E8R2D	C=8.2pF	
C0603C0G1H090D	C=9pF	
C0603C0G1E090D	C=9pF	
C0603C0G1H9R1D	C=9.1pF	
C0603C0G1E9R1D	C=9.1pF	
C0603C0G1H100D	C=10pF	
C0603C0G1E100D	C=10pF	
C0603C0G1H110J	C=11pF	
C0603C0G1E110J	C=11pF	
C0603C0G1H120J	C=12pF	
C0603C0G1E120J	C=12pF	
C0603C0G1H130J	C=13pF	
C0603C0G1E130J	C=13pF	
C0603C0G1H150J	C=15pF	
C0603C0G1E150J	C=15pF	
C0603C0G1H160J	C=16pF	
C0603C0G1E160J	C=16pF	
C0603C0G1H180J	C=18pF	
C0603C0G1E180J	C=18pF	
C0603C0G1H200J	C=20pF	
C0603C0G1E200J	C=20pF	
C0603C0G1H220J	C=22pF	
C0603C0G1E220J	C=22pF	
C0603C0G1H240J	C=24pF	
C0603C0G1E240J	C=24pF	
C0603C0G1H270J	C=27pF	
C0603C0G1E270J	C=27pF	
C0603C0G1H300J	C=30pF	
C0603C0G1E300J	C=30pF	
C0603C0G1H330J	C=33pF	
C0603C0G1E330J	C=33pF	
C0603C0G1H360J	C=36pF	
C0603C0G1E360J	C=36pF	
C0603C0G1H390J	C=39pF	
C0603C0G1E390J	C=39pF	
C0603C0G1H430J	C=43pF	
C0603C0G1E430J	C=43pF	
C0603C0G1H470J	C=47pF	
C0603C0G1E470J	C=47pF	
C0603C0G1H510J	C=51pF	
C0603C0G1E510J	C=51pF	

C0603C0G1H560J	C=56pF	
C0603C0G1E560J	C=56pF	
C0603C0G1H620J	C=62pF	
C0603C0G1E620J	C=62pF	
C0603C0G1H680J	C=68pF	
C0603C0G1E680J	C=68pF	
C0603C0G1H750J	C=75pF	
C0603C0G1E750J	C=75pF	
C0603C0G1H820J	C=82pF	
C0603C0G1E820J	C=82pF	
C0603C0G1H910J	C=91pF	
C0603C0G1E910J	C=91pF	
C0603C0G1H101J	C=100pF	
C0603C0G1E101J	C=100pF	

## C1005C0G Series - 65(90) Products

Product Name	Main Characteristic	Note
C1005C0G1H0R5B	C=0.5pF	Hide in Default
C1005C0G1H0R5C	C=0.5pF	
C1005C0G1HR75B	C=0.75pF	Hide in Default
C1005C0G1HR75C	C=0.75pF	
C1005C0G1H010B	C=1pF	Hide in Default
C1005C0G1H010C	C=1pF	
C1005C0G1H1R2B	C=1.2pF	Hide in Default
C1005C0G1H1R2C	C=1.2pF	
C1005C0G1H1R5B	C=1.5pF	Hide in Default
C1005C0G1H1R5C	C=1.5pF	
C1005C0G1H1R8B	C=1.8pF	Hide in Default
C1005C0G1H1R8C	C=1.8pF	
C1005C0G1H020B	C=2pF	Hide in Default
C1005C0G1H020C	C=2pF	
C1005C0G1H2R2B	C=2.2pF	Hide in Default
C1005C0G1H2R2C	C=2.2pF	
C1005C0G1H2R5B	C=2.5pF	Hide in Default
C1005C0G1H2R5C	C=2.5pF	
C1005C0G1H2R7B	C=2.7pF	Hide in Default
C1005C0G1H2R7C	C=2.7pF	
C1005C0G1H030B	C=3pF	Hide in Default
C1005C0G1H030C	C=3pF	
C1005C0G1H3R3B	C=3.3pF	Hide in Default
C1005C0G1H3R3C	C=3.3pF	
C1005C0G1H3R5B	C=3.5pF	Hide in Default
C1005C0G1H3R5C	C=3.5pF	
C1005C0G1H3R9B	C=3.9pF	Hide in Default
C1005C0G1H3R9C	C=3.9pF	
C1005C0G1H040B	C=4pF	Hide in Default
C1005C0G1H040C	C=4pF	
C1005C0G1H4R7B	C=4.7pF	Hide in Default

C1005C0G1H4R7C	C=4.7pF	
C1005C0G1H050B	C=5pF	Hide in Default
C1005C0G1H050C	C=5pF	
C1005C0G1H5R6C	C=5.6pF	Hide in Default
C1005C0G1H5R6D	C=5.6pF	
C1005C0G1H060C	C=6pF	Hide in Default
C1005C0G1H060D	C=6pF	
C1005C0G1H6R8C	C=6.8pF	Hide in Default
C1005C0G1H6R8D	C=6.8pF	
C1005C0G1H070C	C=7pF	Hide in Default
C1005C0G1H070D	C=7pF	
C1005C0G1H080C	C=8pF	Hide in Default
C1005C0G1H080D	C=8pF	
C1005C0G1H8R2C	C=8.2pF	Hide in Default
C1005C0G1H8R2D	C=8.2pF	
C1005C0G1H090C	C=9pF	Hide in Default
C1005C0G1H090D	C=9pF	
C1005C0G1H100C	C=10pF	Hide in Default
C1005C0G1H100D	C=10pF	
C1005C0G1H110J	C=11pF	
C1005C0G1H120J	C=12pF	
C1005C0G1H130J	C=13pF	
C1005C0G1H150J	C=15pF	
C1005C0G1H160J	C=16pF	
C1005C0G1H180J	C=18pF	
C1005C0G1H200J	C=20pF	
C1005C0G1H220J	C=22pF	
C1005C0G1H240J	C=24pF	
C1005C0G1H270J	C=27pF	
C1005C0G1H300J	C=30pF	
C1005C0G1H330J	C=33pF	
C1005C0G1H360J	C=36pF	
C1005C0G1H390J	C=39pF	
C1005C0G1H430J	C=43pF	
C1005C0G1H470J	C=47pF	
C1005C0G1H510J	C=51pF	
C1005C0G1H560J	C=56pF	
C1005C0G1H620J	C=62pF	
C1005C0G1H680J	C=68pF	
C1005C0G1H750J	C=75pF	
C1005C0G1H820J	C=82pF	
C1005C0G1H910J	C=91pF	
C1005C0G1H101J	C=100pF	
C1005C0G1H121J	C=120pF	
C1005C0G1H151J	C=150pF	
C1005C0G1H181J	C=180pF	
C1005C0G1H221J	C=220pF	
C1005C0G1H271J	C=270pF	

C1005C0G1H331J	C=330pF	
C1005C0G1H391J	C=390pF	
C1005C0G1H471J	C=470pF	
C1005C0G1H561J	C=560pF	
C1005C0G1E561J	C=560pF	
C1005C0G1H681J	C=680pF	
C1005C0G1E681J	C=680pF	
C1005C0G1H821J	C=820pF	
C1005C0G1E821J	C=820pF	
C1005C0G1H102J	C=1000pF	
C1005C0G1E102J	C=1000pF	

## C1608C0G Series - 114(162) Products

Product Name	Main Characteristic	Note
C1608C0G1H0R5B	C=0.5pF	Hide in Default
C1608C0G1H0R5C	C=0.5pF	
C1608C0G1HR75B	C=0.75pF	Hide in Default
C1608C0G1HR75C	C=0.75pF	
C1608C0G1H010B	C=1pF	Hide in Default
C1608C0G1H010C	C=1pF	
C1608C0G1H1R2B	C=1.2pF	Hide in Default
C1608C0G1H1R2C	C=1.2pF	
C1608C0G1H1R5B	C=1.5pF	Hide in Default
C1608C0G1H1R5C	C=1.5pF	
C1608C0G1H1R8B	C=1.8pF	Hide in Default
C1608C0G1H1R8C	C=1.8pF	
C1608C0G1H020B	C=2pF	Hide in Default
C1608C0G1H020C	C=2pF	
C1608C0G1H2R2B	C=2.2pF	Hide in Default
C1608C0G1H2R2C	C=2.2pF	
C1608C0G1H2R7B	C=2.7pF	Hide in Default
C1608C0G1H2R7C	C=2.7pF	
C1608C0G1H030B	C=3pF	Hide in Default
C1608C0G1H030C	C=3pF	
C1608C0G1H3R3B	C=3.3pF	Hide in Default
C1608C0G1H3R3C	C=3.3pF	
C1608C0G1H3R9B	C=3.9pF	Hide in Default
C1608C0G1H3R9C	C=3.9pF	
C1608C0G1H040B	C=4pF	Hide in Default
C1608C0G1H040C	C=4pF	
C1608C0G1H4R7B	C=4.7pF	Hide in Default
C1608C0G1H4R7C	C=4.7pF	
C1608C0G1H050B	C=5pF	Hide in Default
C1608C0G1H050C	C=5pF	
C1608C0G1H5R6C	C=5.6pF	Hide in Default
C1608C0G1H5R6D	C=5.6pF	
C1608C0G1H060C	C=6pF	Hide in Default
C1608C0G1H060D	C=6pF	

C1608C0G1H6R8C	C=6.8pF	Hide in Default
C1608C0G1H6R8D	C=6.8pF	
C1608C0G1H070C	C=7pF	Hide in Default
C1608C0G1H070D	C=7pF	
C1608C0G1H080C	C=8pF	Hide in Default
C1608C0G1H080D	C=8pF	
C1608C0G1H8R2C	C=8.2pF	Hide in Default
C1608C0G1H8R2D	C=8.2pF	
C1608C0G1H090C	C=9pF	Hide in Default
C1608C0G1H090D	C=9pF	
C1608C0G1H100C	C=10pF	Hide in Default
C1608C0G1H100D	C=10pF	
C1608C0G1H110J	C=11pF	
C1608C0G1H120J	C=12pF	
C1608C0G1H130J	C=13pF	
C1608C0G1H150J	C=15pF	
C1608C0G1H160J	C=16pF	
C1608C0G1H180J	C=18pF	
C1608C0G1H200J	C=20pF	
C1608C0G1H220J	C=22pF	
C1608C0G1H240J	C=24pF	
C1608C0G1H270J	C=27pF	
C1608C0G1H300J	C=30pF	
C1608C0G1H330J	C=33pF	
C1608C0G1H360J	C=36pF	
C1608C0G1H390J	C=39pF	
C1608C0G1H430J	C=43pF	
C1608C0G1H470J	C=47pF	
C1608C0G1H510J	C=51pF	
C1608C0G1H560J	C=56pF	
C1608C0G1H620J	C=62pF	
C1608C0G1H680J	C=68pF	
C1608C0G1H750J	C=75pF	
C1608C0G1H820J	C=82pF	
C1608C0G1H910J	C=91pF	
C1608C0G1H101J	C=100pF	
C1608C0G1H111J	C=100pF	
C1608C0G1H121J	C=120pF	
C1608C0G1H131J	C=130pF	
C1608C0G1H151J	C=150pF	
C1608C0G1H161J	C=160pF	
C1608C0G1H181J	C=180pF	
C1608C0G1H201J	C=200pF	
C1608C0G1H221J	C=220pF	
C1608C0G1H241J	C=240pF	
C1608C0G1H271J	C=270pF	
C1608C0G1H301J	C=300pF	
C1608C0G1H331J	C=330pF	

C1608C0G1H361J	C=360pF	
C1608C0G1H391J	C=390pF	
C1608C0G1H431J	C=430pF	
C1608C0G1H471J	C=470pF	
C1608C0G1H511J	C=510pF	
C1608C0G1H561J	C=560pF	
C1608C0G1H621J	C=620pF	
C1608C0G1H681J	C=680pF	
C1608C0G1H751J	C=750pF	
C1608C0G1H821J	C=820pF	
C1608C0G1H911J	C=910pF	
C1608C0G1H102J	C=1000pF	
C1608C0G1H122J	C=1200pF	
C1608C0G1H152J	C=1500pF	
C1608C0G1H182J	C=1800pF	
C1608C0G1H222J	C=2200pF	
C1608C0G1H272J	C=2700pF	
C1608C0G1H332J	C=3300pF	
C1608C0G1H392J	C=3900pF	
C1608C0G1E392J	C=3900pF	
C1608C0G1H472J	C=4700pF	
C1608C0G1E472J	C=4700pF	
C1608C0G1H562J	C=5600pF	
C1608C0G1E562J	C=5600pF	
C1608C0G1H682J	C=6800pF	
C1608C0G1E682J	C=6800pF	
C1608C0G1H822J	C=8200pF	
C1608C0G1E822J	C=8200pF	
C1608C0G1H103J	C=10000pF	
C1608C0G1E103J	C=10000pF	
C1608C0G2E101J	C=100pF	
C1608C0G2E101K	C=100pF	Hide in Default
C1608C0G2A101J	C=100pF	
C1608C0G2A101K	C=100pF	Hide in Default
C1608C0G2E121J	C=120pF	
C1608C0G2E121K	C=120pF	Hide in Default
C1608C0G2A121J	C=120pF	
C1608C0G2A121K	C=120pF	Hide in Default
C1608C0G2E151J	C=150pF	
C1608C0G2E151K	C=150pF	Hide in Default
C1608C0G2A151J	C=150pF	
C1608C0G2A151K	C=150pF	Hide in Default
C1608C0G2E181J	C=180pF	
C1608C0G2E181K	C=180pF	Hide in Default
C1608C0G2A181J	C=180pF	
C1608C0G2A181K	C=180pF	Hide in Default
C1608C0G2E221J	C=220pF	
C1608C0G2E221K	C=220pF	Hide in Default

C1608C0G2A221J	C=220pF	
C1608C0G2A221K	C=220pF	Hide in Default
C1608C0G2E271J	C=270pF	
C1608C0G2E271K	C=270pF	Hide in Default
C1608C0G2A271J	C=270pF	
C1608C0G2A271K	C=270pF	Hide in Default
C1608C0G2E331J	C=330pF	
C1608C0G2E331K	C=330pF	Hide in Default
C1608C0G2A331J	C=330pF	
C1608C0G2A331K	C=330pF	Hide in Default
C1608C0G2E391J	C=390pF	
C1608C0G2E391K	C=390pF	Hide in Default
C1608C0G2A391J	C=390pF	
C1608C0G2A391K	C=390pF	Hide in Default
C1608C0G2E471J	C=470pF	
C1608C0G2E471K	C=470pF	Hide in Default
C1608C0G2A471J	C=470pF	
C1608C0G2A471K	C=470pF	Hide in Default
C1608C0G2E561J	C=560pF	
C1608C0G2E561K	C=560pF	Hide in Default
C1608C0G2A561J	C=560pF	
C1608C0G2A561K	C=560pF	Hide in Default
C1608C0G2E681J	C=680pF	
C1608C0G2E681K	C=680pF	Hide in Default
C1608C0G2A681J	C=680pF	
C1608C0G2A681K	C=680pF	Hide in Default
C1608C0G2A821J	C=820pF	
C1608C0G2A821K	C=820pF	Hide in Default
C1608C0G2A102J	C=1000pF	
C1608C0G2A102K	C=1000pF	Hide in Default
C1608C0G2A122J	C=1200pF	
C1608C0G2A122K	C=1200pF	Hide in Default

## C2012C0G Series - 72(91) Products

Product Name	Main Characteristic	Note
C2012C0G1H100D	C=10pF	
C2012C0G1H101J	C=100pF	
C2012C0G1H121J	C=120pF	
C2012C0G1H151J	C=150pF	
C2012C0G1H181J	C=180pF	
C2012C0G1H221J	C=220pF	
C2012C0G1H271J	C=270pF	
C2012C0G1H331J	C=330pF	
C2012C0G1H391J	C=390pF	
C2012C0G1H471J	C=470pF	
C2012C0G1H561J	C=560pF	
C2012C0G1H681J	C=680pF	
C2012C0G1H821J	C=820pF	

C2012C0G1H102J	C=1000pF	
C2012C0G1H122J	C=1200pF	
C2012C0G1H152J	C=1500pF	
C2012C0G1H182J[T=0.60mm]	C=1800pF	
C2012C0G1H182J[T=0.85mm]	C=1800pF	
C2012C0G1H222J[T=0.60mm]	C=2200pF	
C2012C0G1H222J[T=0.85mm]	C=2200pF	
C2012C0G1H222J[T=1.25mm]	C=2200pF	
C2012C0G1H272J[T=0.60mm]	C=2700pF	
C2012C0G1H272J[T=1.25mm]	C=2700pF	
C2012C0G1H332J[T=0.60mm]	C=3300pF	
C2012C0G1H332J[T=0.85mm]	C=3300pF	
C2012C0G1H332J[T=1.25mm]	C=3300pF	
C2012C0G1H392J[T=0.60mm]	C=3900pF	
C2012C0G1H392J[T=0.85mm]	C=3900pF	
C2012C0G1H392J[T=1.25mm]	C=3900pF	
C2012C0G1E392J	C=3900pF	
C2012C0G1H472J[T=0.60mm]	C=4700pF	
C2012C0G1H472J[T=0.85mm]	C=4700pF	
C2012C0G1H472J[T=1.25mm]	C=4700pF	
C2012C0G1E472J	C=4700pF	
C2012C0G1H562J[T=0.60mm]	C=5600pF	
C2012C0G1H562J[T=0.85mm]	C=5600pF	
C2012C0G1H562J[T=1.25mm]	C=5600pF	
C2012C0G1E562J	C=5600pF	
C2012C0G1H682J[T=0.60mm]	C=6800pF	
C2012C0G1H682J[T=1.25mm]	C=6800pF	
C2012C0G1E682J	C=6800pF	
C2012C0G1H822J[T=0.60mm]	C=8200pF	
C2012C0G1H822J[T=1.25mm]	C=8200pF	
C2012C0G1E822J	C=8200pF	
C2012C0G1H103J[T=0.60mm]	C=10000pF	
C2012C0G1H103J[T=1.25mm]	C=10000pF	
C2012C0G1E103J	C=10000pF	
C2012C0G1H153J	C=15000pF	
C2012C0G1E153J	C=15000pF	
C2012C0G1H223J	C=22000pF	
C2012C0G1E223J	C=22000pF	
C2012C0G1H333J	C=33000pF	
C2012C0G1E333J	C=33000pF	
C2012C0G2E101J	C=100pF	
C2012C0G2E101K	C=100pF	Hide in Default
C2012C0G2A101J	C=100pF	
C2012C0G2A101K	C=100pF	Hide in Default
C2012C0G2A221J	C=220pF	
C2012C0G2A221K	C=220pF	Hide in Default
C2012C0G2A471J	C=470pF	
C2012C0G2A471K	C=470pF	Hide in Default

C2012C0G2E821J	C=820pF	
C2012C0G2E821K	C=820pF	Hide in Default
C2012C0G2E102J	C=1000pF	
C2012C0G2E102K	C=1000pF	Hide in Default
C2012C0G2E122J	C=1200pF	
C2012C0G2E122K	C=1200pF	Hide in Default
C2012C0G2A122J	C=1200pF	
C2012C0G2A122K	C=1200pF	Hide in Default
C2012C0G2E152J	C=1500pF	
C2012C0G2E152K	C=1500pF	Hide in Default
C2012C0G2A152J	C=1500pF	
C2012C0G2A152K	C=1500pF	Hide in Default
C2012C0G2E182J	C=1800pF	
C2012C0G2E182K	C=1800pF	Hide in Default
C2012C0G2A182J	C=1800pF	
C2012C0G2A182K	C=1800pF	Hide in Default
C2012C0G2E222J	C=2200pF	
C2012C0G2E222K	C=2200pF	Hide in Default
C2012C0G2A222J	C=2200pF	
C2012C0G2A222K	C=2200pF	Hide in Default
C2012C0G2E272J	C=2700pF	
C2012C0G2E272K	C=2700pF	Hide in Default
C2012C0G2A272J	C=2700pF	
C2012C0G2A272K	C=2700pF	Hide in Default
C2012C0G2A332J	C=3300pF	
C2012C0G2A332K	C=3300pF	Hide in Default
C2012C0G2A392J	C=3900pF	
C2012C0G2A392K	C=3900pF	Hide in Default
C2012C0G2A472J	C=4700pF	
C2012C0G2A472K	C=4700pF	Hide in Default

## C3216C0G Series - 44(73) Products

Product Name	Main Characteristic	Note
C3216C0G1E822J	C=8200pF	
C3216C0G1H103J	C=10000pF	
C3216C0G1E103J	C=10000pF	
C3216C0G1H153J	C=15000pF	
C3216C0G1E153J	C=15000pF	
C3216C0G1H223J	C=22000pF	
C3216C0G1E223J	C=22000pF	
C3216C0G1H333J	C=33000pF	
C3216C0G1E333J	C=33000pF	
C3216C0G1H473J	C=47000pF	
C3216C0G1E473J	C=47000pF	
C3216C0G1H683J	C=68000pF	
C3216C0G1E683J	C=68000pF	
C3216C0G1H104J	C=0.1uF	
C3216C0G1E104J	C=0.1uF	

C3216C0G2J101J	C=100pF	
C3216C0G2J101K	C=100pF	Hide in Default
C3216C0G2J121J	C=120pF	
C3216C0G2J121K	C=120pF	Hide in Default
C3216C0G2J151J	C=150pF	
C3216C0G2J151K	C=150pF	Hide in Default
C3216C0G2J181J	C=180pF	
C3216C0G2J181K	C=180pF	Hide in Default
C3216C0G2J221J	C=220pF	
C3216C0G2J221K	C=220pF	Hide in Default
C3216C0G2J271J	C=270pF	
C3216C0G2J271K	C=270pF	Hide in Default
C3216C0G2J331J	C=330pF	
C3216C0G2J331K	C=330pF	Hide in Default
C3216C0G2J391J	C=390pF	
C3216C0G2J391K	C=390pF	Hide in Default
C3216C0G2J471J	C=470pF	
C3216C0G2J471K	C=470pF	Hide in Default
C3216C0G2J561J	C=560pF	
C3216C0G2J561K	C=560pF	Hide in Default
C3216C0G2J681J	C=680pF	
C3216C0G2J681K	C=680pF	Hide in Default
C3216C0G2J821J	C=820pF	
C3216C0G2J821K	C=820pF	Hide in Default
C3216C0G2J102J	C=1000pF	
C3216C0G2J102K	C=1000pF	Hide in Default
C3216C0G2J122J	C=1200pF	
C3216C0G2J122K	C=1200pF	Hide in Default
C3216C0G2J152J	C=1500pF	
C3216C0G2J152K	C=1500pF	Hide in Default
C3216C0G2J182J	C=1800pF	
C3216C0G2J182K	C=1800pF	Hide in Default
C3216C0G2J222J	C=2200pF	
C3216C0G2J222K	C=2200pF	Hide in Default
C3216C0G2J272J	C=2700pF	
C3216C0G2J272K	C=2700pF	Hide in Default
C3216C0G2J332J	C=3300pF	
C3216C0G2J332K	C=3300pF	Hide in Default
C3216C0G2E332J	C=3300pF	
C3216C0G2E332K	C=3300pF	Hide in Default
C3216C0G2E392J	C=3900pF	
C3216C0G2E392K	C=3900pF	Hide in Default
C3216C0G2E472J	C=4700pF	
C3216C0G2E472K	C=4700pF	Hide in Default
C3216C0G2E562J	C=5600pF	
C3216C0G2E562K	C=5600pF	Hide in Default
C3216C0G2A562J	C=5600pF	
C3216C0G2A562K	C=5600pF	Hide in Default

C3216C0G2E682J	C=6800pF	
C3216C0G2E682K	C=6800pF	Hide in Default
C3216C0G2A682J	C=6800pF	
C3216C0G2A682K	C=6800pF	Hide in Default
C3216C0G2E822J	C=8200pF	
C3216C0G2E822K	C=8200pF	Hide in Default
C3216C0G2A822J	C=8200pF	
C3216C0G2A822K	C=8200pF	Hide in Default
C3216C0G2A103J	C=10000pF	
C3216C0G2A103K	C=10000pF	Hide in Default

## C3225C0G Series - 13(23) Products

Product Name	Main Characteristic	Note
C3225C0G1H473J	C=47000pF	
C3225C0G1H683J	C=68000pF	
C3225C0G1H104J	C=0.1uF	
C3225C0G2J392J	C=3900pF	
C3225C0G2J392K	C=3900pF	Hide in Default
C3225C0G2J472J	C=4700pF	
C3225C0G2J472K	C=4700pF	Hide in Default
C3225C0G2J562J	C=5600pF	
C3225C0G2J562K	C=5600pF	Hide in Default
C3225C0G2J682J	C=6800pF	
C3225C0G2J682K	C=6800pF	Hide in Default
C3225C0G2E103J	C=10000pF	
C3225C0G2E103K	C=10000pF	Hide in Default
C3225C0G2E153J	C=15000pF	
C3225C0G2E153K	C=15000pF	Hide in Default
C3225C0G2A153J	C=15000pF	
C3225C0G2A153K	C=15000pF	Hide in Default
C3225C0G2A223J	C=22000pF	
C3225C0G2A223K	C=22000pF	Hide in Default
C3225C0G2A333J	C=33000pF	
C3225C0G2A333K	C=33000pF	Hide in Default
C3225C0G2A473J	C=47000pF	
C3225C0G2A473K	C=47000pF	Hide in Default

## C4520C0G Series - 13 Products

Product Name	Main Characteristic	Note
C4520C0G3F100F	C=10pF	
C4520C0G3F120K	C=12pF	
C4520C0G3F150K	C=15pF	
C4520C0G3F180K	C=18pF	
C4520C0G3F220K	C=22pF	
C4520C0G3F270K	C=27pF	
C4520C0G3F330K	C=33pF	
C4520C0G3F390K	C=39pF	
C4520C0G3F470K	C=47pF	

C4520C0G3F560K	C=56pF	
C4520C0G3F680K	C=68pF	
C4520C0G3F820K	C=82pF	
C4520C0G3F101K	C=100pF	

## C4532C0G Series - 21(30) Products

Product Name	Main Characteristic	Note
C4532C0G1H473J	C=47000pF	
C4532C0G1H683J	C=68000pF	
C4532C0G1H104J	C=0.1uF	
C4532C0G1H154J	C=0.15uF	
C4532C0G1H224J	C=0.22uF	
C4532C0G2J822J	C=8200pF	
C4532C0G2J822K	C=8200pF	Hide in Default
C4532C0G2J103J	C=10000pF	
C4532C0G2J103K	C=10000pF	Hide in Default
C4532C0G2J153J	C=15000pF	
C4532C0G2J153K	C=15000pF	Hide in Default
C4532C0G2J223J	C=22000pF	
C4532C0G2J223K	C=22000pF	Hide in Default
C4532C0G2E223J	C=22000pF	
C4532C0G2E223K	C=22000pF	Hide in Default
C4532C0G2E333J	C=33000pF	
C4532C0G2E333K	C=33000pF	Hide in Default
C4532C0G2E473J	C=47000pF	
C4532C0G2E473K	C=47000pF	Hide in Default
C4532C0G2A683J	C=68000pF	
C4532C0G2A683K	C=68000pF	Hide in Default
C4532C0G2A104J	C=0.1uF	
C4532C0G2A104K	C=0.1uF	Hide in Default
C4532C0G3F101K	C=100pF	
C4532C0G3F121K	C=120pF	
C4532C0G3F151K	C=150pF	
C4532C0G3F181K	C=180pF	
C4532C0G3F221K	C=220pF	
C4532C0G3F271K	C=270pF	
C4532C0G3F331K	C=330pF	

## C0402JB Series - 13(26) Products

Product Name	Main Characteristic	Note
C0402JB1C101K	C=100pF	
C0402JB1C101M	C=100pF	Hide in Default
C0402JB1C151K	C=150pF	
C0402JB1C151M	C=150pF	Hide in Default
C0402JB1C221K	C=220pF	
C0402JB1C221M	C=220pF	Hide in Default
C0402JB1C331K	C=330pF	
C0402JB1C331M	C=330pF	Hide in Default

C0402JB1C471K	C=470pF	
C0402JB1C471M	C=470pF	Hide in Default
C0402JB1C681K	C=680pF	
C0402JB1C681M	C=680pF	Hide in Default
C0402JB1A102K	C=1000pF	
C0402JB1A102M	C=1000pF	Hide in Default
C0402JB1A152K	C=1500pF	
C0402JB1A152M	C=1500pF	Hide in Default
C0402JB1A222K	C=2200pF	
C0402JB1A222M	C=2200pF	Hide in Default
C0402JB0J332K	C=3300pF	
C0402JB0J332M	C=3300pF	Hide in Default
C0402JB0J472K	C=4700pF	
C0402JB0J472M	C=4700pF	Hide in Default
C0402JB0J682K	C=6800pF	
C0402JB0J682M	C=6800pF	Hide in Default
C0402JB0J103K	C=10000pF	
C0402JB0J103M	C=10000pF	Hide in Default

## C0603JB Series - 21(42) Products

Product Name	Main Characteristic	Note
C0603JB1E101K	C=100pF	
C0603JB1E101M	C=100pF	Hide in Default
C0603JB1E151K	C=150pF	
C0603JB1E151M	C=150pF	Hide in Default
C0603JB1E221K	C=220pF	
C0603JB1E221M	C=220pF	Hide in Default
C0603JB1E331K	C=330pF	
C0603JB1E331M	C=330pF	Hide in Default
C0603JB1E471K	C=470pF	
C0603JB1E471M	C=470pF	Hide in Default
C0603JB1E681K	C=680pF	
C0603JB1E681M	C=680pF	Hide in Default
C0603JB1E102K	C=1000pF	
C0603JB1E102M	C=1000pF	Hide in Default
C0603JB1E152K	C=1500pF	
C0603JB1E152M	C=1500pF	Hide in Default
C0603JB1E222K	C=2200pF	
C0603JB1E222M	C=2200pF	Hide in Default
C0603JB1E332K	C=3300pF	
C0603JB1E332M	C=3300pF	Hide in Default
C0603JB1C472K	C=4700pF	
C0603JB1C472M	C=4700pF	Hide in Default
C0603JB1A682K	C=6800pF	
C0603JB1A682M	C=6800pF	Hide in Default
C0603JB1A103K	C=10000pF	
C0603JB1A103M	C=10000pF	Hide in Default
C0603JB0J153K	C=15000pF	

C0603JB0J153M	C=15000pF	Hide in Default
C0603JB0J223K	C=22000pF	
C0603JB0J223M	C=22000pF	Hide in Default
C0603JB0J333K	C=33000pF	
C0603JB0J333M	C=33000pF	Hide in Default
C0603JB0J473K	C=47000pF	
C0603JB0J473M	C=47000pF	Hide in Default
C0603JB0J683K	C=68000pF	
C0603JB0J683M	C=68000pF	Hide in Default
C0603JB0J104K	C=0.1uF	
C0603JB0J104M	C=0.1uF	Hide in Default
C0603JB0J154K	C=0.15uF	
C0603JB0J154M	C=0.15uF	Hide in Default
C0603JB0J224K	C=0.22uF	
C0603JB0J224M	C=0.22uF	Hide in Default

## C1005JB Series - 44(84) Products

Product Name	Main Characteristic	Note
C1005JB1H221K	C=220pF	
C1005JB1H221M	C=220pF	Hide in Default
C1005JB1H331K	C=330pF	
C1005JB1H331M	C=330pF	Hide in Default
C1005JB1H471K	C=470pF	
C1005JB1H471M	C=470pF	Hide in Default
C1005JB1H681K	C=680pF	
C1005JB1H681M	C=680pF	Hide in Default
C1005JB1H102K	C=1000pF	
C1005JB1H102M	C=1000pF	Hide in Default
C1005JB1H152K	C=1500pF	
C1005JB1H152M	C=1500pF	Hide in Default
C1005JB1H222K	C=2200pF	
C1005JB1H222M	C=2200pF	Hide in Default
C1005JB1H332K	C=3300pF	
C1005JB1H332M	C=3300pF	Hide in Default
C1005JB1H472K	C=4700pF	
C1005JB1H472M	C=4700pF	Hide in Default
C1005JB1H682K	C=6800pF	
C1005JB1H682M	C=6800pF	Hide in Default
C1005JB1H103K	C=10000pF	
C1005JB1H103M	C=10000pF	Hide in Default
C1005JB1H153K	C=15000pF	
C1005JB1H153M	C=15000pF	Hide in Default
C1005JB1H223K	C=22000pF	
C1005JB1H223M	C=22000pF	Hide in Default
C1005JB1H333K	C=33000pF	
C1005JB1H333M	C=33000pF	Hide in Default
C1005JB1H473K	C=47000pF	
C1005JB1H473M	C=47000pF	Hide in Default

C1005JB1H683K	C=68000pF	
C1005JB1H683M	C=68000pF	Hide in Default
C1005JB1V683K	C=68000pF	
C1005JB1V683M	C=68000pF	Hide in Default
C1005JB1E683K	C=68000pF	
C1005JB1E683M	C=68000pF	Hide in Default
C1005JB1H104K	C=0.1uF	
C1005JB1H104M	C=0.1uF	Hide in Default
C1005JB1V104K	C=0.1uF	
C1005JB1V104M	C=0.1uF	Hide in Default
C1005JB1E104K	C=0.1uF	
C1005JB1E104M	C=0.1uF	Hide in Default
C1005JB1C104K	C=0.1uF	
C1005JB1C104M	C=0.1uF	Hide in Default
C1005JB1E154K	C=0.15uF	
C1005JB1E154M	C=0.15uF	Hide in Default
C1005JB1C154K	C=0.15uF	
C1005JB1C154M	C=0.15uF	Hide in Default
C1005JB1E224K	C=0.22uF	
C1005JB1E224M	C=0.22uF	Hide in Default
C1005JB1C224K	C=0.22uF	
C1005JB1C224M	C=0.22uF	Hide in Default
C1005JB1C334K	C=0.33uF	
C1005JB1C334M	C=0.33uF	Hide in Default
C1005JB1A334K	C=0.33uF	
C1005JB1A334M	C=0.33uF	Hide in Default
C1005JB1C474K	C=0.47uF	
C1005JB1C474M	C=0.47uF	Hide in Default
C1005JB1A474K	C=0.47uF	
C1005JB1A474M	C=0.47uF	Hide in Default
C1005JB1C684K	C=0.68uF	
C1005JB1C684M	C=0.68uF	Hide in Default
C1005JB1A684K	C=0.68uF	
C1005JB1A684M	C=0.68uF	Hide in Default
C1005JB1C105K	C=1uF	
C1005JB1C105M	C=1uF	Hide in Default
C1005JB1A105K	C=1uF	
C1005JB1A105M	C=1uF	Hide in Default
C1005JB0J105K	C=1uF	
C1005JB0J105M	C=1uF	Hide in Default
C1005JB1A155K	C=1.5uF	
C1005JB1A155M	C=1.5uF	Hide in Default
C1005JB0J155K	C=1.5uF	
C1005JB0J155M	C=1.5uF	Hide in Default
C1005JB1A225K	C=2.2uF	
C1005JB1A225M	C=2.2uF	Hide in Default
C1005JB0J225K	C=2.2uF	
C1005JB0J225M	C=2.2uF	Hide in Default

C1005JB0G225K	C=2.2uF	
C1005JB0G225M	C=2.2uF	Hide in Default
C1005JB0J335M	C=3.3uF	
C1005JB0G335M	C=3.3uF	
C1005JB0J475M	C=4.7uF	
C1005JB0G475M	C=4.7uF	

## C1608JB Series - 53(106) Products

Product Name	Main Characteristic	Note
C1608JB1H103K	C=10000pF	
C1608JB1H103M	C=10000pF	Hide in Default
C1608JB1H153K	C=15000pF	
C1608JB1H153M	C=15000pF	Hide in Default
C1608JB1H223K	C=22000pF	
C1608JB1H223M	C=22000pF	Hide in Default
C1608JB1H333K	C=33000pF	
C1608JB1H333M	C=33000pF	Hide in Default
C1608JB1H473K	C=47000pF	
C1608JB1H473M	C=47000pF	Hide in Default
C1608JB1H683K	C=68000pF	
C1608JB1H683M	C=68000pF	Hide in Default
C1608JB1H104K	C=0.1uF	
C1608JB1H104M	C=0.1uF	Hide in Default
C1608JB1H154K	C=0.15uF	
C1608JB1H154M	C=0.15uF	Hide in Default
C1608JB1V154K	C=0.15uF	
C1608JB1V154M	C=0.15uF	Hide in Default
C1608JB1E154K	C=0.15uF	
C1608JB1E154M	C=0.15uF	Hide in Default
C1608JB1H224K	C=0.22uF	
C1608JB1H224M	C=0.22uF	Hide in Default
C1608JB1V224K	C=0.22uF	
C1608JB1V224M	C=0.22uF	Hide in Default
C1608JB1E224K	C=0.22uF	
C1608JB1E224M	C=0.22uF	Hide in Default
C1608JB1H334K	C=0.33uF	
C1608JB1H334M	C=0.33uF	Hide in Default
C1608JB1V334K	C=0.33uF	
C1608JB1V334M	C=0.33uF	Hide in Default
C1608JB1E334K	C=0.33uF	
C1608JB1E334M	C=0.33uF	Hide in Default
C1608JB1H474K	C=0.47uF	
C1608JB1H474M	C=0.47uF	Hide in Default
C1608JB1V474K	C=0.47uF	
C1608JB1V474M	C=0.47uF	Hide in Default
C1608JB1E474K	C=0.47uF	
C1608JB1E474M	C=0.47uF	Hide in Default
C1608JB1C474K	C=0.47uF	

C1608JB1C474M	C=0.47uF	Hide in Default
C1608JB1H684K	C=0.68uF	
C1608JB1H684M	C=0.68uF	Hide in Default
C1608JB1V684K	C=0.68uF	
C1608JB1V684M	C=0.68uF	Hide in Default
C1608JB1E684K	C=0.68uF	
C1608JB1E684M	C=0.68uF	Hide in Default
C1608JB1C684K	C=0.68uF	
C1608JB1C684M	C=0.68uF	Hide in Default
C1608JB1H105K	C=1uF	
C1608JB1H105M	C=1uF	Hide in Default
C1608JB1V105K	C=1uF	
C1608JB1V105M	C=1uF	Hide in Default
C1608JB1E105K	C=1uF	
C1608JB1E105M	C=1uF	Hide in Default
C1608JB1C105K	C=1uF	
C1608JB1C105M	C=1uF	Hide in Default
C1608JB1E155K	C=1.5uF	
C1608JB1E155M	C=1.5uF	Hide in Default
C1608JB1C155K	C=1.5uF	
C1608JB1C155M	C=1.5uF	Hide in Default
C1608JB1E225K	C=2.2uF	
C1608JB1E225M	C=2.2uF	Hide in Default
C1608JB1C225K	C=2.2uF	
C1608JB1C225M	C=2.2uF	Hide in Default
C1608JB1A225K	C=2.2uF	
C1608JB1A225M	C=2.2uF	Hide in Default
C1608JB0J225K	C=2.2uF	
C1608JB0J225M	C=2.2uF	Hide in Default
C1608JB1C335K	C=3.3uF	
C1608JB1C335M	C=3.3uF	Hide in Default
C1608JB1A335K	C=3.3uF	
C1608JB1A335M	C=3.3uF	Hide in Default
C1608JB0J335K	C=3.3uF	
C1608JB0J335M	C=3.3uF	Hide in Default
C1608JB1C475K	C=4.7uF	
C1608JB1C475M	C=4.7uF	Hide in Default
C1608JB1A475K	C=4.7uF	
C1608JB1A475M	C=4.7uF	Hide in Default
C1608JB0J475K	C=4.7uF	
C1608JB0J475M	C=4.7uF	Hide in Default
C1608JB1A685K	C=6.8uF	
C1608JB1A685M	C=6.8uF	Hide in Default
C1608JB0J685K	C=6.8uF	
C1608JB0J685M	C=6.8uF	Hide in Default
C1608JB1A106K	C=10uF	
C1608JB1A106M	C=10uF	Hide in Default
C1608JB0J106K	C=10uF	

C1608JB0J106M	C=10uF	Hide in Default
C1608JB2A102K	C=1000pF	
C1608JB2A102M	C=1000pF	Hide in Default
C1608JB2A152K	C=1500pF	
C1608JB2A152M	C=1500pF	Hide in Default
C1608JB2A222K	C=2200pF	
C1608JB2A222M	C=2200pF	Hide in Default
C1608JB2A332K	C=3300pF	
C1608JB2A332M	C=3300pF	Hide in Default
C1608JB2A472K	C=4700pF	
C1608JB2A472M	C=4700pF	Hide in Default
C1608JB2A682K	C=6800pF	
C1608JB2A682M	C=6800pF	Hide in Default
C1608JB2A103K	C=10000pF	
C1608JB2A103M	C=10000pF	Hide in Default
C1608JB2A153K	C=15000pF	
C1608JB2A153M	C=15000pF	Hide in Default
C1608JB2A223K	C=22000pF	
C1608JB2A223M	C=22000pF	Hide in Default

## C2012JB Series - 70(130) Products

Product Name	Main Characteristic	Note
C2012JB1H104K	C=0.1uF	
C2012JB1H104M	C=0.1uF	Hide in Default
C2012JB1H154K	C=0.15uF	
C2012JB1H154M	C=0.15uF	Hide in Default
C2012JB1H224K	C=0.22uF	
C2012JB1H224M	C=0.22uF	Hide in Default
C2012JB1H334K	C=0.33uF	
C2012JB1H334M	C=0.33uF	Hide in Default
C2012JB1H474K	C=0.47uF	
C2012JB1H474M	C=0.47uF	Hide in Default
C2012JB1H684K	C=0.68uF	
C2012JB1H684M	C=0.68uF	Hide in Default
C2012JB1H105K	C=1uF	
C2012JB1H105M	C=1uF	Hide in Default
C2012JB1E105K[T=0.85mm]	C=1uF	
C2012JB1E105M[T=0.85mm]	C=1uF	Hide in Default
C2012JB1E105K[T=1.25mm]	C=1uF	
C2012JB1E105M[T=1.25mm]	C=1uF	Hide in Default
C2012JB1C105K[T=0.85mm]	C=1uF	
C2012JB1C105M[T=0.85mm]	C=1uF	Hide in Default
C2012JB1H155K	C=1.5uF	
C2012JB1H155M	C=1.5uF	Hide in Default
C2012JB1V155K	C=1.5uF	
C2012JB1V155M	C=1.5uF	Hide in Default
C2012JB1E155K[T=0.85mm]	C=1.5uF	
C2012JB1E155M[T=0.85mm]	C=1.5uF	Hide in Default

C2012JB1E155K[T=1.25mm]	C=1.5uF	
C2012JB1E155M[T=1.25mm]	C=1.5uF	Hide in Default
C2012JB1C155K	C=1.5uF	
C2012JB1C155M	C=1.5uF	Hide in Default
C2012JB1H225K	C=2.2uF	
C2012JB1H225M	C=2.2uF	Hide in Default
C2012JB1V225K	C=2.2uF	
C2012JB1V225M	C=2.2uF	Hide in Default
C2012JB1E225K[T=0.85mm]	C=2.2uF	
C2012JB1E225M[T=0.85mm]	C=2.2uF	Hide in Default
C2012JB1E225K[T=1.25mm]	C=2.2uF	
C2012JB1E225M[T=1.25mm]	C=2.2uF	Hide in Default
C2012JB1C225K[T=0.85mm]	C=2.2uF	
C2012JB1C225M[T=0.85mm]	C=2.2uF	Hide in Default
C2012JB1C225K[T=1.25mm]	C=2.2uF	
C2012JB1C225M[T=1.25mm]	C=2.2uF	Hide in Default
C2012JB1H335K	C=3.3uF	
C2012JB1H335M	C=3.3uF	Hide in Default
C2012JB1V335K	C=3.3uF	
C2012JB1V335M	C=3.3uF	Hide in Default
C2012JB1E335K[T=0.85mm]	C=3.3uF	
C2012JB1E335M[T=0.85mm]	C=3.3uF	Hide in Default
C2012JB1E335K[T=1.25mm]	C=3.3uF	
C2012JB1E335M[T=1.25mm]	C=3.3uF	Hide in Default
C2012JB1C335K[T=0.60mm]	C=3.3uF	
C2012JB1C335M[T=0.60mm]	C=3.3uF	Hide in Default
C2012JB1C335K[T=0.85mm]	C=3.3uF	
C2012JB1C335M[T=0.85mm]	C=3.3uF	Hide in Default
C2012JB1C335K[T=1.25mm]	C=3.3uF	
C2012JB1C335M[T=1.25mm]	C=3.3uF	Hide in Default
C2012JB1H475K	C=4.7uF	
C2012JB1H475M	C=4.7uF	Hide in Default
C2012JB1V475K	C=4.7uF	
C2012JB1V475M	C=4.7uF	Hide in Default
C2012JB1E475K[T=0.85mm]	C=4.7uF	
C2012JB1E475M[T=0.85mm]	C=4.7uF	Hide in Default
C2012JB1E475K[T=1.25mm]	C=4.7uF	
C2012JB1E475M[T=1.25mm]	C=4.7uF	Hide in Default
C2012JB1C475K[T=0.60mm]	C=4.7uF	
C2012JB1C475M[T=0.60mm]	C=4.7uF	Hide in Default
C2012JB1C475K[T=0.85mm]	C=4.7uF	
C2012JB1C475M[T=0.85mm]	C=4.7uF	Hide in Default
C2012JB1C475K[T=1.25mm]	C=4.7uF	
C2012JB1C475M[T=1.25mm]	C=4.7uF	Hide in Default
C2012JB1A475K[T=0.60mm]	C=4.7uF	
C2012JB1A475M[T=0.60mm]	C=4.7uF	Hide in Default
C2012JB1A475K[T=1.25mm]	C=4.7uF	
C2012JB1A475M[T=1.25mm]	C=4.7uF	Hide in Default

C2012JB1E685K	C=6.8uF	
C2012JB1E685M	C=6.8uF	Hide in Default
C2012JB1C685K[T=0.85mm]	C=6.8uF	
C2012JB1C685M[T=0.85mm]	C=6.8uF	Hide in Default
C2012JB1C685K[T=1.25mm]	C=6.8uF	
C2012JB1C685M[T=1.25mm]	C=6.8uF	Hide in Default
C2012JB1A685K[T=0.60mm]	C=6.8uF	
C2012JB1A685M[T=0.60mm]	C=6.8uF	Hide in Default
C2012JB1A685K[T=1.25mm]	C=6.8uF	
C2012JB1A685M[T=1.25mm]	C=6.8uF	Hide in Default
C2012JB1E106K	C=10uF	
C2012JB1E106M	C=10uF	Hide in Default
C2012JB1C106K[T=0.85mm]	C=10uF	
C2012JB1C106M[T=0.85mm]	C=10uF	Hide in Default
C2012JB1C106K[T=1.25mm]	C=10uF	
C2012JB1C106M[T=1.25mm]	C=10uF	Hide in Default
C2012JB1A106K[T=0.85mm]	C=10uF	
C2012JB1A106M[T=0.85mm]	C=10uF	Hide in Default
C2012JB1A106K[T=1.25mm]	C=10uF	
C2012JB1A106M[T=1.25mm]	C=10uF	Hide in Default
C2012JB1C156M	C=15uF	
C2012JB1A156M[T=0.85mm]	C=15uF	
C2012JB1A156M[T=1.25mm]	C=15uF	
C2012JB1C226M	C=22uF	
C2012JB1A226M[T=0.85mm]	C=22uF	
C2012JB1A226M[T=1.25mm]	C=22uF	
C2012JB0J226M[T=0.85mm]	C=22uF	
C2012JB0J226M[T=1.25mm]	C=22uF	
C2012JB0J336M	C=33uF	
C2012JB0J476M	C=47uF	
C2012JB2E102K	C=1000pF	
C2012JB2E102M	C=1000pF	Hide in Default
C2012JB2E152K	C=1500pF	
C2012JB2E152M	C=1500pF	Hide in Default
C2012JB2E222K	C=2200pF	
C2012JB2E222M	C=2200pF	Hide in Default
C2012JB2E332K	C=3300pF	
C2012JB2E332M	C=3300pF	Hide in Default
C2012JB2E472K	C=4700pF	
C2012JB2E472M	C=4700pF	Hide in Default
C2012JB2E682K	C=6800pF	
C2012JB2E682M	C=6800pF	Hide in Default
C2012JB2E103K	C=10000pF	
C2012JB2E103M	C=10000pF	Hide in Default
C2012JB2E153K	C=15000pF	
C2012JB2E153M	C=15000pF	Hide in Default
C2012JB2E223K	C=22000pF	
C2012JB2E223M	C=22000pF	Hide in Default

C2012JB2A333K	C=33000pF	
C2012JB2A333M	C=33000pF	Hide in Default
C2012JB2A473K	C=47000pF	
C2012JB2A473M	C=47000pF	Hide in Default
C2012JB2A683K	C=68000pF	
C2012JB2A683M	C=68000pF	Hide in Default
C2012JB2A104K	C=0.1uF	
C2012JB2A104M	C=0.1uF	Hide in Default

## C3216JB Series - 51(88) Products

Product Name	Main Characteristic	Note
C3216JB1H105K	C=1uF	
C3216JB1H105M	C=1uF	Hide in Default
C3216JB1H155K	C=1.5uF	
C3216JB1H155M	C=1.5uF	Hide in Default
C3216JB1H225K	C=2.2uF	
C3216JB1H225M	C=2.2uF	Hide in Default
C3216JB1H335K	C=3.3uF	
C3216JB1H335M	C=3.3uF	Hide in Default
C3216JB1V335K	C=3.3uF	
C3216JB1V335M	C=3.3uF	Hide in Default
C3216JB1H475K	C=4.7uF	
C3216JB1H475M	C=4.7uF	Hide in Default
C3216JB1V475K	C=4.7uF	
C3216JB1V475M	C=4.7uF	Hide in Default
C3216JB1E475K[T=1.15mm]	C=4.7uF	
C3216JB1E475M[T=1.15mm]	C=4.7uF	Hide in Default
C3216JB1E475K[T=1.60mm]	C=4.7uF	
C3216JB1E475M[T=1.60mm]	C=4.7uF	Hide in Default
C3216JB1H685K	C=6.8uF	
C3216JB1H685M	C=6.8uF	Hide in Default
C3216JB1V685K	C=6.8uF	
C3216JB1V685M	C=6.8uF	Hide in Default
C3216JB1E685K	C=6.8uF	
C3216JB1E685M	C=6.8uF	Hide in Default
C3216JB1H106K	C=10uF	
C3216JB1H106M	C=10uF	Hide in Default
C3216JB1V106K	C=10uF	
C3216JB1V106M	C=10uF	Hide in Default
C3216JB1E106K	C=10uF	
C3216JB1E106M	C=10uF	Hide in Default
C3216JB1C106K[T=0.85mm]	C=10uF	
C3216JB1C106M[T=0.85mm]	C=10uF	Hide in Default
C3216JB1C106K[T=1.60mm]	C=10uF	
C3216JB1C106M[T=1.60mm]	C=10uF	Hide in Default
C3216JB1E156M	C=15uF	
C3216JB1C156M	C=15uF	
C3216JB1E226M	C=22uF	

C3216JB1C226M	C=22uF	
C3216JB1A226M	C=22uF	
C3216JB1C336M	C=33uF	
C3216JB1A336M	C=33uF	
C3216JB1C476M	C=47uF	
C3216JB1A476M	C=47uF	
C3216JB0J476M	C=47uF	
C3216JB1A686M	C=68uF	
C3216JB0J686M	C=68uF	
C3216JB1A107M	C=100uF	
C3216JB0J107M	C=100uF	
C3216JB2J102K	C=1000pF	
C3216JB2J102M	C=1000pF	Hide in Default
C3216JB2J152K	C=1500pF	
C3216JB2J152M	C=1500pF	Hide in Default
C3216JB2J222K	C=2200pF	
C3216JB2J222M	C=2200pF	Hide in Default
C3216JB2J332K	C=3300pF	
C3216JB2J332M	C=3300pF	Hide in Default
C3216JB2J472K	C=4700pF	
C3216JB2J472M	C=4700pF	Hide in Default
C3216JB2J682K	C=6800pF	
C3216JB2J682M	C=6800pF	Hide in Default
C3216JB2J103K	C=10000pF	
C3216JB2J103M	C=10000pF	Hide in Default
C3216JB2J153K	C=15000pF	
C3216JB2J153M	C=15000pF	Hide in Default
C3216JB2J223K	C=22000pF	
C3216JB2J223M	C=22000pF	Hide in Default
C3216JB2J333K	C=33000pF	
C3216JB2J333M	C=33000pF	Hide in Default
C3216JB2E333K	C=33000pF	
C3216JB2E333M	C=33000pF	Hide in Default
C3216JB2E473K	C=47000pF	
C3216JB2E473M	C=47000pF	Hide in Default
C3216JB2E683K	C=68000pF	
C3216JB2E683M	C=68000pF	Hide in Default
C3216JB2E104K	C=0.1uF	
C3216JB2E104M	C=0.1uF	Hide in Default
C3216JB2A154K	C=0.15uF	
C3216JB2A154M	C=0.15uF	Hide in Default
C3216JB2A224K	C=0.22uF	
C3216JB2A224M	C=0.22uF	Hide in Default
C3216JB2A334K	C=0.33uF	
C3216JB2A334M	C=0.33uF	Hide in Default
C3216JB2A474K	C=0.47uF	
C3216JB2A474M	C=0.47uF	Hide in Default
C3216JB2A684K	C=0.68uF	

C3216JB2A684M	C=0.68uF	Hide in Default
C3216JB2A105K	C=1uF	
C3216JB2A105M	C=1uF	Hide in Default

## C3225JB Series - 12(20) Products

Product Name	Main Characteristic	Note
C3225JB1H475K	C=4.7uF	
C3225JB1H475M	C=4.7uF	Hide in Default
C3225JB1E106K	C=10uF	
C3225JB1E106M	C=10uF	Hide in Default
C3225JB1C156M	C=15uF	
C3225JB1C226M	C=22uF	
C3225JB0J686M	C=68uF	
C3225JB0J107M	C=100uF	
C3225JB2J473K	C=47000pF	
C3225JB2J473M	C=47000pF	Hide in Default
C3225JB2J683K	C=68000pF	
C3225JB2J683M	C=68000pF	Hide in Default
C3225JB2E154K	C=0.15uF	
C3225JB2E154M	C=0.15uF	Hide in Default
C3225JB2E224K	C=0.22uF	
C3225JB2E224M	C=0.22uF	Hide in Default
C3225JB2A155K	C=1.5uF	
C3225JB2A155M	C=1.5uF	Hide in Default
C3225JB2A225K	C=2.2uF	
C3225JB2A225M	C=2.2uF	Hide in Default

## C4532JB Series - 9(14) Products

Product Name	Main Characteristic	Note
C4532JB1H685K	C=6.8uF	
C4532JB1H685M	C=6.8uF	Hide in Default
C4532JB1E106K	C=10uF	
C4532JB1E106M	C=10uF	Hide in Default
C4532JB1E156M	C=15uF	
C4532JB1E226M	C=22uF	
C4532JB1C226M	C=22uF	
C4532JB1C336M	C=33uF	
C4532JB2J104K	C=0.1uF	
C4532JB2J104M	C=0.1uF	Hide in Default
C4532JB2E334K	C=0.33uF	
C4532JB2E334M	C=0.33uF	Hide in Default
C4532JB2E474K	C=0.47uF	
C4532JB2E474M	C=0.47uF	Hide in Default

## C5750JB Series - 7(13) Products

Product Name	Main Characteristic	Note
C5750JB1E226M	C=22uF	

C5750JB2J154K	C=0.15uF	
C5750JB2J154M	C=0.15uF	Hide in Default
C5750JB2J224K	C=0.22uF	
C5750JB2J224M	C=0.22uF	Hide in Default
C5750JB2E684K	C=0.68uF	
C5750JB2E684M	C=0.68uF	Hide in Default
C5750JB2E105K	C=1uF	
C5750JB2E105M	C=1uF	Hide in Default
C5750JB2A335K	C=3.3uF	
C5750JB2A335M	C=3.3uF	Hide in Default
C5750JB2A475K	C=4.7uF	
C5750JB2A475M	C=4.7uF	Hide in Default

## C0402X5R Series - 20(40) Products

Product Name	Main Characteristic	Note
C0402X5R1C101K	C=100pF	
C0402X5R1C101M	C=100pF	Hide in Default
C0402X5R1A101K	C=100pF	
C0402X5R1A101M	C=100pF	Hide in Default
C0402X5R1C151K	C=150pF	
C0402X5R1C151M	C=150pF	Hide in Default
C0402X5R1C221K	C=220pF	
C0402X5R1C221M	C=220pF	Hide in Default
C0402X5R1A221K	C=220pF	
C0402X5R1A221M	C=220pF	Hide in Default
C0402X5R1C331K	C=330pF	
C0402X5R1C331M	C=330pF	Hide in Default
C0402X5R1C471K	C=470pF	
C0402X5R1C471M	C=470pF	Hide in Default
C0402X5R1A471K	C=470pF	
C0402X5R1A471M	C=470pF	Hide in Default
C0402X5R1C681K	C=680pF	
C0402X5R1C681M	C=680pF	Hide in Default
C0402X5R0J681K	C=680pF	
C0402X5R0J681M	C=680pF	Hide in Default
C0402X5R1A102K	C=1000pF	
C0402X5R1A102M	C=1000pF	Hide in Default
C0402X5R0J102K	C=1000pF	
C0402X5R0J102M	C=1000pF	Hide in Default
C0402X5R1A152K	C=1500pF	
C0402X5R1A152M	C=1500pF	Hide in Default
C0402X5R0J152K	C=1500pF	
C0402X5R0J152M	C=1500pF	Hide in Default
C0402X5R1A222K	C=2200pF	
C0402X5R1A222M	C=2200pF	Hide in Default
C0402X5R0J222K	C=2200pF	
C0402X5R0J222M	C=2200pF	Hide in Default
C0402X5R0J332K	C=3300pF	

C0402X5R0J332M	C=3300pF	Hide in Default
C0402X5R0J472K	C=4700pF	
C0402X5R0J472M	C=4700pF	Hide in Default
C0402X5R0J682K	C=6800pF	
C0402X5R0J682M	C=6800pF	Hide in Default
C0402X5R0J103K	C=10000pF	
C0402X5R0J103M	C=10000pF	Hide in Default

## C0603X5R Series - 30(60) Products

Product Name	Main Characteristic	Note
C0603X5R1E101K	C=100pF	
C0603X5R1E101M	C=100pF	Hide in Default
C0603X5R1E151K	C=150pF	
C0603X5R1E151M	C=150pF	Hide in Default
C0603X5R1E221K	C=220pF	
C0603X5R1E221M	C=220pF	Hide in Default
C0603X5R1E331K	C=330pF	
C0603X5R1E331M	C=330pF	Hide in Default
C0603X5R1E471K	C=470pF	
C0603X5R1E471M	C=470pF	Hide in Default
C0603X5R1E681K	C=680pF	
C0603X5R1E681M	C=680pF	Hide in Default
C0603X5R1E102K	C=1000pF	
C0603X5R1E102M	C=1000pF	Hide in Default
C0603X5R1E152K	C=1500pF	
C0603X5R1E152M	C=1500pF	Hide in Default
C0603X5R1E222K	C=2200pF	
C0603X5R1E222M	C=2200pF	Hide in Default
C0603X5R1C222K	C=2200pF	
C0603X5R1C222M	C=2200pF	Hide in Default
C0603X5R1E332K	C=3300pF	
C0603X5R1E332M	C=3300pF	Hide in Default
C0603X5R1C332K	C=3300pF	
C0603X5R1C332M	C=3300pF	Hide in Default
C0603X5R1C472K	C=4700pF	
C0603X5R1C472M	C=4700pF	Hide in Default
C0603X5R1A682K	C=6800pF	
C0603X5R1A682M	C=6800pF	Hide in Default
C0603X5R1A103K	C=10000pF	
C0603X5R1A103M	C=10000pF	Hide in Default
C0603X5R0J103K	C=10000pF	
C0603X5R0J103M	C=10000pF	Hide in Default
C0603X5R0J153K	C=15000pF	
C0603X5R0J153M	C=15000pF	Hide in Default
C0603X5R0J223K	C=22000pF	
C0603X5R0J223M	C=22000pF	Hide in Default
C0603X5R0J333K	C=33000pF	
C0603X5R0J333M	C=33000pF	Hide in Default

C0603X5R0J473K	C=47000pF	
C0603X5R0J473M	C=47000pF	Hide in Default
C0603X5R0J683K	C=68000pF	
C0603X5R0J683M	C=68000pF	Hide in Default
C0603X5R1C104K	C=0.1uF	
C0603X5R1C104M	C=0.1uF	Hide in Default
C0603X5R1A104K	C=0.1uF	
C0603X5R1A104M	C=0.1uF	Hide in Default
C0603X5R0J104K	C=0.1uF	
C0603X5R0J104M	C=0.1uF	Hide in Default
C0603X5R1C154K	C=0.15uF	
C0603X5R1C154M	C=0.15uF	Hide in Default
C0603X5R1A154K	C=0.15uF	
C0603X5R1A154M	C=0.15uF	Hide in Default
C0603X5R0J154K	C=0.15uF	
C0603X5R0J154M	C=0.15uF	Hide in Default
C0603X5R1C224K	C=0.22uF	
C0603X5R1C224M	C=0.22uF	Hide in Default
C0603X5R1A224K	C=0.22uF	
C0603X5R1A224M	C=0.22uF	Hide in Default
C0603X5R0J224K	C=0.22uF	
C0603X5R0J224M	C=0.22uF	Hide in Default

## C1005X5R Series - 56(107) Products

Product Name	Main Characteristic	Note
C1005X5R1H221K	C=220pF	
C1005X5R1H221M	C=220pF	Hide in Default
C1005X5R1H331K	C=330pF	
C1005X5R1H331M	C=330pF	Hide in Default
C1005X5R1H471K	C=470pF	
C1005X5R1H471M	C=470pF	Hide in Default
C1005X5R1H681K	C=680pF	
C1005X5R1H681M	C=680pF	Hide in Default
C1005X5R1H102K	C=1000pF	
C1005X5R1H102M	C=1000pF	Hide in Default
C1005X5R1H152K	C=1500pF	
C1005X5R1H152M	C=1500pF	Hide in Default
C1005X5R1H222K	C=2200pF	
C1005X5R1H222M	C=2200pF	Hide in Default
C1005X5R1H332K	C=3300pF	
C1005X5R1H332M	C=3300pF	Hide in Default
C1005X5R1H472K	C=4700pF	
C1005X5R1H472M	C=4700pF	Hide in Default
C1005X5R1H682K	C=6800pF	
C1005X5R1H682M	C=6800pF	Hide in Default
C1005X5R1H103K	C=10000pF	
C1005X5R1H103M	C=10000pF	Hide in Default
C1005X5R1H153K	C=15000pF	

C1005X5R1H153M	C=15000pF	Hide in Default
C1005X5R1H223K	C=22000pF	
C1005X5R1H223M	C=22000pF	Hide in Default
C1005X5R1H333K	C=33000pF	
C1005X5R1H333M	C=33000pF	Hide in Default
C1005X5R1H473K	C=47000pF	
C1005X5R1H473M	C=47000pF	Hide in Default
C1005X5R1E473K	C=47000pF	
C1005X5R1E473M	C=47000pF	Hide in Default
C1005X5R1C473K	C=47000pF	
C1005X5R1C473M	C=47000pF	Hide in Default
C1005X5R1A473K	C=47000pF	
C1005X5R1A473M	C=47000pF	Hide in Default
C1005X5R1H683K	C=68000pF	
C1005X5R1H683M	C=68000pF	Hide in Default
C1005X5R1V683K	C=68000pF	
C1005X5R1V683M	C=68000pF	Hide in Default
C1005X5R1E683K	C=68000pF	
C1005X5R1E683M	C=68000pF	Hide in Default
C1005X5R1C683K	C=68000pF	
C1005X5R1C683M	C=68000pF	Hide in Default
C1005X5R1A683K	C=68000pF	
C1005X5R1A683M	C=68000pF	Hide in Default
C1005X5R1H104K	C=0.1uF	
C1005X5R1H104M	C=0.1uF	Hide in Default
C1005X5R1V104K	C=0.1uF	
C1005X5R1V104M	C=0.1uF	Hide in Default
C1005X5R1E104K	C=0.1uF	
C1005X5R1E104M	C=0.1uF	Hide in Default
C1005X5R1C104K	C=0.1uF	
C1005X5R1C104M	C=0.1uF	Hide in Default
C1005X5R1A104K	C=0.1uF	
C1005X5R1A104M	C=0.1uF	Hide in Default
C1005X5R0J104K	C=0.1uF	
C1005X5R0J104M	C=0.1uF	Hide in Default
C1005X5R1E154K	C=0.15uF	
C1005X5R1E154M	C=0.15uF	Hide in Default
C1005X5R1C154K	C=0.15uF	
C1005X5R1C154M	C=0.15uF	Hide in Default
C1005X5R1E224K	C=0.22uF	
C1005X5R1E224M	C=0.22uF	Hide in Default
C1005X5R1C224K	C=0.22uF	
C1005X5R1C224M	C=0.22uF	Hide in Default
C1005X5R1A224K	C=0.22uF	
C1005X5R1A224M	C=0.22uF	Hide in Default
C1005X5R0J224K	C=0.22uF	
C1005X5R0J224M	C=0.22uF	Hide in Default
C1005X5R1C334K	C=0.33uF	

C1005X5R1C334M	C=0.33uF	Hide in Default
C1005X5R1A334K	C=0.33uF	
C1005X5R1A334M	C=0.33uF	Hide in Default
C1005X5R0J334K	C=0.33uF	
C1005X5R0J334M	C=0.33uF	Hide in Default
C1005X5R1C474K	C=0.47uF	
C1005X5R1C474M	C=0.47uF	Hide in Default
C1005X5R1A474K	C=0.47uF	
C1005X5R1A474M	C=0.47uF	Hide in Default
C1005X5R0J474K	C=0.47uF	
C1005X5R0J474M	C=0.47uF	Hide in Default
C1005X5R1C684K	C=0.68uF	
C1005X5R1C684M	C=0.68uF	Hide in Default
C1005X5R1A684K	C=0.68uF	
C1005X5R1A684M	C=0.68uF	Hide in Default
C1005X5R1C105K	C=1uF	
C1005X5R1C105M	C=1uF	Hide in Default
C1005X5R1A105K	C=1uF	
C1005X5R1A105M	C=1uF	Hide in Default
C1005X5R0J105K	C=1uF	
C1005X5R0J105M	C=1uF	Hide in Default
C1005X5R1A155K	C=1.5uF	
C1005X5R1A155M	C=1.5uF	Hide in Default
C1005X5R0J155K	C=1.5uF	
C1005X5R0J155M	C=1.5uF	Hide in Default
C1005X5R1A225K	C=2.2uF	
C1005X5R1A225M	C=2.2uF	Hide in Default
C1005X5R0J225K	C=2.2uF	
C1005X5R0J225M	C=2.2uF	Hide in Default
C1005X5R0G225K	C=2.2uF	
C1005X5R0G225M	C=2.2uF	Hide in Default
C1005X5R0J335M	C=3.3uF	
C1005X5R0G335M	C=3.3uF	
C1005X5R1A475M	C=4.7uF	New
C1005X5R0J475M	C=4.7uF	
C1005X5R0G475M	C=4.7uF	

## C1608X5R Series - 61(122) Products

Product Name	Main Characteristic	Note
C1608X5R1H103K	C=10000pF	
C1608X5R1H103M	C=10000pF	Hide in Default
C1608X5R1H153K	C=15000pF	
C1608X5R1H153M	C=15000pF	Hide in Default
C1608X5R1H223K	C=22000pF	
C1608X5R1H223M	C=22000pF	Hide in Default
C1608X5R1H333K	C=33000pF	
C1608X5R1H333M	C=33000pF	Hide in Default
C1608X5R1H473K	C=47000pF	

C1608X5R1H473M	C=47000pF	Hide in Default
C1608X5R1H683K	C=68000pF	
C1608X5R1H683M	C=68000pF	Hide in Default
C1608X5R1H104K	C=0.1uF	
C1608X5R1H104M	C=0.1uF	Hide in Default
C1608X5R1H154K	C=0.15uF	
C1608X5R1H154M	C=0.15uF	Hide in Default
C1608X5R1V154K	C=0.15uF	
C1608X5R1V154M	C=0.15uF	Hide in Default
C1608X5R1E154K	C=0.15uF	
C1608X5R1E154M	C=0.15uF	Hide in Default
C1608X5R1H224K	C=0.22uF	
C1608X5R1H224M	C=0.22uF	Hide in Default
C1608X5R1V224K	C=0.22uF	
C1608X5R1V224M	C=0.22uF	Hide in Default
C1608X5R1E224K	C=0.22uF	
C1608X5R1E224M	C=0.22uF	Hide in Default
C1608X5R1C224K	C=0.22uF	
C1608X5R1C224M	C=0.22uF	Hide in Default
C1608X5R1A224K	C=0.22uF	
C1608X5R1A224M	C=0.22uF	Hide in Default
C1608X5R1H334K	C=0.33uF	
C1608X5R1H334M	C=0.33uF	Hide in Default
C1608X5R1V334K	C=0.33uF	
C1608X5R1V334M	C=0.33uF	Hide in Default
C1608X5R1E334K	C=0.33uF	
C1608X5R1E334M	C=0.33uF	Hide in Default
C1608X5R1A334K	C=0.33uF	
C1608X5R1A334M	C=0.33uF	Hide in Default
C1608X5R1H474K	C=0.47uF	
C1608X5R1H474M	C=0.47uF	Hide in Default
C1608X5R1V474K	C=0.47uF	
C1608X5R1V474M	C=0.47uF	Hide in Default
C1608X5R1E474K	C=0.47uF	
C1608X5R1E474M	C=0.47uF	Hide in Default
C1608X5R1C474K	C=0.47uF	
C1608X5R1C474M	C=0.47uF	Hide in Default
C1608X5R1A474K	C=0.47uF	
C1608X5R1A474M	C=0.47uF	Hide in Default
C1608X5R1H684K	C=0.68uF	
C1608X5R1H684M	C=0.68uF	Hide in Default
C1608X5R1V684K	C=0.68uF	
C1608X5R1V684M	C=0.68uF	Hide in Default
C1608X5R1E684K	C=0.68uF	
C1608X5R1E684M	C=0.68uF	Hide in Default
C1608X5R1C684K	C=0.68uF	
C1608X5R1C684M	C=0.68uF	Hide in Default
C1608X5R1A684K	C=0.68uF	

C1608X5R1A684M	C=0.68uF	Hide in Default
C1608X5R1H105K	C=1uF	
C1608X5R1H105M	C=1uF	Hide in Default
C1608X5R1V105K	C=1uF	
C1608X5R1V105M	C=1uF	Hide in Default
C1608X5R1E105K	C=1uF	
C1608X5R1E105M	C=1uF	Hide in Default
C1608X5R1C105K	C=1uF	
C1608X5R1C105M	C=1uF	Hide in Default
C1608X5R1A105K	C=1uF	
C1608X5R1A105M	C=1uF	Hide in Default
C1608X5R0J105K	C=1uF	
C1608X5R0J105M	C=1uF	Hide in Default
C1608X5R1E155K	C=1.5uF	
C1608X5R1E155M	C=1.5uF	Hide in Default
C1608X5R1C155K	C=1.5uF	
C1608X5R1C155M	C=1.5uF	Hide in Default
C1608X5R0J155K	C=1.5uF	
C1608X5R0J155M	C=1.5uF	Hide in Default
C1608X5R1E225K	C=2.2uF	
C1608X5R1E225M	C=2.2uF	Hide in Default
C1608X5R1C225K	C=2.2uF	
C1608X5R1C225M	C=2.2uF	Hide in Default
C1608X5R1A225K	C=2.2uF	
C1608X5R1A225M	C=2.2uF	Hide in Default
C1608X5R0J225K	C=2.2uF	
C1608X5R0J225M	C=2.2uF	Hide in Default
C1608X5R1C335K	C=3.3uF	
C1608X5R1C335M	C=3.3uF	Hide in Default
C1608X5R1A335K	C=3.3uF	
C1608X5R1A335M	C=3.3uF	Hide in Default
C1608X5R0J335K	C=3.3uF	
C1608X5R0J335M	C=3.3uF	Hide in Default
C1608X5R1C475K	C=4.7uF	
C1608X5R1C475M	C=4.7uF	Hide in Default
C1608X5R1A475K	C=4.7uF	
C1608X5R1A475M	C=4.7uF	Hide in Default
C1608X5R0J475K	C=4.7uF	
C1608X5R0J475M	C=4.7uF	Hide in Default
C1608X5R1A685K	C=6.8uF	
C1608X5R1A685M	C=6.8uF	Hide in Default
C1608X5R0J685K	C=6.8uF	
C1608X5R0J685M	C=6.8uF	Hide in Default
C1608X5R1A106K	C=10uF	
C1608X5R1A106M	C=10uF	Hide in Default
C1608X5R0J106K	C=10uF	
C1608X5R0J106M	C=10uF	Hide in Default
C1608X5R2A102K	C=1000pF	

C1608X5R2A102M	C=1000pF	Hide in Default
C1608X5R2A152K	C=1500pF	
C1608X5R2A152M	C=1500pF	Hide in Default
C1608X5R2A222K	C=2200pF	
C1608X5R2A222M	C=2200pF	Hide in Default
C1608X5R2A332K	C=3300pF	
C1608X5R2A332M	C=3300pF	Hide in Default
C1608X5R2A472K	C=4700pF	
C1608X5R2A472M	C=4700pF	Hide in Default
C1608X5R2A682K	C=6800pF	
C1608X5R2A682M	C=6800pF	Hide in Default
C1608X5R2A103K	C=10000pF	
C1608X5R2A103M	C=10000pF	Hide in Default
C1608X5R2A153K	C=15000pF	
C1608X5R2A153M	C=15000pF	Hide in Default
C1608X5R2A223K	C=22000pF	
C1608X5R2A223M	C=22000pF	Hide in Default

## C2012X5R Series - 88(163) Products

Product Name	Main Characteristic	Note
C2012X5R1H104K	C=0.1uF	
C2012X5R1H104M	C=0.1uF	Hide in Default
C2012X5R1H154K	C=0.15uF	
C2012X5R1H154M	C=0.15uF	Hide in Default
C2012X5R1H224K	C=0.22uF	
C2012X5R1H224M	C=0.22uF	Hide in Default
C2012X5R1H334K	C=0.33uF	
C2012X5R1H334M	C=0.33uF	Hide in Default
C2012X5R1H474K	C=0.47uF	
C2012X5R1H474M	C=0.47uF	Hide in Default
C2012X5R1H684K	C=0.68uF	
C2012X5R1H684M	C=0.68uF	Hide in Default
C2012X5R1H105K	C=1uF	
C2012X5R1H105M	C=1uF	Hide in Default
C2012X5R1E105K[T=0.85mm]	C=1uF	
C2012X5R1E105M[T=0.85mm]	C=1uF	Hide in Default
C2012X5R1E105K[T=1.25mm]	C=1uF	
C2012X5R1E105M[T=1.25mm]	C=1uF	Hide in Default
C2012X5R1C105K[T=0.85mm]	C=1uF	
C2012X5R1C105M[T=0.85mm]	C=1uF	Hide in Default
C2012X5R1A105K[T=0.85mm]	C=1uF	
C2012X5R1A105M[T=0.85mm]	C=1uF	Hide in Default
C2012X5R1A105K[T=1.25mm]	C=1uF	
C2012X5R1A105M[T=1.25mm]	C=1uF	Hide in Default
C2012X5R0J105K	C=1uF	
C2012X5R0J105M	C=1uF	Hide in Default
C2012X5R1H155K	C=1.5uF	
C2012X5R1H155M	C=1.5uF	Hide in Default

C2012X5R1V155K	C=1.5uF	
C2012X5R1V155M	C=1.5uF	Hide in Default
C2012X5R1E155K[T=0.85mm]	C=1.5uF	
C2012X5R1E155M[T=0.85mm]	C=1.5uF	Hide in Default
C2012X5R1E155K[T=1.25mm]	C=1.5uF	
C2012X5R1E155M[T=1.25mm]	C=1.5uF	Hide in Default
C2012X5R1C155K	C=1.5uF	
C2012X5R1C155M	C=1.5uF	Hide in Default
C2012X5R1H225K	C=2.2uF	
C2012X5R1H225M	C=2.2uF	Hide in Default
C2012X5R1V225K	C=2.2uF	
C2012X5R1V225M	C=2.2uF	Hide in Default
C2012X5R1E225K[T=0.85mm]	C=2.2uF	
C2012X5R1E225M[T=0.85mm]	C=2.2uF	Hide in Default
C2012X5R1E225K[T=1.25mm]	C=2.2uF	
C2012X5R1E225M[T=1.25mm]	C=2.2uF	Hide in Default
C2012X5R1C225K[T=0.85mm]	C=2.2uF	
C2012X5R1C225M[T=0.85mm]	C=2.2uF	Hide in Default
C2012X5R1C225K[T=1.25mm]	C=2.2uF	
C2012X5R1C225M[T=1.25mm]	C=2.2uF	Hide in Default
C2012X5R1A225K[T=0.85mm]	C=2.2uF	
C2012X5R1A225M[T=0.85mm]	C=2.2uF	Hide in Default
C2012X5R1A225K[T=1.25mm]	C=2.2uF	
C2012X5R1A225M[T=1.25mm]	C=2.2uF	Hide in Default
C2012X5R0J225K[T=0.85mm]	C=2.2uF	
C2012X5R0J225M[T=0.85mm]	C=2.2uF	Hide in Default
C2012X5R0J225K[T=1.25mm]	C=2.2uF	
C2012X5R0J225M[T=1.25mm]	C=2.2uF	Hide in Default
C2012X5R1H335K	C=3.3uF	
C2012X5R1H335M	C=3.3uF	Hide in Default
C2012X5R1V335K	C=3.3uF	
C2012X5R1V335M	C=3.3uF	Hide in Default
C2012X5R1E335K[T=0.85mm]	C=3.3uF	
C2012X5R1E335M[T=0.85mm]	C=3.3uF	Hide in Default
C2012X5R1E335K[T=1.25mm]	C=3.3uF	
C2012X5R1E335M[T=1.25mm]	C=3.3uF	Hide in Default
C2012X5R1C335K[T=0.60mm]	C=3.3uF	
C2012X5R1C335M[T=0.60mm]	C=3.3uF	Hide in Default
C2012X5R1C335K[T=0.85mm]	C=3.3uF	
C2012X5R1C335M[T=0.85mm]	C=3.3uF	Hide in Default
C2012X5R1C335K[T=1.25mm]	C=3.3uF	
C2012X5R1C335M[T=1.25mm]	C=3.3uF	Hide in Default
C2012X5R1A335K	C=3.3uF	
C2012X5R1A335M	C=3.3uF	Hide in Default
C2012X5R0J335K	C=3.3uF	
C2012X5R0J335M	C=3.3uF	Hide in Default
C2012X5R1H475K	C=4.7uF	
C2012X5R1H475M	C=4.7uF	Hide in Default

C2012X5R1V475K	C=4.7uF	
C2012X5R1V475M	C=4.7uF	Hide in Default
C2012X5R1E475K[T=0.85mm]	C=4.7uF	
C2012X5R1E475M[T=0.85mm]	C=4.7uF	Hide in Default
C2012X5R1E475K[T=1.25mm]	C=4.7uF	
C2012X5R1E475M[T=1.25mm]	C=4.7uF	Hide in Default
C2012X5R1C475K[T=0.60mm]	C=4.7uF	
C2012X5R1C475M[T=0.60mm]	C=4.7uF	Hide in Default
C2012X5R1C475K[T=0.85mm]	C=4.7uF	
C2012X5R1C475M[T=0.85mm]	C=4.7uF	Hide in Default
C2012X5R1C475K[T=1.25mm]	C=4.7uF	
C2012X5R1C475M[T=1.25mm]	C=4.7uF	Hide in Default
C2012X5R1A475K[T=0.60mm]	C=4.7uF	
C2012X5R1A475M[T=0.60mm]	C=4.7uF	Hide in Default
C2012X5R1A475K[T=0.85mm]	C=4.7uF	
C2012X5R1A475M[T=0.85mm]	C=4.7uF	Hide in Default
C2012X5R1A475K[T=1.25mm]	C=4.7uF	
C2012X5R1A475M[T=1.25mm]	C=4.7uF	Hide in Default
C2012X5R0J475K[T=0.85mm]	C=4.7uF	
C2012X5R0J475M[T=0.85mm]	C=4.7uF	Hide in Default
C2012X5R0J475K[T=1.25mm]	C=4.7uF	
C2012X5R0J475M[T=1.25mm]	C=4.7uF	Hide in Default
C2012X5R1E685K	C=6.8uF	
C2012X5R1E685M	C=6.8uF	Hide in Default
C2012X5R1C685K[T=0.85mm]	C=6.8uF	
C2012X5R1C685M[T=0.85mm]	C=6.8uF	Hide in Default
C2012X5R1C685K[T=1.25mm]	C=6.8uF	
C2012X5R1C685M[T=1.25mm]	C=6.8uF	Hide in Default
C2012X5R1A685K[T=0.60mm]	C=6.8uF	
C2012X5R1A685M[T=0.60mm]	C=6.8uF	Hide in Default
C2012X5R1A685K[T=1.25mm]	C=6.8uF	
C2012X5R1A685M[T=1.25mm]	C=6.8uF	Hide in Default
C2012X5R0J685K	C=6.8uF	
C2012X5R0J685M	C=6.8uF	Hide in Default
C2012X5R1E106K	C=10uF	
C2012X5R1E106M	C=10uF	Hide in Default
C2012X5R1C106K[T=0.85mm]	C=10uF	
C2012X5R1C106M[T=0.85mm]	C=10uF	Hide in Default
C2012X5R1C106K[T=1.25mm]	C=10uF	
C2012X5R1C106M[T=1.25mm]	C=10uF	Hide in Default
C2012X5R1A106K[T=0.85mm]	C=10uF	
C2012X5R1A106M[T=0.85mm]	C=10uF	Hide in Default
C2012X5R1A106K[T=1.25mm]	C=10uF	
C2012X5R1A106M[T=1.25mm]	C=10uF	Hide in Default
C2012X5R0J106K[T=0.85mm]	C=10uF	
C2012X5R0J106M[T=0.85mm]	C=10uF	Hide in Default
C2012X5R0J106K[T=1.25mm]	C=10uF	
C2012X5R0J106M[T=1.25mm]	C=10uF	Hide in Default

C2012X5R1C156M	C=15uF	
C2012X5R1A156M[T=0.85mm]	C=15uF	
C2012X5R1A156M[T=1.25mm]	C=15uF	
C2012X5R0J156M[T=0.85mm]	C=15uF	
C2012X5R0J156M[T=1.25mm]	C=15uF	
C2012X5R1C226M	C=22uF	
C2012X5R1A226M[T=0.85mm]	C=22uF	
C2012X5R1A226M[T=1.25mm]	C=22uF	
C2012X5R0J226M[T=0.85mm]	C=22uF	
C2012X5R0J226M[T=1.25mm]	C=22uF	
C2012X5R0J336M	C=33uF	
C2012X5R0J476M	C=47uF	
C2012X5R0G476M	C=47uF	
C2012X5R2E102K	C=1000pF	
C2012X5R2E102M	C=1000pF	Hide in Default
C2012X5R2E152K	C=1500pF	
C2012X5R2E152M	C=1500pF	Hide in Default
C2012X5R2E222K	C=2200pF	
C2012X5R2E222M	C=2200pF	Hide in Default
C2012X5R2E332K	C=3300pF	
C2012X5R2E332M	C=3300pF	Hide in Default
C2012X5R2E472K	C=4700pF	
C2012X5R2E472M	C=4700pF	Hide in Default
C2012X5R2E682K	C=6800pF	
C2012X5R2E682M	C=6800pF	Hide in Default
C2012X5R2E103K	C=10000pF	
C2012X5R2E103M	C=10000pF	Hide in Default
C2012X5R2E153K	C=15000pF	
C2012X5R2E153M	C=15000pF	Hide in Default
C2012X5R2E223K	C=22000pF	
C2012X5R2E223M	C=22000pF	Hide in Default
C2012X5R2A333K	C=33000pF	
C2012X5R2A333M	C=33000pF	Hide in Default
C2012X5R2A473K	C=47000pF	
C2012X5R2A473M	C=47000pF	Hide in Default
C2012X5R2A683K	C=68000pF	
C2012X5R2A683M	C=68000pF	Hide in Default
C2012X5R2A104K	C=0.1uF	
C2012X5R2A104M	C=0.1uF	Hide in Default

## C3216X5R Series - 69(118) Products

Product Name	Main Characteristic	Note
C3216X5R1H105K	C=1uF	
C3216X5R1H105M	C=1uF	Hide in Default
C3216X5R1H155K	C=1.5uF	
C3216X5R1H155M	C=1.5uF	Hide in Default
C3216X5R1H225K	C=2.2uF	
C3216X5R1H225M	C=2.2uF	Hide in Default

C3216X5R1C225K	C=2.2uF	
C3216X5R1C225M	C=2.2uF	Hide in Default
C3216X5R1A225K	C=2.2uF	
C3216X5R1A225M	C=2.2uF	Hide in Default
C3216X5R1H335K	C=3.3uF	
C3216X5R1H335M	C=3.3uF	Hide in Default
C3216X5R1V335K	C=3.3uF	
C3216X5R1V335M	C=3.3uF	Hide in Default
C3216X5R1E335K	C=3.3uF	
C3216X5R1E335M	C=3.3uF	Hide in Default
C3216X5R1C335K	C=3.3uF	
C3216X5R1C335M	C=3.3uF	Hide in Default
C3216X5R1A335K[T=0.85mm]	C=3.3uF	
C3216X5R1A335M[T=0.85mm]	C=3.3uF	Hide in Default
C3216X5R1A335K[T=1.15mm]	C=3.3uF	
C3216X5R1A335M[T=1.15mm]	C=3.3uF	Hide in Default
C3216X5R1H475K	C=4.7uF	
C3216X5R1H475M	C=4.7uF	Hide in Default
C3216X5R1V475K	C=4.7uF	
C3216X5R1V475M	C=4.7uF	Hide in Default
C3216X5R1E475K[T=1.15mm]	C=4.7uF	
C3216X5R1E475M[T=1.15mm]	C=4.7uF	Hide in Default
C3216X5R1E475K[T=1.60mm]	C=4.7uF	
C3216X5R1E475M[T=1.60mm]	C=4.7uF	Hide in Default
C3216X5R1C475K[T=1.15mm]	C=4.7uF	
C3216X5R1C475M[T=1.15mm]	C=4.7uF	Hide in Default
C3216X5R1C475K[T=1.60mm]	C=4.7uF	
C3216X5R1C475M[T=1.60mm]	C=4.7uF	Hide in Default
C3216X5R1A475K	C=4.7uF	
C3216X5R1A475M	C=4.7uF	Hide in Default
C3216X5R1H685K	C=6.8uF	
C3216X5R1H685M	C=6.8uF	Hide in Default
C3216X5R1V685K	C=6.8uF	
C3216X5R1V685M	C=6.8uF	Hide in Default
C3216X5R1E685K	C=6.8uF	
C3216X5R1E685M	C=6.8uF	Hide in Default
C3216X5R1H106K	C=10uF	
C3216X5R1H106M	C=10uF	Hide in Default
C3216X5R1V106K	C=10uF	
C3216X5R1V106M	C=10uF	Hide in Default
C3216X5R1E106K	C=10uF	
C3216X5R1E106M	C=10uF	Hide in Default
C3216X5R1C106K[T=0.85mm]	C=10uF	
C3216X5R1C106M[T=0.85mm]	C=10uF	Hide in Default
C3216X5R1C106K[T=1.60mm]	C=10uF	
C3216X5R1C106M[T=1.60mm]	C=10uF	Hide in Default
C3216X5R1A106K	C=10uF	
C3216X5R1A106M	C=10uF	Hide in Default

C3216X5R0J106K[T=0.85mm]	C=10uF	
C3216X5R0J106M[T=0.85mm]	C=10uF	Hide in Default
C3216X5R0J106K[T=1.60mm]	C=10uF	
C3216X5R0J106M[T=1.60mm]	C=10uF	Hide in Default
C3216X5R1E156M	C=15uF	
C3216X5R1C156M	C=15uF	
C3216X5R0J156M	C=15uF	
C3216X5R1V226M	C=22uF	New
C3216X5R1E226M	C=22uF	
C3216X5R1C226M	C=22uF	
C3216X5R1A226M	C=22uF	
C3216X5R0J226M[T=0.85mm]	C=22uF	
C3216X5R0J226M[T=1.60mm]	C=22uF	
C3216X5R1C336M	C=33uF	
C3216X5R1A336M	C=33uF	
C3216X5R1E476M	C=47uF	New
C3216X5R1C476M	C=47uF	
C3216X5R1A476M	C=47uF	
C3216X5R0J476M	C=47uF	
C3216X5R1A686M	C=68uF	
C3216X5R0J686M	C=68uF	
C3216X5R1A107M	C=100uF	
C3216X5R0J107M	C=100uF	
C3216X5R0G107M	C=100uF	
C3216X5R2J102K	C=1000pF	
C3216X5R2J102M	C=1000pF	Hide in Default
C3216X5R2J152K	C=1500pF	
C3216X5R2J152M	C=1500pF	Hide in Default
C3216X5R2J222K	C=2200pF	
C3216X5R2J222M	C=2200pF	Hide in Default
C3216X5R2J332K	C=3300pF	
C3216X5R2J332M	C=3300pF	Hide in Default
C3216X5R2J472K	C=4700pF	
C3216X5R2J472M	C=4700pF	Hide in Default
C3216X5R2J682K	C=6800pF	
C3216X5R2J682M	C=6800pF	Hide in Default
C3216X5R2J103K	C=10000pF	
C3216X5R2J103M	C=10000pF	Hide in Default
C3216X5R2J153K	C=15000pF	
C3216X5R2J153M	C=15000pF	Hide in Default
C3216X5R2J223K	C=22000pF	
C3216X5R2J223M	C=22000pF	Hide in Default
C3216X5R2J333K	C=33000pF	
C3216X5R2J333M	C=33000pF	Hide in Default
C3216X5R2E333K	C=33000pF	
C3216X5R2E333M	C=33000pF	Hide in Default
C3216X5R2E473K	C=47000pF	
C3216X5R2E473M	C=47000pF	Hide in Default

C3216X5R2E683K	C=68000pF	
C3216X5R2E683M	C=68000pF	Hide in Default
C3216X5R2E104K	C=0.1uF	
C3216X5R2E104M	C=0.1uF	Hide in Default
C3216X5R2A154K	C=0.15uF	
C3216X5R2A154M	C=0.15uF	Hide in Default
C3216X5R2A224K	C=0.22uF	
C3216X5R2A224M	C=0.22uF	Hide in Default
C3216X5R2A334K	C=0.33uF	
C3216X5R2A334M	C=0.33uF	Hide in Default
C3216X5R2A474K	C=0.47uF	
C3216X5R2A474M	C=0.47uF	Hide in Default
C3216X5R2A684K	C=0.68uF	
C3216X5R2A684M	C=0.68uF	Hide in Default
C3216X5R2A105K	C=1uF	
C3216X5R2A105M	C=1uF	Hide in Default

## C3225X5R Series - 21(29) Products

Product Name	Main Characteristic	Note
C3225X5R1H475K	C=4.7uF	
C3225X5R1H475M	C=4.7uF	Hide in Default
C3225X5R1E106K	C=10uF	
C3225X5R1E106M	C=10uF	Hide in Default
C3225X5R1C156M	C=15uF	
C3225X5R1A156M	C=15uF	
C3225X5R1C226M	C=22uF	
C3225X5R0J226M[T=1.60mm]	C=22uF	
C3225X5R0J226M[T=2.00mm]	C=22uF	
C3225X5R0J226M[T=2.50mm]	C=22uF	
C3225X5R1A336M	C=33uF	
C3225X5R0J336M[T=2.00mm]	C=33uF	
C3225X5R0J336M[T=2.50mm]	C=33uF	
C3225X5R1A476M	C=47uF	
C3225X5R0J476M	C=47uF	
C3225X5R0J686M	C=68uF	
C3225X5R0J107M	C=100uF	
C3225X5R2J473K	C=47000pF	
C3225X5R2J473M	C=47000pF	Hide in Default
C3225X5R2J683K	C=68000pF	
C3225X5R2J683M	C=68000pF	Hide in Default
C3225X5R2E154K	C=0.15uF	
C3225X5R2E154M	C=0.15uF	Hide in Default
C3225X5R2E224K	C=0.22uF	
C3225X5R2E224M	C=0.22uF	Hide in Default
C3225X5R2A155K	C=1.5uF	
C3225X5R2A155M	C=1.5uF	Hide in Default
C3225X5R2A225K	C=2.2uF	
C3225X5R2A225M	C=2.2uF	Hide in Default

## C4532X5R Series - 17(22) Products

Product Name	Main Characteristic	Note
C4532X5R1H685K	C=6.8uF	
C4532X5R1H685M	C=6.8uF	Hide in Default
C4532X5R1E106K	C=10uF	
C4532X5R1E106M	C=10uF	Hide in Default
C4532X5R1E156M[T=2.50mm]	C=15uF	
C4532X5R1E226M	C=22uF	
C4532X5R1C226M[T=2.00mm]	C=22uF	
C4532X5R1C226M[T=2.30mm]	C=22uF	
C4532X5R1A226M	C=22uF	
C4532X5R1C336M	C=33uF	
C4532X5R1A336M	C=33uF	
C4532X5R1A476M	C=47uF	
C4532X5R0J476M	C=47uF	
C4532X5R0J686M	C=68uF	
C4532X5R1A107M	C=100uF	
C4532X5R0J107M	C=100uF	
C4532X5R2J104K	C=0.1uF	
C4532X5R2J104M	C=0.1uF	Hide in Default
C4532X5R2E334K	C=0.33uF	
C4532X5R2E334M	C=0.33uF	Hide in Default
C4532X5R2E474K	C=0.47uF	
C4532X5R2E474M	C=0.47uF	Hide in Default

## C5750X5R Series - 13(20) Products

Product Name	Main Characteristic	Note
C5750X5R1H106K	C=10uF	
C5750X5R1H106M	C=10uF	Hide in Default
C5750X5R1E226M[T=2.50mm]	C=22uF	
C5750X5R1C336M	C=33uF	
C5750X5R1C476M	C=47uF	
C5750X5R1A686M	C=68uF	
C5750X5R1A107M	C=100uF	
C5750X5R0J107M	C=100uF	
C5750X5R2J154K	C=0.15uF	
C5750X5R2J154M	C=0.15uF	Hide in Default
C5750X5R2J224K	C=0.22uF	
C5750X5R2J224M	C=0.22uF	Hide in Default
C5750X5R2E684K	C=0.68uF	
C5750X5R2E684M	C=0.68uF	Hide in Default
C5750X5R2E105K	C=1uF	
C5750X5R2E105M	C=1uF	Hide in Default
C5750X5R2A335K	C=3.3uF	
C5750X5R2A335M	C=3.3uF	Hide in Default
C5750X5R2A475K	C=4.7uF	
C5750X5R2A475M	C=4.7uF	Hide in Default

## C0603X6S Series - 4(8) Products

Product Name	Main Characteristic	Note
C0603X6S0J104K	C=0.1uF	New
C0603X6S0J104M	C=0.1uF	New/Hide in Default
C0603X6S0G104K	C=0.1uF	
C0603X6S0G104M	C=0.1uF	Hide in Default
C0603X6S0J224K	C=0.22uF	New
C0603X6S0J224M	C=0.22uF	New/Hide in Default
C0603X6S0G224K	C=0.22uF	New
C0603X6S0G224M	C=0.22uF	New/Hide in Default

## C1005X6S Series - 27(52) Products

Product Name	Main Characteristic	Note
C1005X6S1H103K	C=10000pF	
C1005X6S1H103M	C=10000pF	Hide in Default
C1005X6S1H153K	C=15000pF	
C1005X6S1H153M	C=15000pF	Hide in Default
C1005X6S1H223K	C=22000pF	
C1005X6S1H223M	C=22000pF	Hide in Default
C1005X6S1H333K	C=33000pF	
C1005X6S1H333M	C=33000pF	Hide in Default
C1005X6S1H473K	C=47000pF	
C1005X6S1H473M	C=47000pF	Hide in Default
C1005X6S1H683K	C=68000pF	
C1005X6S1H683M	C=68000pF	Hide in Default
C1005X6S1V683K	C=68000pF	
C1005X6S1V683M	C=68000pF	Hide in Default
C1005X6S1E683K	C=68000pF	
C1005X6S1E683M	C=68000pF	Hide in Default
C1005X6S1H104K	C=0.1uF	
C1005X6S1H104M	C=0.1uF	Hide in Default
C1005X6S1V104K	C=0.1uF	
C1005X6S1V104M	C=0.1uF	Hide in Default
C1005X6S1E104K	C=0.1uF	
C1005X6S1E104M	C=0.1uF	Hide in Default
C1005X6S1E154K	C=0.15uF	
C1005X6S1E154M	C=0.15uF	Hide in Default
C1005X6S1C154K	C=0.15uF	
C1005X6S1C154M	C=0.15uF	Hide in Default
C1005X6S1E224K	C=0.22uF	
C1005X6S1E224M	C=0.22uF	Hide in Default
C1005X6S1C224K	C=0.22uF	
C1005X6S1C224M	C=0.22uF	Hide in Default
C1005X6S1A334K	C=0.33uF	
C1005X6S1A334M	C=0.33uF	Hide in Default
C1005X6S0J334K	C=0.33uF	
C1005X6S0J334M	C=0.33uF	Hide in Default

C1005X6S1A474K	C=0.47uF	
C1005X6S1A474M	C=0.47uF	Hide in Default
C1005X6S0J474K	C=0.47uF	
C1005X6S0J474M	C=0.47uF	Hide in Default
C1005X6S1A684K	C=0.68uF	
C1005X6S1A684M	C=0.68uF	Hide in Default
C1005X6S0J684K	C=0.68uF	
C1005X6S0J684M	C=0.68uF	Hide in Default
C1005X6S1A105K	C=1uF	
C1005X6S1A105M	C=1uF	Hide in Default
C1005X6S0J105K	C=1uF	
C1005X6S0J105M	C=1uF	Hide in Default
C1005X6S0G105K	C=1uF	
C1005X6S0G105M	C=1uF	Hide in Default
C1005X6S0G155K	C=1.5uF	
C1005X6S0G155M	C=1.5uF	Hide in Default
C1005X6S0G225M	C=2.2uF	
C1005X6S0G475M	C=4.7uF	New

## C1608X6S Series - 29(58) Products

Product Name	Main Characteristic	Note
C1608X6S1H154K	C=0.15uF	
C1608X6S1H154M	C=0.15uF	Hide in Default
C1608X6S1V154K	C=0.15uF	
C1608X6S1V154M	C=0.15uF	Hide in Default
C1608X6S1H224K	C=0.22uF	
C1608X6S1H224M	C=0.22uF	Hide in Default
C1608X6S1V224K	C=0.22uF	
C1608X6S1V224M	C=0.22uF	Hide in Default
C1608X6S1H334K	C=0.33uF	
C1608X6S1H334M	C=0.33uF	Hide in Default
C1608X6S1V334K	C=0.33uF	
C1608X6S1V334M	C=0.33uF	Hide in Default
C1608X6S1E334K	C=0.33uF	
C1608X6S1E334M	C=0.33uF	Hide in Default
C1608X6S1H474K	C=0.47uF	
C1608X6S1H474M	C=0.47uF	Hide in Default
C1608X6S1V474K	C=0.47uF	
C1608X6S1V474M	C=0.47uF	Hide in Default
C1608X6S1E474K	C=0.47uF	
C1608X6S1E474M	C=0.47uF	Hide in Default
C1608X6S1H684K	C=0.68uF	
C1608X6S1H684M	C=0.68uF	Hide in Default
C1608X6S1V684K	C=0.68uF	
C1608X6S1V684M	C=0.68uF	Hide in Default
C1608X6S1E684K	C=0.68uF	
C1608X6S1E684M	C=0.68uF	Hide in Default
C1608X6S1C684K	C=0.68uF	

C1608X6S1C684M	C=0.68uF	Hide in Default
C1608X6S1H105K	C=1uF	
C1608X6S1H105M	C=1uF	Hide in Default
C1608X6S1V105K	C=1uF	
C1608X6S1V105M	C=1uF	Hide in Default
C1608X6S1E105K	C=1uF	
C1608X6S1E105M	C=1uF	Hide in Default
C1608X6S1C105K	C=1uF	
C1608X6S1C105M	C=1uF	Hide in Default
C1608X6S1C155K	C=1.5uF	
C1608X6S1C155M	C=1.5uF	Hide in Default
C1608X6S1C225K	C=2.2uF	
C1608X6S1C225M	C=2.2uF	Hide in Default
C1608X6S1A225K	C=2.2uF	
C1608X6S1A225M	C=2.2uF	Hide in Default
C1608X6S0J225K	C=2.2uF	
C1608X6S0J225M	C=2.2uF	Hide in Default
C1608X6S1A335K	C=3.3uF	
C1608X6S1A335M	C=3.3uF	Hide in Default
C1608X6S0J335K	C=3.3uF	
C1608X6S0J335M	C=3.3uF	Hide in Default
C1608X6S1A475K	C=4.7uF	
C1608X6S1A475M	C=4.7uF	Hide in Default
C1608X6S0J475K	C=4.7uF	
C1608X6S0J475M	C=4.7uF	Hide in Default
C1608X6S0G475K	C=4.7uF	
C1608X6S0G475M	C=4.7uF	Hide in Default
C1608X6S0G685K	C=6.8uF	
C1608X6S0G685M	C=6.8uF	Hide in Default
C1608X6S0G106K	C=10uF	
C1608X6S0G106M	C=10uF	Hide in Default

## C2012X6S Series - 31(58) Products

Product Name	Main Characteristic	Note
C2012X6S1H474K	C=0.47uF	
C2012X6S1H474M	C=0.47uF	Hide in Default
C2012X6S1H684K	C=0.68uF	
C2012X6S1H684M	C=0.68uF	Hide in Default
C2012X6S1H105K	C=1uF	
C2012X6S1H105M	C=1uF	Hide in Default
C2012X6S1H155K	C=1.5uF	
C2012X6S1H155M	C=1.5uF	Hide in Default
C2012X6S1V155K	C=1.5uF	
C2012X6S1V155M	C=1.5uF	Hide in Default
C2012X6S1H225K	C=2.2uF	
C2012X6S1H225M	C=2.2uF	Hide in Default
C2012X6S1V225K	C=2.2uF	
C2012X6S1V225M	C=2.2uF	Hide in Default

C2012X6S1E225K	C=2.2uF	
C2012X6S1E225M	C=2.2uF	Hide in Default
C2012X6S1C225K	C=2.2uF	
C2012X6S1C225M	C=2.2uF	Hide in Default
C2012X6S1H335K	C=3.3uF	
C2012X6S1H335M	C=3.3uF	Hide in Default
C2012X6S1V335K	C=3.3uF	
C2012X6S1V335M	C=3.3uF	Hide in Default
C2012X6S1E335K	C=3.3uF	
C2012X6S1E335M	C=3.3uF	Hide in Default
C2012X6S1C335K	C=3.3uF	
C2012X6S1C335M	C=3.3uF	Hide in Default
C2012X6S1H475K	C=4.7uF	
C2012X6S1H475M	C=4.7uF	Hide in Default
C2012X6S1V475K	C=4.7uF	
C2012X6S1V475M	C=4.7uF	Hide in Default
C2012X6S1E475K	C=4.7uF	
C2012X6S1E475M	C=4.7uF	Hide in Default
C2012X6S1C475K	C=4.7uF	
C2012X6S1C475M	C=4.7uF	Hide in Default
C2012X6S1A475K	C=4.7uF	
C2012X6S1A475M	C=4.7uF	Hide in Default
C2012X6S1C685K	C=6.8uF	
C2012X6S1C685M	C=6.8uF	Hide in Default
C2012X6S1A685K[T=0.85mm]	C=6.8uF	
C2012X6S1A685M[T=0.85mm]	C=6.8uF	Hide in Default
C2012X6S1A685K[T=1.25mm]	C=6.8uF	
C2012X6S1A685M[T=1.25mm]	C=6.8uF	Hide in Default
C2012X6S0J685K	C=6.8uF	
C2012X6S0J685M	C=6.8uF	Hide in Default
C2012X6S1C106K	C=10uF	
C2012X6S1C106M	C=10uF	Hide in Default
C2012X6S1A106K[T=0.85mm]	C=10uF	
C2012X6S1A106M[T=0.85mm]	C=10uF	Hide in Default
C2012X6S1A106K[T=1.25mm]	C=10uF	
C2012X6S1A106M[T=1.25mm]	C=10uF	Hide in Default
C2012X6S0J106K[T=0.85mm]	C=10uF	
C2012X6S0J106M[T=0.85mm]	C=10uF	Hide in Default
C2012X6S0J106K[T=1.25mm]	C=10uF	
C2012X6S0J106M[T=1.25mm]	C=10uF	Hide in Default
C2012X6S1A156M	C=15uF	
C2012X6S0J156M	C=15uF	
C2012X6S1A226M	C=22uF	
C2012X6S0J226M	C=22uF	

## C3216X6S Series - 27(42) Products

Product Name	Main Characteristic	Note
C3216X6S1H155K	C=1.5uF	

C3216X6S1H155M	C=1.5uF	Hide in Default
C3216X6S1H225K	C=2.2uF	
C3216X6S1H225M	C=2.2uF	Hide in Default
C3216X6S1H335K	C=3.3uF	
C3216X6S1H335M	C=3.3uF	Hide in Default
C3216X6S1V335K	C=3.3uF	
C3216X6S1V335M	C=3.3uF	Hide in Default
C3216X6S1H475K	C=4.7uF	
C3216X6S1H475M	C=4.7uF	Hide in Default
C3216X6S1V475K	C=4.7uF	
C3216X6S1V475M	C=4.7uF	Hide in Default
C3216X6S1E475K	C=4.7uF	
C3216X6S1E475M	C=4.7uF	Hide in Default
C3216X6S1V685K	C=6.8uF	
C3216X6S1V685M	C=6.8uF	Hide in Default
C3216X6S1E685K	C=6.8uF	
C3216X6S1E685M	C=6.8uF	Hide in Default
C3216X6S1C685K	C=6.8uF	
C3216X6S1C685M	C=6.8uF	Hide in Default
C3216X6S1A685K	C=6.8uF	
C3216X6S1A685M	C=6.8uF	Hide in Default
C3216X6S1V106K	C=10uF	
C3216X6S1V106M	C=10uF	Hide in Default
C3216X6S1E106K	C=10uF	
C3216X6S1E106M	C=10uF	Hide in Default
C3216X6S1C106K	C=10uF	
C3216X6S1C106M	C=10uF	Hide in Default
C3216X6S1A106K	C=10uF	
C3216X6S1A106M	C=10uF	Hide in Default
C3216X6S1C156M	C=15uF	
C3216X6S1A156M	C=15uF	
C3216X6S1C226M	C=22uF	
C3216X6S1A226M	C=22uF	
C3216X6S0J226M	C=22uF	
C3216X6S1A336M	C=33uF	
C3216X6S0J336M	C=33uF	
C3216X6S1A476M	C=47uF	
C3216X6S0J476M	C=47uF	
C3216X6S0G476M	C=47uF	
C3216X6S0G686M	C=68uF	
C3216X6S0G107M	C=100uF	

## C3225X6S Series - 5(6) Products

Product Name	Main Characteristic	Note
C3225X6S1H475K	C=4.7uF	
C3225X6S1H475M	C=4.7uF	Hide in Default
C3225X6S1C226M	C=22uF	
C3225X6S0J476M	C=47uF	

C3225X6S0J107M	C=100uF	
C3225X6S0G107M	C=100uF	

## C4532X6S Series - 1 Product

Product Name	Main Characteristic	Note
C4532X6S0J107M	C=100uF	

## C5750X6S Series - 2(4) Products

Product Name	Main Characteristic	Note
C5750X6S2W105K	C=1uF	
C5750X6S2W105M	C=1uF	Hide in Default
C5750X6S2W225K	C=2.2uF	
C5750X6S2W225M	C=2.2uF	Hide in Default

## C0402X7R Series - 6(12) Products

Product Name	Main Characteristic	Note
C0402X7R1A101K	C=100pF	
C0402X7R1A101M	C=100pF	Hide in Default
C0402X7R1A151K	C=150pF	
C0402X7R1A151M	C=150pF	Hide in Default
C0402X7R1A221K	C=220pF	
C0402X7R1A221M	C=220pF	Hide in Default
C0402X7R1A331K	C=330pF	
C0402X7R1A331M	C=330pF	Hide in Default
C0402X7R1A471K	C=470pF	
C0402X7R1A471M	C=470pF	Hide in Default
C0402X7R1A681K	C=680pF	
C0402X7R1A681M	C=680pF	Hide in Default

## C0603X7R Series - 22(44) Products

Product Name	Main Characteristic	Note
C0603X7R1E101K	C=100pF	
C0603X7R1E101M	C=100pF	Hide in Default
C0603X7R1C101K	C=100pF	
C0603X7R1C101M	C=100pF	Hide in Default
C0603X7R1E151K	C=150pF	
C0603X7R1E151M	C=150pF	Hide in Default
C0603X7R1C151K	C=150pF	
C0603X7R1C151M	C=150pF	Hide in Default
C0603X7R1E221K	C=220pF	
C0603X7R1E221M	C=220pF	Hide in Default
C0603X7R1C221K	C=220pF	
C0603X7R1C221M	C=220pF	Hide in Default
C0603X7R1E331K	C=330pF	
C0603X7R1E331M	C=330pF	Hide in Default
C0603X7R1C331K	C=330pF	
C0603X7R1C331M	C=330pF	Hide in Default

C0603X7R1E471K	C=470pF	
C0603X7R1E471M	C=470pF	Hide in Default
C0603X7R1C471K	C=470pF	
C0603X7R1C471M	C=470pF	Hide in Default
C0603X7R1E681K	C=680pF	
C0603X7R1E681M	C=680pF	Hide in Default
C0603X7R1C681K	C=680pF	
C0603X7R1C681M	C=680pF	Hide in Default
C0603X7R1E102K	C=1000pF	
C0603X7R1E102M	C=1000pF	Hide in Default
C0603X7R1C102K	C=1000pF	
C0603X7R1C102M	C=1000pF	Hide in Default
C0603X7R1E152K	C=1500pF	
C0603X7R1E152M	C=1500pF	Hide in Default
C0603X7R1C152K	C=1500pF	
C0603X7R1C152M	C=1500pF	Hide in Default
C0603X7R1E222K	C=2200pF	
C0603X7R1E222M	C=2200pF	Hide in Default
C0603X7R1C222K	C=2200pF	
C0603X7R1C222M	C=2200pF	Hide in Default
C0603X7R1E332K	C=3300pF	
C0603X7R1E332M	C=3300pF	Hide in Default
C0603X7R1C332K	C=3300pF	
C0603X7R1C332M	C=3300pF	Hide in Default
C0603X7R1C472K	C=4700pF	
C0603X7R1C472M	C=4700pF	Hide in Default
C0603X7R0J103K	C=10000pF	
C0603X7R0J103M	C=10000pF	Hide in Default

## C1005X7R Series - 50(100) Products

Product Name	Main Characteristic	Note
C1005X7R1H221K	C=220pF	
C1005X7R1H221M	C=220pF	Hide in Default
C1005X7R1H331K	C=330pF	
C1005X7R1H331M	C=330pF	Hide in Default
C1005X7R1H471K	C=470pF	
C1005X7R1H471M	C=470pF	Hide in Default
C1005X7R1H681K	C=680pF	
C1005X7R1H681M	C=680pF	Hide in Default
C1005X7R1H102K	C=1000pF	
C1005X7R1H102M	C=1000pF	Hide in Default
C1005X7R1E102K	C=1000pF	
C1005X7R1E102M	C=1000pF	Hide in Default
C1005X7R1H152K	C=1500pF	
C1005X7R1H152M	C=1500pF	Hide in Default
C1005X7R1E152K	C=1500pF	
C1005X7R1E152M	C=1500pF	Hide in Default
C1005X7R1H222K	C=2200pF	

C1005X7R1H222M	C=2200pF	Hide in Default
C1005X7R1E222K	C=2200pF	
C1005X7R1E222M	C=2200pF	Hide in Default
C1005X7R1H332K	C=3300pF	
C1005X7R1H332M	C=3300pF	Hide in Default
C1005X7R1E332K	C=3300pF	
C1005X7R1E332M	C=3300pF	Hide in Default
C1005X7R1H472K	C=4700pF	
C1005X7R1H472M	C=4700pF	Hide in Default
C1005X7R1E472K	C=4700pF	
C1005X7R1E472M	C=4700pF	Hide in Default
C1005X7R1H682K	C=6800pF	
C1005X7R1H682M	C=6800pF	Hide in Default
C1005X7R1E682K	C=6800pF	
C1005X7R1E682M	C=6800pF	Hide in Default
C1005X7R1H103K	C=10000pF	
C1005X7R1H103M	C=10000pF	Hide in Default
C1005X7R1V103K	C=10000pF	
C1005X7R1V103M	C=10000pF	Hide in Default
C1005X7R1E103K	C=10000pF	
C1005X7R1E103M	C=10000pF	Hide in Default
C1005X7R1C103K	C=10000pF	
C1005X7R1C103M	C=10000pF	Hide in Default
C1005X7R1H153K	C=15000pF	
C1005X7R1H153M	C=15000pF	Hide in Default
C1005X7R1V153K	C=15000pF	
C1005X7R1V153M	C=15000pF	Hide in Default
C1005X7R1E153K	C=15000pF	
C1005X7R1E153M	C=15000pF	Hide in Default
C1005X7R1C153K	C=15000pF	
C1005X7R1C153M	C=15000pF	Hide in Default
C1005X7R1H223K	C=22000pF	
C1005X7R1H223M	C=22000pF	Hide in Default
C1005X7R1V223K	C=22000pF	
C1005X7R1V223M	C=22000pF	Hide in Default
C1005X7R1E223K	C=22000pF	
C1005X7R1E223M	C=22000pF	Hide in Default
C1005X7R1C223K	C=22000pF	
C1005X7R1C223M	C=22000pF	Hide in Default
C1005X7R1H333K	C=33000pF	
C1005X7R1H333M	C=33000pF	Hide in Default
C1005X7R1V333K	C=33000pF	
C1005X7R1V333M	C=33000pF	Hide in Default
C1005X7R1E333K	C=33000pF	
C1005X7R1E333M	C=33000pF	Hide in Default
C1005X7R1C333K	C=33000pF	
C1005X7R1C333M	C=33000pF	Hide in Default
C1005X7R1H473K	C=47000pF	

C1005X7R1H473M	C=47000pF	Hide in Default
C1005X7R1V473K	C=47000pF	
C1005X7R1V473M	C=47000pF	Hide in Default
C1005X7R1E473K	C=47000pF	
C1005X7R1E473M	C=47000pF	Hide in Default
C1005X7R1C473K	C=47000pF	
C1005X7R1C473M	C=47000pF	Hide in Default
C1005X7R1A473K	C=47000pF	
C1005X7R1A473M	C=47000pF	Hide in Default
C1005X7R1H683K	C=68000pF	
C1005X7R1H683M	C=68000pF	Hide in Default
C1005X7R1V683K	C=68000pF	
C1005X7R1V683M	C=68000pF	Hide in Default
C1005X7R1E683K	C=68000pF	
C1005X7R1E683M	C=68000pF	Hide in Default
C1005X7R1C683K	C=68000pF	
C1005X7R1C683M	C=68000pF	Hide in Default
C1005X7R1A683K	C=68000pF	
C1005X7R1A683M	C=68000pF	Hide in Default
C1005X7R1H104K	C=0.1uF	
C1005X7R1H104M	C=0.1uF	Hide in Default
C1005X7R1V104K	C=0.1uF	
C1005X7R1V104M	C=0.1uF	Hide in Default
C1005X7R1E104K	C=0.1uF	
C1005X7R1E104M	C=0.1uF	Hide in Default
C1005X7R1C104K	C=0.1uF	
C1005X7R1C104M	C=0.1uF	Hide in Default
C1005X7R1A104K	C=0.1uF	
C1005X7R1A104M	C=0.1uF	Hide in Default
C1005X7R1C154K	C=0.15uF	
C1005X7R1C154M	C=0.15uF	Hide in Default
C1005X7R1C224K	C=0.22uF	
C1005X7R1C224M	C=0.22uF	Hide in Default
C1005X7R1A224K	C=0.22uF	
C1005X7R1A224M	C=0.22uF	Hide in Default

## C1608X7R Series - 68(136) Products

Product Name	Main Characteristic	Note
C1608X7R1H101K	C=100pF	
C1608X7R1H101M	C=100pF	Hide in Default
C1608X7R1H221K	C=220pF	
C1608X7R1H221M	C=220pF	Hide in Default
C1608X7R1H331K	C=330pF	
C1608X7R1H331M	C=330pF	Hide in Default
C1608X7R1H471K	C=470pF	
C1608X7R1H471M	C=470pF	Hide in Default
C1608X7R1H681K	C=680pF	
C1608X7R1H681M	C=680pF	Hide in Default

C1608X7R1H102K	C=1000pF	
C1608X7R1H102M	C=1000pF	Hide in Default
C1608X7R1H152K	C=1500pF	
C1608X7R1H152M	C=1500pF	Hide in Default
C1608X7R1H222K	C=2200pF	
C1608X7R1H222M	C=2200pF	Hide in Default
C1608X7R1H332K	C=3300pF	
C1608X7R1H332M	C=3300pF	Hide in Default
C1608X7R1H472K	C=4700pF	
C1608X7R1H472M	C=4700pF	Hide in Default
C1608X7R1H682K	C=6800pF	
C1608X7R1H682M	C=6800pF	Hide in Default
C1608X7R1H103K	C=10000pF	
C1608X7R1H103M	C=10000pF	Hide in Default
C1608X7R1E103K	C=10000pF	
C1608X7R1E103M	C=10000pF	Hide in Default
C1608X7R1H153K	C=15000pF	
C1608X7R1H153M	C=15000pF	Hide in Default
C1608X7R1E153K	C=15000pF	
C1608X7R1E153M	C=15000pF	Hide in Default
C1608X7R1H223K	C=22000pF	
C1608X7R1H223M	C=22000pF	Hide in Default
C1608X7R1E223K	C=22000pF	
C1608X7R1E223M	C=22000pF	Hide in Default
C1608X7R1C223K	C=22000pF	
C1608X7R1C223M	C=22000pF	Hide in Default
C1608X7R1H333K	C=33000pF	
C1608X7R1H333M	C=33000pF	Hide in Default
C1608X7R1E333K	C=33000pF	
C1608X7R1E333M	C=33000pF	Hide in Default
C1608X7R1C333K	C=33000pF	
C1608X7R1C333M	C=33000pF	Hide in Default
C1608X7R1H473K	C=47000pF	
C1608X7R1H473M	C=47000pF	Hide in Default
C1608X7R1E473K	C=47000pF	
C1608X7R1E473M	C=47000pF	Hide in Default
C1608X7R1C473K	C=47000pF	
C1608X7R1C473M	C=47000pF	Hide in Default
C1608X7R1H683K	C=68000pF	
C1608X7R1H683M	C=68000pF	Hide in Default
C1608X7R1E683K	C=68000pF	
C1608X7R1E683M	C=68000pF	Hide in Default
C1608X7R1C683K	C=68000pF	
C1608X7R1C683M	C=68000pF	Hide in Default
C1608X7R1H104K	C=0.1uF	
C1608X7R1H104M	C=0.1uF	Hide in Default
C1608X7R1E104K	C=0.1uF	
C1608X7R1E104M	C=0.1uF	Hide in Default

C1608X7R1C104K	C=0.1uF	
C1608X7R1C104M	C=0.1uF	Hide in Default
C1608X7R1H154K	C=0.15uF	
C1608X7R1H154M	C=0.15uF	Hide in Default
C1608X7R1V154K	C=0.15uF	
C1608X7R1V154M	C=0.15uF	Hide in Default
C1608X7R1E154K	C=0.15uF	
C1608X7R1E154M	C=0.15uF	Hide in Default
C1608X7R1C154K	C=0.15uF	
C1608X7R1C154M	C=0.15uF	Hide in Default
C1608X7R1H224K	C=0.22uF	
C1608X7R1H224M	C=0.22uF	Hide in Default
C1608X7R1V224K	C=0.22uF	
C1608X7R1V224M	C=0.22uF	Hide in Default
C1608X7R1E224K	C=0.22uF	
C1608X7R1E224M	C=0.22uF	Hide in Default
C1608X7R1C224K	C=0.22uF	
C1608X7R1C224M	C=0.22uF	Hide in Default
C1608X7R1A224K	C=0.22uF	
C1608X7R1A224M	C=0.22uF	Hide in Default
C1608X7R1H334K	C=0.33uF	
C1608X7R1H334M	C=0.33uF	Hide in Default
C1608X7R1V334K	C=0.33uF	
C1608X7R1V334M	C=0.33uF	Hide in Default
C1608X7R1E334K	C=0.33uF	
C1608X7R1E334M	C=0.33uF	Hide in Default
C1608X7R1A334K	C=0.33uF	
C1608X7R1A334M	C=0.33uF	Hide in Default
C1608X7R1H474K	C=0.47uF	
C1608X7R1H474M	C=0.47uF	Hide in Default
C1608X7R1V474K	C=0.47uF	
C1608X7R1V474M	C=0.47uF	Hide in Default
C1608X7R1E474K	C=0.47uF	
C1608X7R1E474M	C=0.47uF	Hide in Default
C1608X7R1C474K	C=0.47uF	
C1608X7R1C474M	C=0.47uF	Hide in Default
C1608X7R1A474K	C=0.47uF	
C1608X7R1A474M	C=0.47uF	Hide in Default
C1608X7R1V684K	C=0.68uF	
C1608X7R1V684M	C=0.68uF	Hide in Default
C1608X7R1E684K	C=0.68uF	
C1608X7R1E684M	C=0.68uF	Hide in Default
C1608X7R1C684K	C=0.68uF	
C1608X7R1C684M	C=0.68uF	Hide in Default
C1608X7R1V105K	C=1uF	
C1608X7R1V105M	C=1uF	Hide in Default
C1608X7R1E105K	C=1uF	
C1608X7R1E105M	C=1uF	Hide in Default

C1608X7R1C105K	C=1uF	
C1608X7R1C105M	C=1uF	Hide in Default
C1608X7R1A105K	C=1uF	
C1608X7R1A105M	C=1uF	Hide in Default
C1608X7R1A155K	C=1.5uF	
C1608X7R1A155M	C=1.5uF	Hide in Default
C1608X7R0J155K	C=1.5uF	
C1608X7R0J155M	C=1.5uF	Hide in Default
C1608X7R1A225K	C=2.2uF	
C1608X7R1A225M	C=2.2uF	Hide in Default
C1608X7R0J225K	C=2.2uF	
C1608X7R0J225M	C=2.2uF	Hide in Default
C1608X7R2A102K	C=1000pF	
C1608X7R2A102M	C=1000pF	Hide in Default
C1608X7R2A152K	C=1500pF	
C1608X7R2A152M	C=1500pF	Hide in Default
C1608X7R2A222K	C=2200pF	
C1608X7R2A222M	C=2200pF	Hide in Default
C1608X7R2A332K	C=3300pF	
C1608X7R2A332M	C=3300pF	Hide in Default
C1608X7R2A472K	C=4700pF	
C1608X7R2A472M	C=4700pF	Hide in Default
C1608X7R2A682K	C=6800pF	
C1608X7R2A682M	C=6800pF	Hide in Default
C1608X7R2A103K	C=10000pF	
C1608X7R2A103M	C=10000pF	Hide in Default
C1608X7R2A153K	C=15000pF	
C1608X7R2A153M	C=15000pF	Hide in Default
C1608X7R2A223K	C=22000pF	
C1608X7R2A223M	C=22000pF	Hide in Default

## C2012X7R Series - 65(124) Products

Product Name	Main Characteristic	Note
C2012X7R1H102K	C=1000pF	
C2012X7R1H102M	C=1000pF	Hide in Default
C2012X7R1H222K	C=2200pF	
C2012X7R1H222M	C=2200pF	Hide in Default
C2012X7R1H472K	C=4700pF	
C2012X7R1H472M	C=4700pF	Hide in Default
C2012X7R1H103K	C=10000pF	
C2012X7R1H103M	C=10000pF	Hide in Default
C2012X7R1H223K	C=22000pF	
C2012X7R1H223M	C=22000pF	Hide in Default
C2012X7R1H473K	C=47000pF	
C2012X7R1H473M	C=47000pF	Hide in Default
C2012X7R1H104K[T=0.85mm]	C=0.1uF	
C2012X7R1H104M[T=0.85mm]	C=0.1uF	Hide in Default
C2012X7R1H104K[T=1.25mm]	C=0.1uF	

C2012X7R1H104M[T=1.25mm]	C=0.1uF	Hide in Default
C2012X7R1E104K[T=0.85mm]	C=0.1uF	
C2012X7R1E104M[T=0.85mm]	C=0.1uF	Hide in Default
C2012X7R1E104K[T=1.25mm]	C=0.1uF	
C2012X7R1E104M[T=1.25mm]	C=0.1uF	Hide in Default
C2012X7R1H154K	C=0.15uF	
C2012X7R1H154M	C=0.15uF	Hide in Default
C2012X7R1H224K	C=0.22uF	
C2012X7R1H224M	C=0.22uF	Hide in Default
C2012X7R1E224K	C=0.22uF	
C2012X7R1E224M	C=0.22uF	Hide in Default
C2012X7R1C224K	C=0.22uF	
C2012X7R1C224M	C=0.22uF	Hide in Default
C2012X7R1H334K	C=0.33uF	
C2012X7R1H334M	C=0.33uF	Hide in Default
C2012X7R1E334K	C=0.33uF	
C2012X7R1E334M	C=0.33uF	Hide in Default
C2012X7R1C334K	C=0.33uF	
C2012X7R1C334M	C=0.33uF	Hide in Default
C2012X7R1H474K	C=0.47uF	
C2012X7R1H474M	C=0.47uF	Hide in Default
C2012X7R1C474K	C=0.47uF	
C2012X7R1C474M	C=0.47uF	Hide in Default
C2012X7R1H684K	C=0.68uF	
C2012X7R1H684M	C=0.68uF	Hide in Default
C2012X7R1C684K	C=0.68uF	
C2012X7R1C684M	C=0.68uF	Hide in Default
C2012X7R1H105K	C=1uF	
C2012X7R1H105M	C=1uF	Hide in Default
C2012X7R1V105K	C=1uF	
C2012X7R1V105M	C=1uF	Hide in Default
C2012X7R1E105K	C=1uF	
C2012X7R1E105M	C=1uF	Hide in Default
C2012X7R1C105K[T=0.85mm]	C=1uF	
C2012X7R1C105M[T=0.85mm]	C=1uF	Hide in Default
C2012X7R1A105K	C=1uF	
C2012X7R1A105M	C=1uF	Hide in Default
C2012X7R1H155K	C=1.5uF	
C2012X7R1H155M	C=1.5uF	Hide in Default
C2012X7R1V155K	C=1.5uF	
C2012X7R1V155M	C=1.5uF	Hide in Default
C2012X7R1E155K	C=1.5uF	
C2012X7R1E155M	C=1.5uF	Hide in Default
C2012X7R1C155K	C=1.5uF	
C2012X7R1C155M	C=1.5uF	Hide in Default
C2012X7R1A155K	C=1.5uF	
C2012X7R1A155M	C=1.5uF	Hide in Default
C2012X7R1H225K	C=2.2uF	

C2012X7R1H225M	C=2.2uF	Hide in Default
C2012X7R1V225K	C=2.2uF	
C2012X7R1V225M	C=2.2uF	Hide in Default
C2012X7R1E225K	C=2.2uF	
C2012X7R1E225M	C=2.2uF	Hide in Default
C2012X7R1C225K	C=2.2uF	
C2012X7R1C225M	C=2.2uF	Hide in Default
C2012X7R1A225K	C=2.2uF	
C2012X7R1A225M	C=2.2uF	Hide in Default
C2012X7R1V335K	C=3.3uF	
C2012X7R1V335M	C=3.3uF	Hide in Default
C2012X7R1E335K	C=3.3uF	
C2012X7R1E335M	C=3.3uF	Hide in Default
C2012X7R1C335K	C=3.3uF	
C2012X7R1C335M	C=3.3uF	Hide in Default
C2012X7R1A335K	C=3.3uF	
C2012X7R1A335M	C=3.3uF	Hide in Default
C2012X7R1V475K	C=4.7uF	
C2012X7R1V475M	C=4.7uF	Hide in Default
C2012X7R1E475K	C=4.7uF	
C2012X7R1E475M	C=4.7uF	Hide in Default
C2012X7R1C475K	C=4.7uF	
C2012X7R1C475M	C=4.7uF	Hide in Default
C2012X7R1A475K	C=4.7uF	
C2012X7R1A475M	C=4.7uF	Hide in Default
C2012X7R1A685K	C=6.8uF	
C2012X7R1A685M	C=6.8uF	Hide in Default
C2012X7R1A106K	C=10uF	
C2012X7R1A106M	C=10uF	Hide in Default
C2012X7R1H474M(SOFT)	C=0.47uF	
C2012X7R1H105M(SOFT)	C=1uF	
C2012X7R1V225M(SOFT)	C=2.2uF	
C2012X7R1C475M(SOFT)	C=4.7uF	
C2012X7R2E102K	C=1000pF	
C2012X7R2E102M	C=1000pF	Hide in Default
C2012X7R2E152K	C=1500pF	
C2012X7R2E152M	C=1500pF	Hide in Default
C2012X7R2E222K	C=2200pF	
C2012X7R2E222M	C=2200pF	Hide in Default
C2012X7R2E332K	C=3300pF	
C2012X7R2E332M	C=3300pF	Hide in Default
C2012X7R2E472K	C=4700pF	
C2012X7R2E472M	C=4700pF	Hide in Default
C2012X7R2E682K	C=6800pF	
C2012X7R2E682M	C=6800pF	Hide in Default
C2012X7R2E103K	C=10000pF	
C2012X7R2E103M	C=10000pF	Hide in Default
C2012X7R2E153K	C=15000pF	

C2012X7R2E153M	C=15000pF	Hide in Default
C2012X7R2E223K	C=22000pF	
C2012X7R2E223M	C=22000pF	Hide in Default
C2012X7R2A333K	C=33000pF	
C2012X7R2A333M	C=33000pF	Hide in Default
C2012X7R2A473K	C=47000pF	
C2012X7R2A473M	C=47000pF	Hide in Default
C2012X7R2A683K	C=68000pF	
C2012X7R2A683M	C=68000pF	Hide in Default
C2012X7R2A104K	C=0.1uF	
C2012X7R2A104M	C=0.1uF	Hide in Default
C2012X7R2E103M(SOFT)	C=10000pF	
C2012X7R2E223M(SOFT)	C=22000pF	

## C3216X7R Series - 60(111) Products

Product Name	Main Characteristic	Note
C3216X7R1H104K	C=0.1uF	
C3216X7R1H104M	C=0.1uF	Hide in Default
C3216X7R1H224K	C=0.22uF	
C3216X7R1H224M	C=0.22uF	Hide in Default
C3216X7R1E224K	C=0.22uF	
C3216X7R1E224M	C=0.22uF	Hide in Default
C3216X7R1H334K	C=0.33uF	
C3216X7R1H334M	C=0.33uF	Hide in Default
C3216X7R1E334K	C=0.33uF	
C3216X7R1E334M	C=0.33uF	Hide in Default
C3216X7R1E474K	C=0.47uF	
C3216X7R1E474M	C=0.47uF	Hide in Default
C3216X7R1C474K	C=0.47uF	
C3216X7R1C474M	C=0.47uF	Hide in Default
C3216X7R1E684K	C=0.68uF	
C3216X7R1E684M	C=0.68uF	Hide in Default
C3216X7R1H105K	C=1uF	
C3216X7R1H105M	C=1uF	Hide in Default
C3216X7R1E105K[T=0.85mm]	C=1uF	
C3216X7R1E105M[T=0.85mm]	C=1uF	Hide in Default
C3216X7R1E105K[T=1.60mm]	C=1uF	
C3216X7R1E105M[T=1.60mm]	C=1uF	Hide in Default
C3216X7R1C105K[T=0.85mm]	C=1uF	
C3216X7R1C105M[T=0.85mm]	C=1uF	Hide in Default
C3216X7R1C105K[T=1.15mm]	C=1uF	
C3216X7R1C105M[T=1.15mm]	C=1uF	Hide in Default
C3216X7R1C105K[T=1.30mm]	C=1uF	
C3216X7R1C105M[T=1.30mm]	C=1uF	Hide in Default
C3216X7R1H155K	C=1.5uF	
C3216X7R1H155M	C=1.5uF	Hide in Default
C3216X7R1H225K	C=2.2uF	
C3216X7R1H225M	C=2.2uF	Hide in Default

C3216X7R1C225K	C=2.2uF	
C3216X7R1C225M	C=2.2uF	Hide in Default
C3216X7R1H335K	C=3.3uF	
C3216X7R1H335M	C=3.3uF	Hide in Default
C3216X7R1V335K	C=3.3uF	
C3216X7R1V335M	C=3.3uF	Hide in Default
C3216X7R1C335K	C=3.3uF	
C3216X7R1C335M	C=3.3uF	Hide in Default
C3216X7R1H475K	C=4.7uF	New
C3216X7R1H475M	C=4.7uF	New/Hide in Default
C3216X7R1V475K	C=4.7uF	
C3216X7R1V475M	C=4.7uF	Hide in Default
C3216X7R1E475K	C=4.7uF	
C3216X7R1E475M	C=4.7uF	Hide in Default
C3216X7R1C475K	C=4.7uF	
C3216X7R1C475M	C=4.7uF	Hide in Default
C3216X7R1V685K	C=6.8uF	
C3216X7R1V685M	C=6.8uF	Hide in Default
C3216X7R1E685K	C=6.8uF	
C3216X7R1E685M	C=6.8uF	Hide in Default
C3216X7R1C685K	C=6.8uF	
C3216X7R1C685M	C=6.8uF	Hide in Default
C3216X7R1V106K	C=10uF	
C3216X7R1V106M	C=10uF	Hide in Default
C3216X7R1E106K	C=10uF	
C3216X7R1E106M	C=10uF	Hide in Default
C3216X7R1C106K	C=10uF	
C3216X7R1C106M	C=10uF	Hide in Default
C3216X7R1A106K	C=10uF	
C3216X7R1A106M	C=10uF	Hide in Default
C3216X7R1H105M(SOFT)	C=1uF	
C3216X7R1H225M(SOFT)	C=2.2uF	
C3216X7R1V475M(SOFT)	C=4.7uF	
C3216X7R1E106M(SOFT)	C=10uF	
C3216X7R2J102K	C=1000pF	
C3216X7R2J102M	C=1000pF	Hide in Default
C3216X7R2J152K	C=1500pF	
C3216X7R2J152M	C=1500pF	Hide in Default
C3216X7R2J222K	C=2200pF	
C3216X7R2J222M	C=2200pF	Hide in Default
C3216X7R2J332K	C=3300pF	
C3216X7R2J332M	C=3300pF	Hide in Default
C3216X7R2J472K	C=4700pF	
C3216X7R2J472M	C=4700pF	Hide in Default
C3216X7R2J682K	C=6800pF	
C3216X7R2J682M	C=6800pF	Hide in Default
C3216X7R2J103K	C=10000pF	
C3216X7R2J103M	C=10000pF	Hide in Default

C3216X7R2J153K	C=15000pF	
C3216X7R2J153M	C=15000pF	Hide in Default
C3216X7R2J223K	C=22000pF	
C3216X7R2J223M	C=22000pF	Hide in Default
C3216X7R2J333K	C=33000pF	
C3216X7R2J333M	C=33000pF	Hide in Default
C3216X7R2E333K	C=33000pF	
C3216X7R2E333M	C=33000pF	Hide in Default
C3216X7R2E473K	C=47000pF	
C3216X7R2E473M	C=47000pF	Hide in Default
C3216X7R2E683K	C=68000pF	
C3216X7R2E683M	C=68000pF	Hide in Default
C3216X7R2E104K	C=0.1uF	
C3216X7R2E104M	C=0.1uF	Hide in Default
C3216X7R2A154K	C=0.15uF	
C3216X7R2A154M	C=0.15uF	Hide in Default
C3216X7R2A224K	C=0.22uF	
C3216X7R2A224M	C=0.22uF	Hide in Default
C3216X7R2A334K	C=0.33uF	
C3216X7R2A334M	C=0.33uF	Hide in Default
C3216X7R2A474K	C=0.47uF	
C3216X7R2A474M	C=0.47uF	Hide in Default
C3216X7R2A684K	C=0.68uF	
C3216X7R2A684M	C=0.68uF	Hide in Default
C3216X7R2A105K	C=1uF	
C3216X7R2A105M	C=1uF	Hide in Default
C3216X7R2J103M(SOFT)	C=10000pF	
C3216X7R2J223M(SOFT)	C=22000pF	
C3216X7R2E104M(SOFT)	C=0.1uF	
C3216X7R2A474M(SOFT)	C=0.47uF	
C3216X7R2A105M(SOFT)	C=1uF	

## C3225X7R Series - 22(37) Products

Product Name	Main Characteristic	Note
C3225X7R1H474K	C=0.47uF	
C3225X7R1H474M	C=0.47uF	Hide in Default
C3225X7R1H105K[T=1.60mm]	C=1uF	
C3225X7R1H105M[T=1.60mm]	C=1uF	Hide in Default
C3225X7R1H105K[T=2.00mm]	C=1uF	
C3225X7R1H105M[T=2.00mm]	C=1uF	Hide in Default
C3225X7R1H225K[T=2.00mm]	C=2.2uF	
C3225X7R1H225M[T=2.00mm]	C=2.2uF	Hide in Default
C3225X7R1H225K[T=2.50mm]	C=2.2uF	
C3225X7R1H225M[T=2.50mm]	C=2.2uF	Hide in Default
C3225X7R1E225K	C=2.2uF	
C3225X7R1E225M	C=2.2uF	Hide in Default
C3225X7R1H475K	C=4.7uF	
C3225X7R1H475M	C=4.7uF	Hide in Default

C3225X7R1E685K	C=6.8uF	
C3225X7R1E685M	C=6.8uF	Hide in Default
C3225X7R1E106K	C=10uF	
C3225X7R1E106M	C=10uF	Hide in Default
C3225X7R1C156M	C=15uF	
C3225X7R1C226M	C=22uF	
C3225X7R1A226M	C=22uF	
C3225X7R2J473K	C=47000pF	
C3225X7R2J473M	C=47000pF	Hide in Default
C3225X7R2J683K	C=68000pF	
C3225X7R2J683M	C=68000pF	Hide in Default
C3225X7R2E154K	C=0.15uF	
C3225X7R2E154M	C=0.15uF	Hide in Default
C3225X7R2E224K	C=0.22uF	
C3225X7R2E224M	C=0.22uF	Hide in Default
C3225X7R2A155K	C=1.5uF	
C3225X7R2A155M	C=1.5uF	Hide in Default
C3225X7R2A225K	C=2.2uF	
C3225X7R2A225M	C=2.2uF	Hide in Default
C3225X7R2J473M(SOFT)	C=47000pF	
C3225X7R2E104M(SOFT)	C=0.1uF	
C3225X7R2E224M(SOFT)	C=0.22uF	
C3225X7R2A225M(SOFT)	C=2.2uF	

## C4520X7R Series - 4 Products

Product Name	Main Characteristic	Note
C4520X7R3D471K	C=470pF	
C4520X7R3A471K	C=470pF	
C4520X7R3D102K	C=1000pF	
C4520X7R3A102K	C=1000pF	

## C4532X7R Series - 19(29) Products

Product Name	Main Characteristic	Note
C4532X7R1H105K	C=1uF	
C4532X7R1H105M	C=1uF	Hide in Default
C4532X7R1H155K	C=1.5uF	
C4532X7R1H155M	C=1.5uF	Hide in Default
C4532X7R1H475K	C=4.7uF	
C4532X7R1H475M	C=4.7uF	Hide in Default
C4532X7R1E475K	C=4.7uF	
C4532X7R1E475M	C=4.7uF	Hide in Default
C4532X7R1H685K	C=6.8uF	
C4532X7R1H685M	C=6.8uF	Hide in Default
C4532X7R1E106K	C=10uF	
C4532X7R1E106M	C=10uF	Hide in Default
C4532X7R1C106K	C=10uF	
C4532X7R1C106M	C=10uF	Hide in Default
C4532X7R1E156M[T=2.50mm]	C=15uF	

C4532X7R1E226M	C=22uF	
C4532X7R1C226M[T=2.00mm]	C=22uF	
C4532X7R1C226M[T=2.30mm]	C=22uF	
C4532X7R1C336M	C=33uF	
C4532X7R2J104K	C=0.1uF	
C4532X7R2J104M	C=0.1uF	Hide in Default
C4532X7R2E334K	C=0.33uF	
C4532X7R2E334M	C=0.33uF	Hide in Default
C4532X7R2E474K	C=0.47uF	
C4532X7R2E474M	C=0.47uF	Hide in Default
C4532X7R2E474M(SOFT)	C=0.47uF	
C4532X7R3D222K	C=2200pF	
C4532X7R3A472K	C=4700pF	
C4532X7R3A103K	C=10000pF	

## C5750X7R Series - 16(26) Products

Product Name	Main Characteristic	Note
C5750X7R1H475K	C=4.7uF	
C5750X7R1H475M	C=4.7uF	Hide in Default
C5750X7R1H685K	C=6.8uF	
C5750X7R1H685M	C=6.8uF	Hide in Default
C5750X7R1H106K	C=10uF	
C5750X7R1H106M	C=10uF	Hide in Default
C5750X7R1E106K	C=10uF	
C5750X7R1E106M	C=10uF	Hide in Default
C5750X7R1E156M	C=15uF	
C5750X7R1E226M	C=22uF	
C5750X7R1C226M	C=22uF	
C5750X7R1C336M	C=33uF	
C5750X7R1C476M	C=47uF	
C5750X7R2J154K	C=0.15uF	
C5750X7R2J154M	C=0.15uF	Hide in Default
C5750X7R2J224K	C=0.22uF	
C5750X7R2J224M	C=0.22uF	Hide in Default
C5750X7R2E684K	C=0.68uF	
C5750X7R2E684M	C=0.68uF	Hide in Default
C5750X7R2E105K	C=1uF	
C5750X7R2E105M	C=1uF	Hide in Default
C5750X7R2A335K	C=3.3uF	
C5750X7R2A335M	C=3.3uF	Hide in Default
C5750X7R2A475K	C=4.7uF	
C5750X7R2A475M	C=4.7uF	Hide in Default
C5750X7R2E105M(SOFT)	C=1uF	

## C1005X7S Series - 7(14) Products

Product Name	Main Characteristic	Note
C1005X7S2A102K	C=1000pF	
C1005X7S2A102M	C=1000pF	Hide in Default

C1005X7S2A152K	C=1500pF	
C1005X7S2A152M	C=1500pF	Hide in Default
C1005X7S2A222K	C=2200pF	
C1005X7S2A222M	C=2200pF	Hide in Default
C1005X7S2A332K	C=3300pF	
C1005X7S2A332M	C=3300pF	Hide in Default
C1005X7S2A472K	C=4700pF	
C1005X7S2A472M	C=4700pF	Hide in Default
C1005X7S2A682K	C=6800pF	
C1005X7S2A682M	C=6800pF	Hide in Default
C1005X7S2A103K	C=10000pF	
C1005X7S2A103M	C=10000pF	Hide in Default

## C1608X7S Series - 5(9) Products

Product Name	Main Characteristic	Note
C1608X7S0G475M	C=4.7uF	New
C1608X7S2A333K	C=33000pF	
C1608X7S2A333M	C=33000pF	Hide in Default
C1608X7S2A473K	C=47000pF	
C1608X7S2A473M	C=47000pF	Hide in Default
C1608X7S2A683K	C=68000pF	
C1608X7S2A683M	C=68000pF	Hide in Default
C1608X7S2A104K	C=0.1uF	
C1608X7S2A104M	C=0.1uF	Hide in Default

## C2012X7S Series - 10(16) Products

Product Name	Main Characteristic	Note
C2012X7S0G226M	C=22uF	New
C2012X7S2A154K	C=0.15uF	
C2012X7S2A154M	C=0.15uF	Hide in Default
C2012X7S2A224K	C=0.22uF	
C2012X7S2A224M	C=0.22uF	Hide in Default
C2012X7S2A334K	C=0.33uF	
C2012X7S2A334M	C=0.33uF	Hide in Default
C2012X7S2A474K	C=0.47uF	
C2012X7S2A474M	C=0.47uF	Hide in Default
C2012X7S2A684K	C=0.68uF	
C2012X7S2A684M	C=0.68uF	Hide in Default
C2012X7S2A105K	C=1uF	
C2012X7S2A105M	C=1uF	Hide in Default
C2012X7S2A224M(SOFT)	C=0.22uF	
C2012X7S2A474M(SOFT)	C=0.47uF	
C2012X7S2A105M(SOFT)	C=1uF	

## C3216X7S Series - 7(9) Products

Product Name	Main Characteristic	Note
C3216X7S1A226M	C=22uF	New

C3216X7S0J226M	C=22uF	New
C3216X7S0J476M	C=47uF	New
C3216X7S0G476M	C=47uF	New
C3216X7S2A155K	C=1.5uF	
C3216X7S2A155M	C=1.5uF	Hide in Default
C3216X7S2A225K	C=2.2uF	
C3216X7S2A225M	C=2.2uF	Hide in Default
C3216X7S2A225M(SOFT)	C=2.2uF	

## C3225X7S Series - 8(12) Products

Product Name	Main Characteristic	Note
C3225X7S1H685K	C=6.8uF	
C3225X7S1H685M	C=6.8uF	Hide in Default
C3225X7S1H106K	C=10uF	
C3225X7S1H106M	C=10uF	Hide in Default
C3225X7S0J476M	C=47uF	
C3225X7S1H475M(SOFT)	C=4.7uF	
C3225X7S1H106M(SOFT)	C=10uF	
C3225X7S2A335K	C=3.3uF	
C3225X7S2A335M	C=3.3uF	Hide in Default
C3225X7S2A475K	C=4.7uF	
C3225X7S2A475M	C=4.7uF	Hide in Default
C3225X7S2A475M(SOFT)	C=4.7uF	

## C4532X7S Series - 2(4) Products

Product Name	Main Characteristic	Note
C4532X7S2A335K	C=3.3uF	
C4532X7S2A335M	C=3.3uF	Hide in Default
C4532X7S2A475K	C=4.7uF	
C4532X7S2A475M	C=4.7uF	Hide in Default

## C5750X7S Series - 4(7) Products

Product Name	Main Characteristic	Note
C5750X7S2A685K	C=6.8uF	
C5750X7S2A685M	C=6.8uF	Hide in Default
C5750X7S2A106K	C=10uF	
C5750X7S2A106M	C=10uF	Hide in Default
C5750X7S2A156K	C=15uF	
C5750X7S2A156M	C=15uF	Hide in Default
C5750X7S2A106M(SOFT)	C=10uF	

## C2012X7T Series - 19(33) Products

Product Name	Main Characteristic	Note
C2012X7T2W103K	C=10000pF	
C2012X7T2W103M	C=10000pF	Hide in Default
C2012X7T2V103K	C=10000pF	
C2012X7T2V103M	C=10000pF	Hide in Default

C2012X7T2W153K	C=15000pF	
C2012X7T2W153M	C=15000pF	Hide in Default
C2012X7T2V153K	C=15000pF	
C2012X7T2V153M	C=15000pF	Hide in Default
C2012X7T2W223K	C=22000pF	
C2012X7T2W223M	C=22000pF	Hide in Default
C2012X7T2V223K	C=22000pF	
C2012X7T2V223M	C=22000pF	Hide in Default
C2012X7T2W333K	C=33000pF	
C2012X7T2W333M	C=33000pF	Hide in Default
C2012X7T2V333K	C=33000pF	
C2012X7T2V333M	C=33000pF	Hide in Default
C2012X7T2E333K	C=33000pF	
C2012X7T2E333M	C=33000pF	Hide in Default
C2012X7T2W473K	C=47000pF	
C2012X7T2W473M	C=47000pF	Hide in Default
C2012X7T2V473K	C=47000pF	
C2012X7T2V473M	C=47000pF	Hide in Default
C2012X7T2E473K	C=47000pF	
C2012X7T2E473M	C=47000pF	Hide in Default
C2012X7T2E683K	C=68000pF	
C2012X7T2E683M	C=68000pF	Hide in Default
C2012X7T2E104K	C=0.1uF	
C2012X7T2E104M	C=0.1uF	Hide in Default
C2012X7T2W103M(SOFT)	C=10000pF	
C2012X7T2W223M(SOFT)	C=22000pF	
C2012X7T2W473M(SOFT)	C=47000pF	
C2012X7T2E473M(SOFT)	C=47000pF	
C2012X7T2E104M(SOFT)	C=0.1uF	

## C3216X7T Series - 14(25) Products

Product Name	Main Characteristic	Note
C3216X7T2J103K	C=10000pF	
C3216X7T2J103M	C=10000pF	Hide in Default
C3216X7T2J153K	C=15000pF	
C3216X7T2J153M	C=15000pF	Hide in Default
C3216X7T2J223K	C=22000pF	
C3216X7T2J223M	C=22000pF	Hide in Default
C3216X7T2J333K	C=33000pF	
C3216X7T2J333M	C=33000pF	Hide in Default
C3216X7T2J473K	C=47000pF	
C3216X7T2J473M	C=47000pF	Hide in Default
C3216X7T2W683K	C=68000pF	
C3216X7T2W683M	C=68000pF	Hide in Default
C3216X7T2V683K	C=68000pF	
C3216X7T2V683M	C=68000pF	Hide in Default
C3216X7T2W104K	C=0.1uF	
C3216X7T2W104M	C=0.1uF	Hide in Default

C3216X7T2V104K	C=0.1uF	
C3216X7T2V104M	C=0.1uF	Hide in Default
C3216X7T2E154K	C=0.15uF	
C3216X7T2E154M	C=0.15uF	Hide in Default
C3216X7T2E224K	C=0.22uF	
C3216X7T2E224M	C=0.22uF	Hide in Default
C3216X7T2J473M(SOFT)	C=47000pF	
C3216X7T2W104M(SOFT)	C=0.1uF	
C3216X7T2E224M(SOFT)	C=0.22uF	

## C3225X7T Series - 6(10) Products

Product Name	Main Characteristic	Note
C3225X7T2J104K	C=0.1uF	
C3225X7T2J104M	C=0.1uF	Hide in Default
C3225X7T2J154K	C=0.15uF	
C3225X7T2J154M	C=0.15uF	Hide in Default
C3225X7T2W224K	C=0.22uF	
C3225X7T2W224M	C=0.22uF	Hide in Default
C3225X7T2E334K	C=0.33uF	
C3225X7T2E334M	C=0.33uF	Hide in Default
C3225X7T2J104M(SOFT)	C=0.1uF	
C3225X7T2W224M(SOFT)	C=0.22uF	

## C4532X7T Series - 10(17) Products

Product Name	Main Characteristic	Note
C4532X7T2J154K	C=0.15uF	
C4532X7T2J154M	C=0.15uF	Hide in Default
C4532X7T2J224K	C=0.22uF	
C4532X7T2J224M	C=0.22uF	Hide in Default
C4532X7T2J304K	C=0.3uF	
C4532X7T2J304M	C=0.3uF	Hide in Default
C4532X7T2W334K	C=0.33uF	
C4532X7T2W334M	C=0.33uF	Hide in Default
C4532X7T2W474K	C=0.47uF	
C4532X7T2W474M	C=0.47uF	Hide in Default
C4532X7T2E684K	C=0.68uF	
C4532X7T2E684M	C=0.68uF	Hide in Default
C4532X7T2E105K	C=1uF	
C4532X7T2E105M	C=1uF	Hide in Default
C4532X7T2J224M(SOFT)	C=0.22uF	
C4532X7T2W474M(SOFT)	C=0.47uF	
C4532X7T2E105M(SOFT)	C=1uF	

## C5750X7T Series - 9(15) Products

Product Name	Main Characteristic	Note
C5750X7T2J334K	C=0.33uF	
C5750X7T2J334M	C=0.33uF	Hide in Default

C5750X7T2J474K	C=0.47uF	
C5750X7T2J474M	C=0.47uF	Hide in Default
C5750X7T2W684K	C=0.68uF	
C5750X7T2W684M	C=0.68uF	Hide in Default
C5750X7T2W105K	C=1uF	
C5750X7T2W105M	C=1uF	Hide in Default
C5750X7T2E155K	C=1.5uF	
C5750X7T2E155M	C=1.5uF	Hide in Default
C5750X7T2E225K	C=2.2uF	
C5750X7T2E225M	C=2.2uF	Hide in Default
C5750X7T2J474M(SOFT)	C=0.47uF	
C5750X7T2W105M(SOFT)	C=1uF	
C5750X7T2E225M(SOFT)	C=2.2uF	

## C1005X8R Series - 12 Products

Product Name	Main Characteristic	Note
C1005X8R1H151K	C=150pF	
C1005X8R1H221K	C=220pF	
C1005X8R1H331K	C=330pF	
C1005X8R1H471K	C=470pF	
C1005X8R1H681K	C=680pF	
C1005X8R1H102K	C=1000pF	
C1005X8R1H152K	C=1500pF	
C1005X8R1H222K	C=2200pF	
C1005X8R1H332K	C=3300pF	
C1005X8R1H472K	C=4700pF	
C1005X8R1E682K	C=6800pF	
C1005X8R1E103K	C=10000pF	

## C1608X8R Series - 21 Products

Product Name	Main Characteristic	Note
C1608X8R2A102K	C=1000pF	
C1608X8R1H102K	C=1000pF	
C1608X8R2A152K	C=1500pF	
C1608X8R1H152K	C=1500pF	
C1608X8R2A222K	C=2200pF	
C1608X8R1H222K	C=2200pF	
C1608X8R2A332K	C=3300pF	
C1608X8R1H332K	C=3300pF	
C1608X8R2A472K	C=4700pF	
C1608X8R1H472K	C=4700pF	
C1608X8R2A682K	C=6800pF	
C1608X8R1H682K	C=6800pF	
C1608X8R2A103K	C=10000pF	
C1608X8R1H103K	C=10000pF	
C1608X8R2A153K	C=15000pF	
C1608X8R1H153K	C=15000pF	
C1608X8R1H223K	C=22000pF	

C1608X8R1H333K	C=33000pF	
C1608X8R1H473K	C=47000pF	
C1608X8R1E683K	C=68000pF	
C1608X8R1E104K	C=0.1uF	

## C2012X8R Series - 6 Products

Product Name	Main Characteristic	Note
C2012X8R2A223K	C=22000pF	
C2012X8R1H683K	C=68000pF	
C2012X8R1H104K	C=0.1uF	
C2012X8R1E154K	C=0.15uF	
C2012X8R1E224K	C=0.22uF	
C2012X8R1E334K	C=0.33uF	

## C3216X8R Series - 13 Products

Product Name	Main Characteristic	Note
C3216X8R2A333K	C=33000pF	
C3216X8R2A473K	C=47000pF	
C3216X8R2A683K	C=68000pF	
C3216X8R2A104K	C=0.1uF	
C3216X8R2A154K	C=0.15uF	
C3216X8R1H154K	C=0.15uF	
C3216X8R1H224K	C=0.22uF	
C3216X8R1H334K	C=0.33uF	
C3216X8R1E334K	C=0.33uF	
C3216X8R1H474K	C=0.47uF	
C3216X8R1E474K	C=0.47uF	
C3216X8R1E684K	C=0.68uF	
C3216X8R1E105K	C=1uF	

## C3225X8R Series - 3 Products

Product Name	Main Characteristic	Note
C3225X8R1E155K	C=1.5uF	
C3225X8R1E225K	C=2.2uF	
C3225X8R1E335K	C=3.3uF	

## C1005JF Series - 7 Products

Product Name	Main Characteristic	Note
C1005JF1H103Z	C=10000pF	
C1005JF1E104Z	C=0.1uF	
C1005JF1E224Z	C=0.22uF	
C1005JF1C224Z	C=0.22uF	
C1005JF1A224Z	C=0.22uF	
C1005JF1A474Z	C=0.47uF	
C1005JF0J105Z	C=1uF	

## C1608JF Series - 11 Products

Product Name	Main Characteristic	Note
C1608JF1H104Z	C=0.1uF	
C1608JF1E104Z	C=0.1uF	
C1608JF1C104Z	C=0.1uF	
C1608JF1H224Z	C=0.22uF	
C1608JF1E224Z	C=0.22uF	
C1608JF1H474Z	C=0.47uF	
C1608JF1E474Z	C=0.47uF	
C1608JF1E105Z	C=1uF	
C1608JF1C105Z	C=1uF	
C1608JF1C225Z	C=2.2uF	
C1608JF0J475Z	C=4.7uF	

## C2012JF Series - 22 Products

Product Name	Main Characteristic	Note
C2012JF1H104Z[T=0.60mm]	C=0.1uF	
C2012JF1H104Z[T=0.85mm]	C=0.1uF	
C2012JF1H474Z	C=0.47uF	
C2012JF1H105Z[T=0.85mm]	C=1uF	
C2012JF1H105Z[T=1.25mm]	C=1uF	
C2012JF1E105Z[T=0.85mm]	C=1uF	
C2012JF1E105Z[T=1.25mm]	C=1uF	
C2012JF1C105Z[T=0.85mm]	C=1uF	
C2012JF1C105Z[T=1.25mm]	C=1uF	
C2012JF1H225Z	C=2.2uF	
C2012JF1E225Z	C=2.2uF	
C2012JF1C225Z[T=0.85mm]	C=2.2uF	
C2012JF1C225Z[T=1.25mm]	C=2.2uF	
C2012JF1E475Z	C=4.7uF	
C2012JF1C475Z[T=0.85mm]	C=4.7uF	
C2012JF1C475Z[T=1.25mm]	C=4.7uF	
C2012JF1A475Z[T=0.85mm]	C=4.7uF	
C2012JF1A475Z[T=1.25mm]	C=4.7uF	
C2012JF1C106Z	C=10uF	
C2012JF1A106Z	C=10uF	
C2012JF0J106Z	C=10uF	
C2012JF0J226Z	C=22uF	

## C3216JF Series - 14 Products

Product Name	Main Characteristic	Note
C3216JF1H225Z[T=0.85mm]	C=2.2uF	
C3216JF1H225Z[T=1.15mm]	C=2.2uF	
C3216JF1H475Z	C=4.7uF	
C3216JF1E475Z[T=0.85mm]	C=4.7uF	
C3216JF1E475Z[T=1.15mm]	C=4.7uF	
C3216JF1C475Z[T=0.85mm]	C=4.7uF	
C3216JF1C475Z[T=1.15mm]	C=4.7uF	
C3216JF1C475Z[T=1.30mm]	C=4.7uF	

C3216JF1E106Z	C=10uF	
C3216JF1C106Z	C=10uF	
C3216JF1A106Z[T=0.85mm]	C=10uF	
C3216JF1A106Z[T=1.15mm]	C=10uF	
C3216JF1C226Z	C=22uF	
C3216JF0J476Z	C=47uF	

## C3225JF Series - 14 Products

Product Name	Main Characteristic	Note
C3225JF1H475Z[T=1.15mm]	C=4.7uF	
C3225JF1H475Z[T=1.60mm]	C=4.7uF	
C3225JF1H106Z	C=10uF	
C3225JF1E106Z[T=1.30mm]	C=10uF	
C3225JF1E106Z[T=1.60mm]	C=10uF	
C3225JF1C106Z[T=1.15mm]	C=10uF	
C3225JF1C106Z[T=1.60mm]	C=10uF	
C3225JF1E226Z	C=22uF	
C3225JF1C226Z[T=1.30mm]	C=22uF	
C3225JF1C226Z[T=2.00mm]	C=22uF	
C3225JF1A226Z	C=22uF	
C3225JF1C476Z	C=47uF	
C3225JF1A476Z	C=47uF	
C3225JF0J107Z	C=100uF	

## C4532JF Series - 1 Product

Product Name	Main Characteristic	Note
C4532JF1A107Z	C=100uF	

## C5750JF Series - 4 Products

Product Name	Main Characteristic	Note
C5750JF1H226Z	C=22uF	
C5750JF1E476Z	C=47uF	
C5750JF1C107Z	C=100uF	
C5750JF1A107Z	C=100uF	

## C1005Y5V Series - 7 Products

Product Name	Main Characteristic	Note
C1005Y5V1H103Z	C=10000pF	
C1005Y5V1E104Z	C=0.1uF	
C1005Y5V1E224Z	C=0.22uF	
C1005Y5V1C224Z	C=0.22uF	
C1005Y5V1A224Z	C=0.22uF	
C1005Y5V1A474Z	C=0.47uF	
C1005Y5V0J105Z	C=1uF	

## C1608Y5V Series - 11 Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

C1608Y5V1H104Z	C=0.1uF	
C1608Y5V1E104Z	C=0.1uF	
C1608Y5V1C104Z	C=0.1uF	
C1608Y5V1H224Z	C=0.22uF	
C1608Y5V1E224Z	C=0.22uF	
C1608Y5V1H474Z	C=0.47uF	
C1608Y5V1E474Z	C=0.47uF	
C1608Y5V1E105Z	C=1uF	
C1608Y5V1C105Z	C=1uF	
C1608Y5V1C225Z	C=2.2uF	
C1608Y5V0J475Z	C=4.7uF	

## C2012Y5V Series - 22 Products

Product Name	Main Characteristic	Note
C2012Y5V1H104Z[T=0.60mm]	C=0.1uF	
C2012Y5V1H104Z[T=0.85mm]	C=0.1uF	
C2012Y5V1H474Z	C=0.47uF	
C2012Y5V1H105Z[T=0.85mm]	C=1uF	
C2012Y5V1H105Z[T=1.25mm]	C=1uF	
C2012Y5V1E105Z[T=0.85mm]	C=1uF	
C2012Y5V1E105Z[T=1.25mm]	C=1uF	
C2012Y5V1C105Z[T=0.85mm]	C=1uF	
C2012Y5V1C105Z[T=1.25mm]	C=1uF	
C2012Y5V1H225Z	C=2.2uF	
C2012Y5V1E225Z	C=2.2uF	
C2012Y5V1C225Z[T=0.85mm]	C=2.2uF	
C2012Y5V1C225Z[T=1.25mm]	C=2.2uF	
C2012Y5V1E475Z	C=4.7uF	
C2012Y5V1C475Z[T=0.85mm]	C=4.7uF	
C2012Y5V1C475Z[T=1.25mm]	C=4.7uF	
C2012Y5V1A475Z[T=0.85mm]	C=4.7uF	
C2012Y5V1A475Z[T=1.25mm]	C=4.7uF	
C2012Y5V1C106Z	C=10uF	
C2012Y5V1A106Z	C=10uF	
C2012Y5V0J106Z	C=10uF	
C2012Y5V0J226Z	C=22uF	

## C3216Y5V Series - 14 Products

Product Name	Main Characteristic	Note
C3216Y5V1H225Z[T=0.85mm]	C=2.2uF	
C3216Y5V1H225Z[T=1.15mm]	C=2.2uF	
C3216Y5V1H475Z	C=4.7uF	
C3216Y5V1E475Z[T=0.85mm]	C=4.7uF	
C3216Y5V1E475Z[T=1.15mm]	C=4.7uF	
C3216Y5V1C475Z[T=0.85mm]	C=4.7uF	
C3216Y5V1C475Z[T=1.15mm]	C=4.7uF	
C3216Y5V1C475Z[T=1.30mm]	C=4.7uF	
C3216Y5V1E106Z	C=10uF	

C3216Y5V1C106Z	C=10uF	
C3216Y5V1A106Z[T=0.85mm]	C=10uF	
C3216Y5V1A106Z[T=1.15mm]	C=10uF	
C3216Y5V1C226Z	C=22uF	
C3216Y5V0J476Z	C=47uF	

## C3225Y5V Series - 14 Products

Product Name	Main Characteristic	Note
C3225Y5V1H475Z[T=1.15mm]	C=4.7uF	
C3225Y5V1H475Z[T=1.60mm]	C=4.7uF	
C3225Y5V1H106Z	C=10uF	
C3225Y5V1E106Z[T=1.30mm]	C=10uF	
C3225Y5V1E106Z[T=1.60mm]	C=10uF	
C3225Y5V1C106Z[T=1.15mm]	C=10uF	
C3225Y5V1C106Z[T=1.60mm]	C=10uF	
C3225Y5V1E226Z	C=22uF	
C3225Y5V1C226Z[T=1.30mm]	C=22uF	
C3225Y5V1C226Z[T=2.00mm]	C=22uF	
C3225Y5V1A226Z	C=22uF	
C3225Y5V1C476Z	C=47uF	
C3225Y5V1A476Z	C=47uF	
C3225Y5V0J107Z	C=100uF	

## C4532Y5V Series - 1 Product

Product Name	Main Characteristic	Note
C4532Y5V1A107Z	C=100uF	

## C5750Y5V Series - 4 Products

Product Name	Main Characteristic	Note
C5750Y5V1H226Z	C=22uF	
C5750Y5V1E476Z	C=47uF	
C5750Y5V1C107Z	C=100uF	
C5750Y5V1A107Z	C=100uF	

## C0603C0G\_High-Q Series - 46(92) Products

Product Name	Main Characteristic	Note
C0603C0G1E0R2W(High-Q)	C=0.2pF	Hide in Default
C0603C0G1E0R2B(High-Q)	C=0.2pF	
C0603C0G1E0R3W(High-Q)	C=0.3pF	Hide in Default
C0603C0G1E0R3B(High-Q)	C=0.3pF	
C0603C0G1E0R4W(High-Q)	C=0.4pF	Hide in Default
C0603C0G1E0R4B(High-Q)	C=0.4pF	
C0603C0G1E0R5W(High-Q)	C=0.5pF	Hide in Default
C0603C0G1E0R5B(High-Q)	C=0.5pF	
C0603C0G1E0R6W(High-Q)	C=0.6pF	Hide in Default
C0603C0G1E0R6B(High-Q)	C=0.6pF	
C0603C0G1E0R7W(High-Q)	C=0.7pF	Hide in Default

C0603C0G1E0R7B(High-Q)	C=0.7pF	
C0603C0G1E0R8W(High-Q)	C=0.8pF	Hide in Default
C0603C0G1E0R8B(High-Q)	C=0.8pF	
C0603C0G1E0R9W(High-Q)	C=0.9pF	Hide in Default
C0603C0G1E0R9B(High-Q)	C=0.9pF	
C0603C0G1E010B(High-Q)	C=1.0pF	Hide in Default
C0603C0G1E010C(High-Q)	C=1.0pF	
C0603C0G1E1R1B(High-Q)	C=1.1pF	Hide in Default
C0603C0G1E1R1C(High-Q)	C=1.1pF	
C0603C0G1E1R2B(High-Q)	C=1.2pF	Hide in Default
C0603C0G1E1R2C(High-Q)	C=1.2pF	
C0603C0G1E1R3B(High-Q)	C=1.3pF	Hide in Default
C0603C0G1E1R3C(High-Q)	C=1.3pF	
C0603C0G1E1R5B(High-Q)	C=1.5pF	Hide in Default
C0603C0G1E1R5C(High-Q)	C=1.5pF	
C0603C0G1E1R6B(High-Q)	C=1.6pF	Hide in Default
C0603C0G1E1R6C(High-Q)	C=1.6pF	
C0603C0G1E1R8B(High-Q)	C=1.8pF	Hide in Default
C0603C0G1E1R8C(High-Q)	C=1.8pF	
C0603C0G1E020B(High-Q)	C=2.0pF	Hide in Default
C0603C0G1E020C(High-Q)	C=2.0pF	
C0603C0G1E2R2B(High-Q)	C=2.2pF	Hide in Default
C0603C0G1E2R2C(High-Q)	C=2.2pF	
C0603C0G1E2R4B(High-Q)	C=2.4pF	Hide in Default
C0603C0G1E2R4C(High-Q)	C=2.4pF	
C0603C0G1E2R7B(High-Q)	C=2.7pF	Hide in Default
C0603C0G1E2R7C(High-Q)	C=2.7pF	
C0603C0G1E030B(High-Q)	C=3.0pF	Hide in Default
C0603C0G1E030C(High-Q)	C=3.0pF	
C0603C0G1E3R3B(High-Q)	C=3.3pF	Hide in Default
C0603C0G1E3R3C(High-Q)	C=3.3pF	
C0603C0G1E3R6B(High-Q)	C=3.6pF	Hide in Default
C0603C0G1E3R6C(High-Q)	C=3.6pF	
C0603C0G1E3R9B(High-Q)	C=3.9pF	Hide in Default
C0603C0G1E3R9C(High-Q)	C=3.9pF	
C0603C0G1E040B(High-Q)	C=4.0pF	Hide in Default
C0603C0G1E040C(High-Q)	C=4.0pF	
C0603C0G1E4R3B(High-Q)	C=4.3pF	Hide in Default
C0603C0G1E4R3C(High-Q)	C=4.3pF	
C0603C0G1E4R7B(High-Q)	C=4.7pF	Hide in Default
C0603C0G1E4R7C(High-Q)	C=4.7pF	
C0603C0G1E050B(High-Q)	C=5.0pF	Hide in Default
C0603C0G1E050C(High-Q)	C=5.0pF	
C0603C0G1E5R1B(High-Q)	C=5.1pF	Hide in Default
C0603C0G1E5R1C(High-Q)	C=5.1pF	
C0603C0G1E5R6B(High-Q)	C=5.6pF	Hide in Default
C0603C0G1E5R6C(High-Q)	C=5.6pF	
C0603C0G1E060B(High-Q)	C=6.0pF	Hide in Default

C0603C0G1E060C(High-Q)	C=6.0pF	
C0603C0G1E6R2B(High-Q)	C=6.2pF	Hide in Default
C0603C0G1E6R2C(High-Q)	C=6.2pF	
C0603C0G1E6R8B(High-Q)	C=6.8pF	Hide in Default
C0603C0G1E6R8C(High-Q)	C=6.8pF	
C0603C0G1E070B(High-Q)	C=7.0pF	Hide in Default
C0603C0G1E070C(High-Q)	C=7.0pF	
C0603C0G1E7R5B(High-Q)	C=7.5pF	Hide in Default
C0603C0G1E7R5C(High-Q)	C=7.5pF	
C0603C0G1E080B(High-Q)	C=8.0pF	Hide in Default
C0603C0G1E080C(High-Q)	C=8.0pF	
C0603C0G1E8R2B(High-Q)	C=8.2pF	Hide in Default
C0603C0G1E8R2C(High-Q)	C=8.2pF	
C0603C0G1E090B(High-Q)	C=9.0pF	Hide in Default
C0603C0G1E090C(High-Q)	C=9.0pF	
C0603C0G1E9R1B(High-Q)	C=9.1pF	Hide in Default
C0603C0G1E9R1C(High-Q)	C=9.1pF	
C0603C0G1E100D(High-Q)	C=10pF	Hide in Default
C0603C0G1E100E(High-Q)	C=10pF	
C0603C0G1E110G(High-Q)	C=11pF	Hide in Default
C0603C0G1E110J(High-Q)	C=11pF	
C0603C0G1E120G(High-Q)	C=12pF	Hide in Default
C0603C0G1E120J(High-Q)	C=12pF	
C0603C0G1E130G(High-Q)	C=13pF	Hide in Default
C0603C0G1E130J(High-Q)	C=13pF	
C0603C0G1E150G(High-Q)	C=15pF	Hide in Default
C0603C0G1E150J(High-Q)	C=15pF	
C0603C0G1E160G(High-Q)	C=16pF	Hide in Default
C0603C0G1E160J(High-Q)	C=16pF	
C0603C0G1E180G(High-Q)	C=18pF	Hide in Default
C0603C0G1E180J(High-Q)	C=18pF	
C0603C0G1E200G(High-Q)	C=20pF	Hide in Default
C0603C0G1E200J(High-Q)	C=20pF	

## C0816X5R Series - 8 Products

Product Name	Main Characteristic	Note
C0816X5R1C103M	C=10000pF	
C0816X5R1C223M	C=22000pF	
C0816X5R1C473M	C=47000pF	
C0816X5R1C104M	C=0.1uF	
C0816X5R1A224M	C=0.22uF	
C0816X5R0J474M	C=0.47uF	
C0816X5R0J105M	C=1uF	
C0816X5R0J225M	C=2.2uF	

## C1220X5R Series - 7 Products

Product Name	Main Characteristic	Note
C1220X5R1H103M	C=10000pF	

C1220X5R1H223M	C=22000pF	
C1220X5R1H473M	C=47000pF	
C1220X5R1E104M	C=0.1uF	
C1220X5R1C224M	C=0.22uF	
C1220X5R1A474M	C=0.47uF	
C1220X5R1A105M	C=1uF	

## C1632X5R Series - 13 Products

Product Name	Main Characteristic	Note
C1632X5R1H103M	C=10000pF	
C1632X5R1H223M	C=22000pF	
C1632X5R1H473M	C=47000pF	
C1632X5R1H104M	C=0.1uF	
C1632X5R1H224M	C=0.22uF	
C1632X5R1E224M	C=0.22uF	
C1632X5R1E474M	C=0.47uF	
C1632X5R1C474M	C=0.47uF	
C1632X5R1C105M	C=1uF	
C1632X5R1A105M	C=1uF	
C1632X5R1A225M	C=2.2uF	
C1632X5R0J475M	C=4.7uF	
C1632X5R0J106M	C=10uF	

## C0510X6S Series - 3 Products

Product Name	Main Characteristic	Note
C0510X6S0G104M	C=0.1uF	
C0510X6S0G224M	C=0.22uF	
C0510X6S0G474M	C=0.47uF	

## C0816X6S Series - 1 Product

Product Name	Main Characteristic	Note
C0816X6S0G475M	C=4.7uF	

## C0816X7R Series - 5 Products

Product Name	Main Characteristic	Note
C0816X7R1C103M	C=10000pF	
C0816X7R1C223M	C=22000pF	
C0816X7R1C473M	C=47000pF	
C0816X7R1C104M	C=0.1uF	
C0816X7R0J224M	C=0.22uF	

## C1220X7R Series - 7 Products

Product Name	Main Characteristic	Note
C1220X7R1H103M	C=10000pF	
C1220X7R1H223M	C=22000pF	
C1220X7R1H473M	C=47000pF	
C1220X7R1E104M	C=0.1uF	

C1220X7R1C224M	C=0.22uF	
C1220X7R0J474M	C=0.47uF	
C1220X7R0J105M	C=1uF	

## C1632X7R Series - 11 Products

Product Name	Main Characteristic	Note
C1632X7R1H103M	C=10000pF	
C1632X7R1H223M	C=22000pF	
C1632X7R1H473M	C=47000pF	
C1632X7R1H104M	C=0.1uF	
C1632X7R1H224M	C=0.22uF	
C1632X7R1E224M	C=0.22uF	
C1632X7R1E474M	C=0.47uF	
C1632X7R1C474M	C=0.47uF	
C1632X7R1C105M	C=1uF	
C1632X7R0J105M	C=1uF	
C1632X7R0J225M	C=2.2uF	

## C0816X7S Series - 3 Products

Product Name	Main Characteristic	Note
C0816X7S0G474M	C=0.47uF	
C0816X7S0G105M	C=1uF	
C0816X7S0G225M	C=2.2uF	

## C1632X7S Series - 2 Products

Product Name	Main Characteristic	Note
C1632X7S0G475M	C=4.7uF	
C1632X7S0G106M	C=10uF	

## CKG57NX5R Series - 4 Products

Product Name	Main Characteristic	Note
CKG57NX5R2A106M	C=10uF	
CKG57NX5R1H226M	C=22uF	
CKG57NX5R1E476M	C=47uF	
CKG57NX5R1C107M	C=100uF	

## CKG32KX7R Series - 9 Products

Product Name	Main Characteristic	Note
CKG32KX7R2J473M	C=47000pF	
CKG32KX7R2E104M	C=0.1uF	
CKG32KX7R2E224M	C=0.22uF	
CKG32KX7R2A474M	C=0.47uF	
CKG32KX7R2A105M	C=1uF	
CKG32KX7R1H105M	C=1uF	
CKG32KX7R2A225M	C=2.2uF	
CKG32KX7R1E475M	C=4.7uF	
CKG32KX7R1E106M	C=10uF	

## CKG45KX7R Series - 11 Products

Product Name	Main Characteristic	Note
CKG45KX7R2J104M	C=0.1uF	
CKG45KX7R2E224M	C=0.22uF	
CKG45KX7R2E474M	C=0.47uF	
CKG45KX7R2A105M	C=1uF	
CKG45KX7R1H155M	C=1.5uF	
CKG45KX7R2A225M	C=2.2uF	
CKG45KX7R1H335M	C=3.3uF	
CKG45KX7R1H475M	C=4.7uF	
CKG45KX7R1E475M	C=4.7uF	
CKG45KX7R1C106M	C=10uF	
CKG45KX7R1C226M	C=22uF	

## CKG45NX7R Series - 11 Products

Product Name	Main Characteristic	Note
CKG45NX7R2J224M	C=0.22uF	
CKG45NX7R2E474M	C=0.47uF	
CKG45NX7R2E105M	C=1uF	
CKG45NX7R2A225M	C=2.2uF	
CKG45NX7R1H335M	C=3.3uF	
CKG45NX7R2A475M	C=4.7uF	
CKG45NX7R1H685M	C=6.8uF	
CKG45NX7R1H106M	C=10uF	
CKG45NX7R1E106M	C=10uF	
CKG45NX7R1C226M	C=22uF	
CKG45NX7R1C476M	C=47uF	

## CKG57KX7R Series - 13 Products

Product Name	Main Characteristic	Note
CKG57KX7R2J224M	C=0.22uF	
CKG57KX7R2E474M	C=0.47uF	
CKG57KX7R2E105M	C=1uF	
CKG57KX7R2A105M	C=1uF	
CKG57KX7R2A225M	C=2.2uF	
CKG57KX7R2A335M	C=3.3uF	
CKG57KX7R2A475M	C=4.7uF	
CKG57KX7R1H475M	C=4.7uF	
CKG57KX7R1H106M	C=10uF	
CKG57KX7R1E106M	C=10uF	
CKG57KX7R1C156M	C=15uF	
CKG57KX7R1E226M	C=22uF	
CKG57KX7R1C476M	C=47uF	

## CKG57NX7R Series - 12 Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

CKG57NX7R2J474M	C=0.47uF	
CKG57NX7R2E105M	C=1uF	
CKG57NX7R2E225M	C=2.2uF	
CKG57NX7R2A225M	C=2.2uF	
CKG57NX7R2A475M	C=4.7uF	
CKG57NX7R2A106M	C=10uF	
CKG57NX7R1H106M	C=10uF	
CKG57NX7R1H226M	C=22uF	
CKG57NX7R1E226M	C=22uF	
CKG57NX7R1C336M	C=33uF	
CKG57NX7R1E476M	C=47uF	
CKG57NX7R1C107M	C=100uF	

## CKG32KX7S Series - 5 Products

Product Name	Main Characteristic	Note
CKG32KX7S2A335M	C=3.3uF	
CKG32KX7S2A475M	C=4.7uF	
CKG32KX7S1H475M	C=4.7uF	
CKG32KX7S1H685M	C=6.8uF	
CKG32KX7S1H106M	C=10uF	

## CKG45KX7S Series - 2 Products

Product Name	Main Characteristic	Note
CKG45KX7S2A335M	C=3.3uF	
CKG45KX7S2A475M	C=4.7uF	

## CKG45NX7S Series - 4 Products

Product Name	Main Characteristic	Note
CKG45NX7S2A685M	C=6.8uF	
CKG45NX7S2A106M	C=10uF	
CKG45NX7S1H106M	C=10uF	
CKG45NX7S1C476M	C=47uF	

## CKG57KX7S Series - 3 Products

Product Name	Main Characteristic	Note
CKG57KX7S2A685M	C=6.8uF	
CKG57KX7S2A106M	C=10uF	
CKG57KX7S2A156M	C=15uF	

## CKG57NX7S Series - 1 Product

Product Name	Main Characteristic	Note
CKG57NX7S2A226M	C=22uF	

## CKG32KX7T Series - 3 Products

Product Name	Main Characteristic	Note
CKG32KX7T2J154M	C=0.15uF	
CKG32KX7T2W224M	C=0.22uF	

CKG32KX7T2E334M	C=0.33uF	
-----------------	----------	--

## CKG45KX7T Series - 6 Products

Product Name	Main Characteristic	Note
CKG45KX7T2J154M	C=0.15uF	
CKG45KX7T2J224M	C=0.22uF	
CKG45KX7T2W334M	C=0.33uF	
CKG45KX7T2W474M	C=0.47uF	
CKG45KX7T2E684M	C=0.68uF	
CKG45KX7T2E105M	C=1uF	

## CKG45NX7T Series - 6 Products

Product Name	Main Characteristic	Note
CKG45NX7T2J334M	C=0.33uF	
CKG45NX7T2J474M	C=0.47uF	
CKG45NX7T2W684M	C=0.68uF	
CKG45NX7T2W105M	C=1uF	
CKG45NX7T2E155M	C=1.5uF	
CKG45NX7T2E225M	C=2.2uF	

## CKG57KX7T Series - 6 Products

Product Name	Main Characteristic	Note
CKG57KX7T2J334M	C=0.33uF	
CKG57KX7T2J474M	C=0.47uF	
CKG57KX7T2W684M	C=0.68uF	
CKG57KX7T2W105M	C=1uF	
CKG57KX7T2E155M	C=1.5uF	
CKG57KX7T2E225M	C=2.2uF	

## CKG57NX7T Series - 5 Products

Product Name	Main Characteristic	Note
CKG57NX7T2J684M	C=0.68uF	
CKG57NX7T2J105M	C=1uF	
CKG57NX7T2W155M	C=1.5uF	
CKG57NX7T2W225M	C=2.2uF	
CKG57NX7T2E335M	C=3.3uF	

## CERBxxX5R Series - 3 Products

Product Name	Main Characteristic	Note
CERB2CX5R0G105M	C=1uF [ ESR=0.2ohm ]	
CERB2MX5R0G105M	C=1uF [ ESR=0.65ohm ]	
CERB3UX5R0G105M	C=1uF [ ESR=1.2ohm ]	

## CERDxxX5R Series - 6 Products

Product Name	Main Characteristic	Note
CERD1CX5R0G106M	C=10uF [ ESR=0.02ohm ]	
CERD1FX5R0G106M	C=10uF [ ESR=0.035ohm ]	

CERD1JX5R0G106M	C=10uF [ ESR=0.05ohm ]	
CERD2AX5R0G106M	C=10uF [ ESR=0.1ohm ]	
CERD2CX5R0G106M	C=10uF [ ESR=0.2ohm ]	
CERD2JX5R0G106M	C=10uF [ ESR=0.5ohm ]	

## CGA2B2C0G Series - 39 Products

Product Name	Main Characteristic	Note
CGA2B2C0G1H010C	C=1pF	
CGA2B2C0G1H1R5C	C=1.5pF	
CGA2B2C0G1H020C	C=2pF	
CGA2B2C0G1H2R2C	C=2.2pF	
CGA2B2C0G1H030C	C=3pF	
CGA2B2C0G1H3R3C	C=3.3pF	
CGA2B2C0G1H040C	C=4pF	
CGA2B2C0G1H4R7C	C=4.7pF	
CGA2B2C0G1H050C	C=5pF	
CGA2B2C0G1H060D	C=6pF	
CGA2B2C0G1H6R8D	C=6.8pF	
CGA2B2C0G1H070D	C=7pF	
CGA2B2C0G1H080D	C=8pF	
CGA2B2C0G1H090D	C=9pF	
CGA2B2C0G1H100D	C=10pF	
CGA2B2C0G1H120J	C=12pF	
CGA2B2C0G1H150J	C=15pF	
CGA2B2C0G1H180J	C=18pF	
CGA2B2C0G1H220J	C=22pF	
CGA2B2C0G1H270J	C=27pF	
CGA2B2C0G1H330J	C=33pF	
CGA2B2C0G1H390J	C=39pF	
CGA2B2C0G1H470J	C=47pF	
CGA2B2C0G1H560J	C=56pF	
CGA2B2C0G1H680J	C=68pF	
CGA2B2C0G1H820J	C=82pF	
CGA2B2C0G1H101J	C=100pF	
CGA2B2C0G1H121J	C=120pF	
CGA2B2C0G1H151J	C=150pF	
CGA2B2C0G1H181J	C=180pF	
CGA2B2C0G1H221J	C=220pF	
CGA2B2C0G1H271J	C=270pF	
CGA2B2C0G1H331J	C=330pF	
CGA2B2C0G1H391J	C=390pF	
CGA2B2C0G1H471J	C=470pF	
CGA2B2C0G1H561J	C=560pF	
CGA2B2C0G1H681J	C=680pF	
CGA2B2C0G1H821J	C=820pF	
CGA2B2C0G1H102J	C=1000pF	

## CGA3ExC0G Series - 76 Products

Product Name	Main Characteristic	Note
CGA3E2C0G1H010C	C=1pF	
CGA3E2C0G1H1R5C	C=1.5pF	
CGA3E2C0G1H020C	C=2pF	
CGA3E2C0G1H2R2C	C=2.2pF	
CGA3E2C0G1H030C	C=3pF	
CGA3E2C0G1H3R3C	C=3.3pF	
CGA3E2C0G1H040C	C=4pF	
CGA3E2C0G1H4R7C	C=4.7pF	
CGA3E2C0G1H050C	C=5pF	
CGA3E2C0G1H060D	C=6pF	
CGA3E2C0G1H6R8D	C=6.8pF	
CGA3E2C0G1H070D	C=7pF	
CGA3E2C0G1H080D	C=8pF	
CGA3E2C0G1H090D	C=9pF	
CGA3E2C0G1H100D	C=10pF	
CGA3E2C0G1H120J	C=12pF	
CGA3E2C0G1H150J	C=15pF	
CGA3E2C0G1H180J	C=18pF	
CGA3E2C0G1H220J	C=22pF	
CGA3E2C0G1H270J	C=27pF	
CGA3E2C0G1H330J	C=33pF	
CGA3E2C0G1H390J	C=39pF	
CGA3E2C0G1H470J	C=47pF	
CGA3E2C0G1H560J	C=56pF	
CGA3E2C0G1H680J	C=68pF	
CGA3E2C0G1H820J	C=82pF	
CGA3E2C0G1H101J	C=100pF	
CGA3E2C0G1H121J	C=120pF	
CGA3E2C0G1H151J	C=150pF	
CGA3E2C0G1H181J	C=180pF	
CGA3E2C0G1H221J	C=220pF	
CGA3E2C0G1H271J	C=270pF	
CGA3E2C0G1H331J	C=330pF	
CGA3E2C0G1H391J	C=390pF	
CGA3E2C0G1H471J	C=470pF	
CGA3E2C0G1H561J	C=560pF	
CGA3E2C0G1H681J	C=680pF	
CGA3E2C0G1H821J	C=820pF	
CGA3E2C0G1H102J	C=1000pF	
CGA3E2C0G1H122J	C=1200pF	
CGA3E2C0G1H152J	C=1500pF	
CGA3E2C0G1H182J	C=1800pF	
CGA3E2C0G1H222J	C=2200pF	
CGA3E2C0G1H272J	C=2700pF	
CGA3E2C0G1H332J	C=3300pF	
CGA3E2C0G1H392J	C=3900pF	
CGA3E2C0G1H472J	C=4700pF	

CGA3E2C0G1H562J	C=5600pF	
CGA3E2C0G1H682J	C=6800pF	
CGA3E2C0G1H822J	C=8200pF	
CGA3E2C0G1H103J	C=10000pF	
CGA3E3C0G2E101J	C=100pF	
CGA3E2C0G2A101J	C=100pF	
CGA3E3C0G2E121J	C=120pF	
CGA3E2C0G2A121J	C=120pF	
CGA3E3C0G2E151J	C=150pF	
CGA3E2C0G2A151J	C=150pF	
CGA3E3C0G2E181J	C=180pF	
CGA3E2C0G2A181J	C=180pF	
CGA3E3C0G2E221J	C=220pF	
CGA3E2C0G2A221J	C=220pF	
CGA3E3C0G2E271J	C=270pF	
CGA3E2C0G2A271J	C=270pF	
CGA3E3C0G2E331J	C=330pF	
CGA3E2C0G2A331J	C=330pF	
CGA3E3C0G2E391J	C=390pF	
CGA3E2C0G2A391J	C=390pF	
CGA3E3C0G2E471J	C=470pF	
CGA3E2C0G2A471J	C=470pF	
CGA3E3C0G2E561J	C=560pF	
CGA3E2C0G2A561J	C=560pF	
CGA3E3C0G2E681J	C=680pF	
CGA3E2C0G2A681J	C=680pF	
CGA3E2C0G2A821J	C=820pF	
CGA3E2C0G2A102J	C=1000pF	
CGA3E2C0G2A122J	C=1200pF	

## CGA4xxC0G Series - 27 Products

Product Name	Main Characteristic	Note
CGA4C2C0G1H272J	C=2700pF	
CGA4C2C0G1H332J	C=3300pF	
CGA4C2C0G1H392J	C=3900pF	
CGA4C2C0G1H472J	C=4700pF	
CGA4C2C0G1H562J	C=5600pF	
CGA4C2C0G1H682J	C=6800pF	
CGA4C2C0G1H822J	C=8200pF	
CGA4C2C0G1H103J	C=10000pF	
CGA4F2C0G1H153J	C=15000pF	
CGA4J2C0G1H223J	C=22000pF	
CGA4J2C0G1H333J	C=33000pF	
CGA4C3C0G2E821J	C=820pF	
CGA4F3C0G2E102J	C=1000pF	
CGA4C2C0G2A102J	C=1000pF	
CGA4F3C0G2E122J	C=1200pF	
CGA4C2C0G2A122J	C=1200pF	

CGA4F3C0G2E152J	C=1500pF	
CGA4C2C0G2A152J	C=1500pF	
CGA4J3C0G2E182J	C=1800pF	
CGA4F2C0G2A182J	C=1800pF	
CGA4J3C0G2E222J	C=2200pF	
CGA4F2C0G2A222J	C=2200pF	
CGA4J3C0G2E272J	C=2700pF	
CGA4J2C0G2A272J	C=2700pF	
CGA4J2C0G2A332J	C=3300pF	
CGA4J2C0G2A392J	C=3900pF	
CGA4J2C0G2A472J	C=4700pF	

## CGA5xxC0G Series - 42 Products

Product Name	Main Characteristic	Note
CGA5C2C0G1H472J	C=4700pF	
CGA5C2C0G1H562J	C=5600pF	
CGA5C2C0G1H682J	C=6800pF	
CGA5C2C0G1H822J	C=8200pF	
CGA5C2C0G1H103J	C=10000pF	
CGA5C2C0G1H153J	C=15000pF	
CGA5C2C0G1H223J	C=22000pF	
CGA5F2C0G1H333J	C=33000pF	
CGA5H2C0G1H473J	C=47000pF	
CGA5L2C0G1H683J	C=68000pF	
CGA5L2C0G1H104J	C=0.1uF	
CGA5C4C0G2J101J	C=100pF	
CGA5C4C0G2J121J	C=120pF	
CGA5C4C0G2J151J	C=150pF	
CGA5C4C0G2J181J	C=180pF	
CGA5C4C0G2J221J	C=220pF	
CGA5C4C0G2J271J	C=270pF	
CGA5C4C0G2J331J	C=330pF	
CGA5C4C0G2J391J	C=390pF	
CGA5F4C0G2J471J	C=470pF	
CGA5F4C0G2J561J	C=560pF	
CGA5F4C0G2J681J	C=680pF	
CGA5F4C0G2J821J	C=820pF	
CGA5F4C0G2J102J	C=1000pF	
CGA5F4C0G2J122J	C=1200pF	
CGA5H4C0G2J152J	C=1500pF	
CGA5H4C0G2J182J	C=1800pF	
CGA5H4C0G2J222J	C=2200pF	
CGA5L4C0G2J272J	C=2700pF	
CGA5L4C0G2J332J	C=3300pF	
CGA5F3C0G2E332J	C=3300pF	
CGA5H3C0G2E392J	C=3900pF	
CGA5C2C0G2A392J	C=3900pF	
CGA5H3C0G2E472J	C=4700pF	

CGA5F2C0G2A472J	C=4700pF	
CGA5H3C0G2E562J	C=5600pF	
CGA5F2C0G2A562J	C=5600pF	
CGA5L3C0G2E682J	C=6800pF	
CGA5H2C0G2A682J	C=6800pF	
CGA5L3C0G2E822J	C=8200pF	
CGA5H2C0G2A822J	C=8200pF	
CGA5H2C0G2A103J	C=10000pF	

## CGA6xxC0G Series - 15 Products

Product Name	Main Characteristic	Note
CGA6J2C0G1H223J	C=22000pF	
CGA6L2C0G1H333J	C=33000pF	
CGA6M2C0G1H473J	C=47000pF	
CGA6M2C0G1H683J	C=68000pF	
CGA6P2C0G1H104J	C=0.1uF	
CGA6J4C0G2J392J	C=3900pF	
CGA6L4C0G2J472J	C=4700pF	
CGA6L4C0G2J562J	C=5600pF	
CGA6M4C0G2J682J	C=6800pF	
CGA6L3C0G2E103J	C=10000pF	
CGA6M3C0G2E153J	C=15000pF	
CGA6J2C0G2A153J	C=15000pF	
CGA6L2C0G2A223J	C=22000pF	
CGA6M2C0G2A333J	C=33000pF	
CGA6N2C0G2A473J	C=47000pF	

## CGA8xxC0G Series - 14 Products

Product Name	Main Characteristic	Note
CGA8L2C0G1H473J	C=47000pF	New
CGA8L2C0G1H683J	C=68000pF	New
CGA8M2C0G1H104J	C=0.1uF	New
CGA8P2C0G1H154J	C=0.15uF	New
CGA8R2C0G1H224J	C=0.22uF	New
CGA8L4C0G2J822J	C=8200pF	New
CGA8L4C0G2J103J	C=10000pF	New
CGA8P4C0G2J153J	C=15000pF	New
CGA8R4C0G2J223J	C=22000pF	New
CGA8L3C0G2E223J	C=22000pF	New
CGA8M3C0G2E333J	C=33000pF	New
CGA8R3C0G2E473J	C=47000pF	New
CGA8P2C0G2A683J	C=68000pF	New
CGA8R2C0G2A104J	C=0.1uF	New

## CGA2B1X5R Series - 1 Product

Product Name	Main Characteristic	Note
CGA2B1X5R1C224K	C=0.22uF	New

## CGA2BxX7R Series - 31 Products

Product Name	Main Characteristic	Note
CGA2B2X7R1H221K	C=220pF	
CGA2B2X7R1H331K	C=330pF	
CGA2B2X7R1H471K	C=470pF	
CGA2B2X7R1H681K	C=680pF	
CGA2B2X7R1H102K	C=1000pF	
CGA2B2X7R1H152K	C=1500pF	
CGA2B2X7R1H222K	C=2200pF	
CGA2B2X7R1H332K	C=3300pF	
CGA2B2X7R1H472K	C=4700pF	
CGA2B2X7R1H682K	C=6800pF	
CGA2B3X7R1H103K	C=10000pF	
CGA2B3X7R1V103K	C=10000pF	
CGA2B2X7R1E103K	C=10000pF	
CGA2B3X7R1H153K	C=15000pF	
CGA2B3X7R1V153K	C=15000pF	
CGA2B2X7R1E153K	C=15000pF	
CGA2B3X7R1H223K	C=22000pF	
CGA2B3X7R1V223K	C=22000pF	
CGA2B2X7R1E223K	C=22000pF	
CGA2B3X7R1H333K	C=33000pF	
CGA2B3X7R1V333K	C=33000pF	
CGA2B1X7R1E333K	C=33000pF	
CGA2B2X7R1C333K	C=33000pF	
CGA2B3X7R1H473K	C=47000pF	
CGA2B3X7R1V473K	C=47000pF	
CGA2B1X7R1E473K	C=47000pF	
CGA2B2X7R1C473K	C=47000pF	
CGA2B3X7R1E683K	C=68000pF	
CGA2B1X7R1C683K	C=68000pF	
CGA2B3X7R1E104K	C=0.1uF	
CGA2B1X7R1C104K	C=0.1uF	

## CGA2B3X7S Series - 7 Products

Product Name	Main Characteristic	Note
CGA2B3X7S2A102K	C=1000pF	
CGA2B3X7S2A152K	C=1500pF	
CGA2B3X7S2A222K	C=2200pF	
CGA2B3X7S2A332K	C=3300pF	
CGA2B3X7S2A472K	C=4700pF	
CGA2B3X7S2A682K	C=6800pF	
CGA2B3X7S2A103K	C=10000pF	

## CGA3ExX5R Series - 2 Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

CGA3E3X5R1H105K	C=1uF	New
CGA3E1X5R1A335K	C=3.3uF	New

## CGA3ExX7R Series - 29 Products

Product Name	Main Characteristic	Note
CGA3E2X7R1H102K	C=1000pF	
CGA3E2X7R1H152K	C=1500pF	
CGA3E2X7R1H222K	C=2200pF	
CGA3E2X7R1H332K	C=3300pF	
CGA3E2X7R1H472K	C=4700pF	
CGA3E2X7R1H682K	C=6800pF	
CGA3E2X7R1H103K	C=10000pF	
CGA3E2X7R1H153K	C=15000pF	
CGA3E2X7R1H223K	C=22000pF	
CGA3E2X7R1H333K	C=33000pF	
CGA3E2X7R1H473K	C=47000pF	
CGA3E2X7R1H683K	C=68000pF	
CGA3E2X7R1H104K	C=0.1uF	
CGA3E2X7R1E154K	C=0.15uF	
CGA3E1X7R1E224K	C=0.22uF	
CGA3E2X7R1C224K	C=0.22uF	
CGA3E3X7R1E334K	C=0.33uF	
CGA3E3X7R1E474K	C=0.47uF	
CGA3E1X7R1C474K	C=0.47uF	
CGA3E1X7R1C684K	C=0.68uF	
CGA3E2X7R2A102K	C=1000pF	
CGA3E2X7R2A152K	C=1500pF	
CGA3E2X7R2A222K	C=2200pF	
CGA3E2X7R2A332K	C=3300pF	
CGA3E2X7R2A472K	C=4700pF	
CGA3E2X7R2A682K	C=6800pF	
CGA3E2X7R2A103K	C=10000pF	
CGA3E2X7R2A153K	C=15000pF	
CGA3E2X7R2A223K	C=22000pF	

## CGA3E3X7S Series - 4 Products

Product Name	Main Characteristic	Note
CGA3E3X7S2A333K	C=33000pF	
CGA3E3X7S2A473K	C=47000pF	
CGA3E3X7S2A683K	C=68000pF	
CGA3E3X7S2A104K	C=0.1uF	

## CGA4J3X5R Series - 2 Products

Product Name	Main Characteristic	Note
CGA4J3X5R1H225K	C=2.2uF	New
CGA4J3X5R1H475K	C=4.7uF	New

## CGA4xxX7R Series - 49 Products

Product Name	Main Characteristic	Note
CGA4J2X7R1H154K	C=0.15uF	
CGA4J2X7R1H224K	C=0.22uF	
CGA4J2X7R1H334K	C=0.33uF	
CGA4J3X7R1H474K	C=0.47uF	
CGA4J3X7R1V474K	C=0.47uF	
CGA4J2X7R1E474K	C=0.47uF	
CGA4J3X7R1H684K	C=0.68uF	
CGA4J3X7R1V684K	C=0.68uF	
CGA4J3X7R1E684K	C=0.68uF	
CGA4J2X7R1C684K	C=0.68uF	
CGA4J3X7R1H105K	C=1uF	
CGA4J3X7R1V105K	C=1uF	
CGA4J3X7R1E105K	C=1uF	
CGA4J3X7R1E155K	C=1.5uF	
CGA4J3X7R1C155K	C=1.5uF	
CGA4J3X7R1E225K	C=2.2uF	
CGA4J3X7R1C225K	C=2.2uF	
CGA4J1X7R1C335K	C=3.3uF	
CGA4J3X7R1A335K	C=3.3uF	
CGA4J1X7R1C475K	C=4.7uF	
CGA4J3X7R1A475K	C=4.7uF	
CGA4J3X7R1H474M(SOFT)	C=0.47uF	New
CGA4J3X7R1H105M(SOFT)	C=1uF	New
CGA4J1X7R1V225M(SOFT)	C=2.2uF	New
CGA4J3X7R1C475M(SOFT)	C=4.7uF	New
CGA4F3X7R2E102K	C=1000pF	
CGA4F2X7R2A102K	C=1000pF	
CGA4F3X7R2E152K	C=1500pF	
CGA4F2X7R2A152K	C=1500pF	
CGA4F3X7R2E222K	C=2200pF	
CGA4F2X7R2A222K	C=2200pF	
CGA4F3X7R2E332K	C=3300pF	
CGA4F2X7R2A332K	C=3300pF	
CGA4F3X7R2E472K	C=4700pF	
CGA4F2X7R2A472K	C=4700pF	
CGA4J3X7R2E682K	C=6800pF	
CGA4F2X7R2A682K	C=6800pF	
CGA4J3X7R2E103K	C=10000pF	
CGA4F2X7R2A103K	C=10000pF	
CGA4J3X7R2E153K	C=15000pF	
CGA4J2X7R2A153K	C=15000pF	
CGA4J3X7R2E223K	C=22000pF	
CGA4J2X7R2A223K	C=22000pF	
CGA4J2X7R2A333K	C=33000pF	
CGA4J2X7R2A473K	C=47000pF	
CGA4F2X7R2A683K	C=68000pF	

CGA4J2X7R2A104K	C=0.1uF	
CGA4J3X7R2E103M(SOFT)	C=10000pF	New
CGA4J3X7R2E223M(SOFT)	C=22000pF	New

## CGA4x3X7S Series - 9 Products

Product Name	Main Characteristic	Note
CGA4F3X7S2A154K	C=0.15uF	
CGA4F3X7S2A224K	C=0.22uF	
CGA4J3X7S2A334K	C=0.33uF	
CGA4J3X7S2A474K	C=0.47uF	
CGA4J3X7S2A684K	C=0.68uF	
CGA4J3X7S2A105K	C=1uF	
CGA4F3X7S2A224M(SOFT)	C=0.22uF	New
CGA4J3X7S2A474M(SOFT)	C=0.47uF	New
CGA4J3X7S2A105M(SOFT)	C=1uF	New

## CGA4xxX7T Series - 14 Products

Product Name	Main Characteristic	Note
CGA4F4X7T2W103K	C=10000pF	
CGA4F4X7T2W153K	C=15000pF	
CGA4J4X7T2W223K	C=22000pF	
CGA4J4X7T2W333K	C=33000pF	
CGA4J3X7T2E333K	C=33000pF	
CGA4J4X7T2W473K	C=47000pF	
CGA4J3X7T2E473K	C=47000pF	
CGA4J3X7T2E683K	C=68000pF	
CGA4J3X7T2E104K	C=0.1uF	
CGA4F4X7T2W103M(SOFT)	C=10000pF	New
CGA4J4X7T2W223M(SOFT)	C=22000pF	New
CGA4J4X7T2W473M(SOFT)	C=47000pF	New
CGA4J3X7T2E473M(SOFT)	C=47000pF	New
CGA4J3X7T2E104M(SOFT)	C=0.1uF	New

## CGA5L3X5R Series - 3 Products

Product Name	Main Characteristic	Note
CGA5L3X5R1H475K	C=4.7uF	New
CGA5L3X5R1H106K	C=10uF	New
CGA5L3X5R1V106K	C=10uF	New

## CGA5xxX7R Series - 49 Products

Product Name	Main Characteristic	Note
CGA5L2X7R1H474K	C=0.47uF	
CGA5L2X7R1H684K	C=0.68uF	
CGA5L3X7R1H105K	C=1uF	
CGA5L2X7R1E105K	C=1uF	
CGA5L3X7R1H155K	C=1.5uF	
CGA5L3X7R1V155K	C=1.5uF	

CGA5L2X7R1E155K	C=1.5uF	
CGA5L3X7R1H225K	C=2.2uF	
CGA5L3X7R1V225K	C=2.2uF	
CGA5L2X7R1E225K	C=2.2uF	
CGA5L1X7R1E335K	C=3.3uF	
CGA5L1X7R1E475K	C=4.7uF	
CGA5L3X7R1C475K	C=4.7uF	
CGA5L1X7R1C685K	C=6.8uF	
CGA5L3X7R1H105M(SOFT)	C=1uF	New
CGA5L3X7R1H225M(SOFT)	C=2.2uF	New
CGA5L1X7R1V475M(SOFT)	C=4.7uF	New
CGA5L1X7R1E106M(SOFT)	C=10uF	New
CGA5H4X7R2J102K	C=1000pF	
CGA5H4X7R2J152K	C=1500pF	
CGA5H4X7R2J222K	C=2200pF	
CGA5H4X7R2J332K	C=3300pF	
CGA5H4X7R2J472K	C=4700pF	
CGA5H4X7R2J682K	C=6800pF	
CGA5H4X7R2J103K	C=10000pF	
CGA5K4X7R2J153K	C=15000pF	
CGA5H3X7R2E153K	C=15000pF	
CGA5K4X7R2J223K	C=22000pF	
CGA5H3X7R2E223K	C=22000pF	
CGA5L4X7R2J333K	C=33000pF	
CGA5L3X7R2E333K	C=33000pF	
CGA5H2X7R2A333K	C=33000pF	
CGA5L3X7R2E473K	C=47000pF	
CGA5H2X7R2A473K	C=47000pF	
CGA5L3X7R2E683K	C=68000pF	
CGA5L2X7R2A683K	C=68000pF	
CGA5L3X7R2E104K	C=0.1uF	
CGA5L2X7R2A104K	C=0.1uF	
CGA5L2X7R2A154K	C=0.15uF	
CGA5H2X7R2A224K	C=0.22uF	
CGA5K2X7R2A334K	C=0.33uF	
CGA5L2X7R2A474K	C=0.47uF	
CGA5L2X7R2A684K	C=0.68uF	
CGA5L2X7R2A105K	C=1uF	
CGA5H4X7R2J103M(SOFT)	C=10000pF	New
CGA5K4X7R2J223M(SOFT)	C=22000pF	New
CGA5L3X7R2E104M(SOFT)	C=0.1uF	New
CGA5L2X7R2A474M(SOFT)	C=0.47uF	New
CGA5L2X7R2A105M(SOFT)	C=1uF	New

## CGA5xxX7S Series - 3 Products

Product Name	Main Characteristic	Note
CGA5L3X7S2A155K	C=1.5uF	
CGA5L3X7S2A225K	C=2.2uF	

CGA5L3X7S2A225M(SOFT)	C=2.2uF	New
-----------------------	---------	-----

## CGA5xxX7T Series - 12 Products

Product Name	Main Characteristic	Note
CGA5F1X7T2J103K	C=10000pF	
CGA5F1X7T2J153K	C=15000pF	
CGA5H1X7T2J223K	C=22000pF	
CGA5H1X7T2J333K	C=33000pF	
CGA5L1X7T2J473K	C=47000pF	
CGA5K4X7T2W683K	C=68000pF	
CGA5L4X7T2W104K	C=0.1uF	
CGA5K3X7T2E154K	C=0.15uF	
CGA5L3X7T2E224K	C=0.22uF	
CGA5L1X7T2J473M(SOFT)	C=47000pF	New
CGA5L4X7T2W104M(SOFT)	C=0.1uF	New
CGA5L3X7T2E224M(SOFT)	C=0.22uF	New

## CGA6xxX7R Series - 26 Products

Product Name	Main Characteristic	Note
CGA6L2X7R1H105K	C=1uF	
CGA6M2X7R1H155K	C=1.5uF	
CGA6M3X7R1H225K	C=2.2uF	
CGA6P3X7R1H335K	C=3.3uF	
CGA6L2X7R1E335K	C=3.3uF	
CGA6M2X7R1E475K	C=4.7uF	
CGA6P3X7R1E685K	C=6.8uF	
CGA6P1X7R1E106K	C=10uF	
CGA6M3X7R1C106K	C=10uF	
CGA6P3X7R1C156M	C=15uF	
CGA6P1X7R1C226M	C=22uF	
CGA6M4X7R2J473K	C=47000pF	
CGA6M4X7R2J683K	C=68000pF	
CGA6M3X7R2E104K	C=0.1uF	
CGA6M3X7R2E154K	C=0.15uF	
CGA6M3X7R2E224K	C=0.22uF	
CGA6M2X7R2A334K	C=0.33uF	
CGA6M2X7R2A474K	C=0.47uF	
CGA6L2X7R2A684K	C=0.68uF	
CGA6M2X7R2A105K	C=1uF	
CGA6M3X7R2A155K	C=1.5uF	
CGA6N3X7R2A225K	C=2.2uF	
CGA6M4X7R2J473M(SOFT)	C=47000pF	New
CGA6M3X7R2E104M(SOFT)	C=0.1uF	New
CGA6M3X7R2E224M(SOFT)	C=0.22uF	New
CGA6N3X7R2A225M(SOFT)	C=2.2uF	New

## CGA6x3X7S Series - 7 Products

Product Name	Main Characteristic	Note
CGA6N3X7S1H475K	C=4.7uF	
CGA6P3X7S1H685K	C=6.8uF	
CGA6P3X7S1H106K	C=10uF	
CGA6N3X7S1H475M(SOFT)	C=4.7uF	New
CGA6P3X7S1H106M(SOFT)	C=10uF	New
CGA6M3X7S2A335K	C=3.3uF	
CGA6M3X7S2A475M(SOFT)	C=4.7uF	New

## CGA6xxX7T Series - 5 Products

Product Name	Main Characteristic	Note
CGA6L1X7T2J104K	C=0.1uF	
CGA6M1X7T2J154K	C=0.15uF	
CGA6M4X7T2W224K	C=0.22uF	
CGA6L1X7T2J104M(SOFT)	C=0.1uF	New
CGA6M4X7T2W224M(SOFT)	C=0.22uF	New

## CGA8xxX7R Series - 15 Products

Product Name	Main Characteristic	Note
CGA8L2X7R1H155K	C=1.5uF	New
CGA8L2X7R1H225K	C=2.2uF	New
CGA8M3X7R1H475K	C=4.7uF	New
CGA8P3X7R1H685K	C=6.8uF	New
CGA8P2X7R1E106K	C=10uF	New
CGA8P1X7R1E226M	C=22uF	New
CGA8N3X7R1C226M	C=22uF	New
CGA8P1X7R1C336M	C=33uF	New
CGA8N4X7R2J104K	C=0.1uF	New
CGA8N3X7R2E224K	C=0.22uF	New
CGA8N3X7R2E334K	C=0.33uF	New
CGA8N3X7R2E474K	C=0.47uF	New
CGA8N2X7R2A105K	C=1uF	New
CGA8N2X7R2A225K	C=2.2uF	New
CGA8N3X7R2E474M(SOFT)	C=0.47uF	New

## CGA8N3X7S Series - 1 Product

Product Name	Main Characteristic	Note
CGA8N3X7S2A475K	C=4.7uF	New

## CGA8xxX7T Series - 9 Products

Product Name	Main Characteristic	Note
CGA8L1X7T2J154K	C=0.15uF	New
CGA8M1X7T2J224K	C=0.22uF	New
CGA8L4X7T2W334K	C=0.33uF	New
CGA8N4X7T2W474K	C=0.47uF	New
CGA8L3X7T2E684K	C=0.68uF	New
CGA8P3X7T2E105K	C=1uF	New

CGA8M1X7T2J224M(SOFT)	C=0.22uF	New
CGA8N4X7T2W474M(SOFT)	C=0.47uF	New
CGA8P3X7T2E105M(SOFT)	C=1uF	New

## CGA9xxX7R Series - 14 Products

Product Name	Main Characteristic	Note
CGA9M2X7R1H475K	C=4.7uF	New
CGA9N3X7R1H106K	C=10uF	New
CGA9P2X7R1E226M	C=22uF	New
CGA9N3X7R1C476M	C=47uF	New
CGA9L4X7R2J154K	C=0.15uF	New
CGA9N4X7R2J224K	C=0.22uF	New
CGA9N3X7R2E474K	C=0.47uF	New
CGA9N3X7R2E684K	C=0.68uF	New
CGA9N3X7R2E105K	C=1uF	New
CGA9N2X7R2A105K	C=1uF	New
CGA9N2X7R2A225K	C=2.2uF	New
CGA9N2X7R2A335K	C=3.3uF	New
CGA9N2X7R2A475K	C=4.7uF	New
CGA9N3X7R2E105M(SOFT)	C=1uF	New

## CGA9x3X7S Series - 3 Products

Product Name	Main Characteristic	Note
CGA9N3X7S2A106K	C=10uF	New
CGA9P3X7S2A156M	C=15uF	New
CGA9N3X7S2A106M(SOFT)	C=10uF	New

## CGA9xxX7T Series - 9 Products

Product Name	Main Characteristic	Note
CGA9M1X7T2J334K	C=0.33uF	New
CGA9P1X7T2J474K	C=0.47uF	New
CGA9M4X7T2W684K	C=0.68uF	New
CGA9P4X7T2W105K	C=1uF	New
CGA9M3X7T2E155K	C=1.5uF	New
CGA9P3X7T2E225K	C=2.2uF	New
CGA9P1X7T2J474M(SOFT)	C=0.47uF	New
CGA9P4X7T2W105M(SOFT)	C=1uF	New
CGA9P3X7T2E225M(SOFT)	C=2.2uF	New

## CGA2B2X8R Series - 12 Products

Product Name	Main Characteristic	Note
CGA2B2X8R1H151K	C=150pF	
CGA2B2X8R1H221K	C=220pF	
CGA2B2X8R1H331K	C=330pF	
CGA2B2X8R1H471K	C=470pF	
CGA2B2X8R1H681K	C=680pF	
CGA2B2X8R1H102K	C=1000pF	

CGA2B2X8R1H152K	C=1500pF	
CGA2B2X8R1H222K	C=2200pF	
CGA2B2X8R1H332K	C=3300pF	
CGA2B2X8R1H472K	C=4700pF	
CGA2B2X8R1E682K	C=6800pF	
CGA2B2X8R1E103K	C=10000pF	

## CGA3E2X8R Series - 21 Products

Product Name	Main Characteristic	Note
CGA3E2X8R2A102K	C=1000pF	
CGA3E2X8R1H102K	C=1000pF	
CGA3E2X8R2A152K	C=1500pF	
CGA3E2X8R1H152K	C=1500pF	
CGA3E2X8R2A222K	C=2200pF	
CGA3E2X8R1H222K	C=2200pF	
CGA3E2X8R2A332K	C=3300pF	
CGA3E2X8R1H332K	C=3300pF	
CGA3E2X8R2A472K	C=4700pF	
CGA3E2X8R1H472K	C=4700pF	
CGA3E2X8R2A682K	C=6800pF	
CGA3E2X8R1H682K	C=6800pF	
CGA3E2X8R2A103K	C=10000pF	
CGA3E2X8R1H103K	C=10000pF	
CGA3E2X8R2A153K	C=15000pF	
CGA3E2X8R1H153K	C=15000pF	
CGA3E2X8R1H223K	C=22000pF	
CGA3E2X8R1H333K	C=33000pF	
CGA3E2X8R1H473K	C=47000pF	
CGA3E2X8R1E683K	C=68000pF	
CGA3E2X8R1E104K	C=0.1uF	

## CGA4x2X8R Series - 6 Products

Product Name	Main Characteristic	Note
CGA4J2X8R2A223K	C=22000pF	
CGA4J2X8R1H683K	C=68000pF	
CGA4J2X8R1H104K	C=0.1uF	
CGA4F2X8R1E154K	C=0.15uF	
CGA4J2X8R1E224K	C=0.22uF	
CGA4J2X8R1E334K	C=0.33uF	

## CGA5x2X8R Series - 13 Products

Product Name	Main Characteristic	Note
CGA5F2X8R2A333K	C=33000pF	
CGA5F2X8R2A473K	C=47000pF	
CGA5H2X8R2A683K	C=68000pF	
CGA5H2X8R2A104K	C=0.1uF	
CGA5L2X8R2A154K	C=0.15uF	

CGA5F2X8R1H154K	C=0.15uF	
CGA5H2X8R1H224K	C=0.22uF	
CGA5L2X8R1H334K	C=0.33uF	
CGA5F2X8R1E334K	C=0.33uF	
CGA5L2X8R1H474K	C=0.47uF	
CGA5F2X8R1E474K	C=0.47uF	
CGA5H2X8R1E684K	C=0.68uF	
CGA5L2X8R1E105K	C=1uF	

## CGA6x2X8R Series - 3 Products

Product Name	Main Characteristic	Note
CGA6L2X8R1E155K	C=1.5uF	
CGA6M2X8R1E225K	C=2.2uF	
CGA6P2X8R1E335K	C=3.3uF	

## CGB2A1JB Series - 4(8) Products

Product Name	Main Characteristic	Note
CGB2A1JB1C334K	C=0.33uF	
CGB2A1JB1C334M	C=0.33uF	Hide in Default
CGB2A1JB1C474K	C=0.47uF	
CGB2A1JB1C474M	C=0.47uF	Hide in Default
CGB2A1JB1A684K	C=0.68uF	
CGB2A1JB1A684M	C=0.68uF	Hide in Default
CGB2A1JB1A105K	C=1uF	
CGB2A1JB1A105M	C=1uF	Hide in Default

## CGB2A1X5R Series - 4(8) Products

Product Name	Main Characteristic	Note
CGB2A1X5R1C334K	C=0.33uF	
CGB2A1X5R1C334M	C=0.33uF	Hide in Default
CGB2A1X5R1C474K	C=0.47uF	
CGB2A1X5R1C474M	C=0.47uF	Hide in Default
CGB2A1X5R1A684K	C=0.68uF	
CGB2A1X5R1A684M	C=0.68uF	Hide in Default
CGB2A1X5R1A105K	C=1uF	
CGB2A1X5R1A105M	C=1uF	Hide in Default

## CGB2A1X6S Series - 4(8) Products

Product Name	Main Characteristic	Note
CGB2A1X6S1A334K	C=0.33uF	
CGB2A1X6S1A334M	C=0.33uF	Hide in Default
CGB2A1X6S1A474K	C=0.47uF	
CGB2A1X6S1A474M	C=0.47uF	Hide in Default
CGB2A1X6S0G684K	C=0.68uF	
CGB2A1X6S0G684M	C=0.68uF	Hide in Default
CGB2A1X6S0G105K	C=1uF	
CGB2A1X6S0G105M	C=1uF	Hide in Default

## CGB2A3JB Series - 4(8) Products

Product Name	Main Characteristic	Note
CGB2A3JB1A334K	C=0.33uF	
CGB2A3JB1A334M	C=0.33uF	Hide in Default
CGB2A3JB1A474K	C=0.47uF	
CGB2A3JB1A474M	C=0.47uF	Hide in Default
CGB2A3JB0J684K	C=0.68uF	
CGB2A3JB0J684M	C=0.68uF	Hide in Default
CGB2A3JB0J105K	C=1uF	
CGB2A3JB0J105M	C=1uF	Hide in Default

## CGB2A3X5R Series - 4(8) Products

Product Name	Main Characteristic	Note
CGB2A3X5R1A334K	C=0.33uF	
CGB2A3X5R1A334M	C=0.33uF	Hide in Default
CGB2A3X5R1A474K	C=0.47uF	
CGB2A3X5R1A474M	C=0.47uF	Hide in Default
CGB2A3X5R0J684K	C=0.68uF	
CGB2A3X5R0J684M	C=0.68uF	Hide in Default
CGB2A3X5R0J105K	C=1uF	
CGB2A3X5R0J105M	C=1uF	Hide in Default

## CGB2A3X6S Series - 2(4) Products

Product Name	Main Characteristic	Note
CGB2A3X6S0J334K	C=0.33uF	
CGB2A3X6S0J334M	C=0.33uF	Hide in Default
CGB2A3X6S0J474K	C=0.47uF	
CGB2A3X6S0J474M	C=0.47uF	Hide in Default

## CGB3B1JB Series - 6(12) Products

Product Name	Main Characteristic	Note
CGB3B1JB1E474K	C=0.47uF	
CGB3B1JB1E474M	C=0.47uF	Hide in Default
CGB3B1JB1C105K	C=1uF	
CGB3B1JB1C105M	C=1uF	Hide in Default
CGB3B1JB1C155K	C=1.5uF	
CGB3B1JB1C155M	C=1.5uF	Hide in Default
CGB3B1JB1A335K	C=3.3uF	
CGB3B1JB1A335M	C=3.3uF	Hide in Default
CGB3B1JB1A475K	C=4.7uF	
CGB3B1JB1A475M	C=4.7uF	Hide in Default
CGB3B1JB0J475K	C=4.7uF	
CGB3B1JB0J475M	C=4.7uF	Hide in Default

## CGB3B1X5R Series - 6(12) Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

CGB3B1X5R1E474K	C=0.47uF	
CGB3B1X5R1E474M	C=0.47uF	Hide in Default
CGB3B1X5R1C105K	C=1uF	
CGB3B1X5R1C105M	C=1uF	Hide in Default
CGB3B1X5R1C155K	C=1.5uF	
CGB3B1X5R1C155M	C=1.5uF	Hide in Default
CGB3B1X5R1A335K	C=3.3uF	
CGB3B1X5R1A335M	C=3.3uF	Hide in Default
CGB3B1X5R1A475K	C=4.7uF	
CGB3B1X5R1A475M	C=4.7uF	Hide in Default
CGB3B1X5R0J475K	C=4.7uF	
CGB3B1X5R0J475M	C=4.7uF	Hide in Default

## CGB3B1X6S Series - 3(6) Products

Product Name	Main Characteristic	Note
CGB3B1X6S1A155K	C=1.5uF	
CGB3B1X6S1A155M	C=1.5uF	Hide in Default
CGB3B1X6S0G335K	C=3.3uF	
CGB3B1X6S0G335M	C=3.3uF	Hide in Default
CGB3B1X6S0G475K	C=4.7uF	
CGB3B1X6S0G475M	C=4.7uF	Hide in Default

## CGB3B3JB Series - 2(4) Products

Product Name	Main Characteristic	Note
CGB3B3JB1A155K	C=1.5uF	
CGB3B3JB1A155M	C=1.5uF	Hide in Default
CGB3B3JB0J335K	C=3.3uF	
CGB3B3JB0J335M	C=3.3uF	Hide in Default

## CGB3B3X5R Series - 2(4) Products

Product Name	Main Characteristic	Note
CGB3B3X5R1A155K	C=1.5uF	
CGB3B3X5R1A155M	C=1.5uF	Hide in Default
CGB3B3X5R0J335K	C=3.3uF	
CGB3B3X5R0J335M	C=3.3uF	Hide in Default

## CGB3B3X6S Series - 1(2) Products

Product Name	Main Characteristic	Note
CGB3B3X6S0J155K	C=1.5uF	
CGB3B3X6S0J155M	C=1.5uF	Hide in Default

## CGB4B1JB Series - 5(10) Products

Product Name	Main Characteristic	Note
CGB4B1JB1E105K	C=1uF	
CGB4B1JB1E105M	C=1uF	Hide in Default
CGB4B1JB1C225K	C=2.2uF	
CGB4B1JB1C225M	C=2.2uF	Hide in Default

CGB4B1JB1A225K	C=2.2uF	
CGB4B1JB1A225M	C=2.2uF	Hide in Default
CGB4B1JB1A335K	C=3.3uF	
CGB4B1JB1A335M	C=3.3uF	Hide in Default
CGB4B1JB0J475K	C=4.7uF	
CGB4B1JB0J475M	C=4.7uF	Hide in Default

## CGB4B1X5R Series - 5(10) Products

Product Name	Main Characteristic	Note
CGB4B1X5R1E105K	C=1uF	
CGB4B1X5R1E105M	C=1uF	Hide in Default
CGB4B1X5R1C225K	C=2.2uF	
CGB4B1X5R1C225M	C=2.2uF	Hide in Default
CGB4B1X5R1A225K	C=2.2uF	
CGB4B1X5R1A225M	C=2.2uF	Hide in Default
CGB4B1X5R1A335K	C=3.3uF	
CGB4B1X5R1A335M	C=3.3uF	Hide in Default
CGB4B1X5R0J475K	C=4.7uF	
CGB4B1X5R0J475M	C=4.7uF	Hide in Default

## CGJ2B2C0G Series - 13 Products

Product Name	Main Characteristic	Note
CGJ2B2C0G1H101J	C=100pF	
CGJ2B2C0G1H121J	C=120pF	
CGJ2B2C0G1H151J	C=150pF	
CGJ2B2C0G1H181J	C=180pF	
CGJ2B2C0G1H221J	C=220pF	
CGJ2B2C0G1H271J	C=270pF	
CGJ2B2C0G1H331J	C=330pF	
CGJ2B2C0G1H391J	C=390pF	
CGJ2B2C0G1H471J	C=470pF	
CGJ2B2C0G1H561J	C=560pF	
CGJ2B2C0G1H681J	C=680pF	
CGJ2B2C0G1H821J	C=820pF	
CGJ2B2C0G1H102J	C=1000pF	

## CGJ3E2C0G Series - 20 Products

Product Name	Main Characteristic	Note
CGJ3E2C0G1H271J	C=270pF	
CGJ3E2C0G1H331J	C=330pF	
CGJ3E2C0G1H391J	C=390pF	
CGJ3E2C0G1H471J	C=470pF	
CGJ3E2C0G1H561J	C=560pF	
CGJ3E2C0G1H681J	C=680pF	
CGJ3E2C0G1H821J	C=820pF	
CGJ3E2C0G1H102J	C=1000pF	
CGJ3E2C0G1H122J	C=1200pF	

CGJ3E2C0G1H152J	C=1500pF	
CGJ3E2C0G1H182J	C=1800pF	
CGJ3E2C0G1H222J	C=2200pF	
CGJ3E2C0G1H272J	C=2700pF	
CGJ3E2C0G1H332J	C=3300pF	
CGJ3E2C0G1H392J	C=3900pF	
CGJ3E2C0G1H472J	C=4700pF	
CGJ3E2C0G1H562J	C=5600pF	
CGJ3E2C0G1H682J	C=6800pF	
CGJ3E2C0G1H822J	C=8200pF	
CGJ3E2C0G1H103J	C=10000pF	

## CGJ4x2C0G Series - 18 Products

Product Name	Main Characteristic	Note
CGJ4C2C0G1H681J	C=680pF	
CGJ4C2C0G1H821J	C=820pF	
CGJ4C2C0G1H102J	C=1000pF	
CGJ4C2C0G1H122J	C=1200pF	
CGJ4C2C0G1H152J	C=1500pF	
CGJ4C2C0G1H182J	C=1800pF	
CGJ4C2C0G1H222J	C=2200pF	
CGJ4C2C0G1H272J	C=2700pF	
CGJ4C2C0G1H332J	C=3300pF	
CGJ4C2C0G1H392J	C=3900pF	
CGJ4C2C0G1H472J	C=4700pF	
CGJ4C2C0G1H562J	C=5600pF	
CGJ4C2C0G1H682J	C=6800pF	
CGJ4C2C0G1H822J	C=8200pF	
CGJ4C2C0G1H103J	C=10000pF	
CGJ4F2C0G1H153J	C=15000pF	
CGJ4J2C0G1H223J	C=22000pF	
CGJ4J2C0G1H333J	C=33000pF	

## CGJ5x2C0G Series - 12 Products

Product Name	Main Characteristic	Note
CGJ5C2C0G1H392J	C=3900pF	
CGJ5C2C0G1H472J	C=4700pF	
CGJ5C2C0G1H562J	C=5600pF	
CGJ5C2C0G1H682J	C=6800pF	
CGJ5C2C0G1H822J	C=8200pF	
CGJ5C2C0G1H103J	C=10000pF	
CGJ5C2C0G1H153J	C=15000pF	
CGJ5C2C0G1H223J	C=22000pF	
CGJ5F2C0G1H333J	C=33000pF	
CGJ5H2C0G1H473J	C=47000pF	
CGJ5L2C0G1H683J	C=68000pF	
CGJ5L2C0G1H104J	C=0.1uF	

## CGJ2B2X7R Series - 30 Products

Product Name	Main Characteristic	Note
CGJ2B2X7R1H102K	C=1000pF	
CGJ2B2X7R1E102K	C=1000pF	
CGJ2B2X7R1C102K	C=1000pF	
CGJ2B2X7R1H152K	C=1500pF	
CGJ2B2X7R1E152K	C=1500pF	
CGJ2B2X7R1C152K	C=1500pF	
CGJ2B2X7R1H222K	C=2200pF	
CGJ2B2X7R1E222K	C=2200pF	
CGJ2B2X7R1C222K	C=2200pF	
CGJ2B2X7R1H332K	C=3300pF	
CGJ2B2X7R1E332K	C=3300pF	
CGJ2B2X7R1C332K	C=3300pF	
CGJ2B2X7R1H472K	C=4700pF	
CGJ2B2X7R1E472K	C=4700pF	
CGJ2B2X7R1C472K	C=4700pF	
CGJ2B2X7R1H682K	C=6800pF	
CGJ2B2X7R1E682K	C=6800pF	
CGJ2B2X7R1C682K	C=6800pF	
CGJ2B2X7R1E103K	C=10000pF	
CGJ2B2X7R1C103K	C=10000pF	
CGJ2B2X7R1E153K	C=15000pF	
CGJ2B2X7R1C153K	C=15000pF	
CGJ2B2X7R1E223K	C=22000pF	
CGJ2B2X7R1C223K	C=22000pF	
CGJ2B2X7R1E333K	C=33000pF	
CGJ2B2X7R1C333K	C=33000pF	
CGJ2B2X7R1E473K	C=47000pF	
CGJ2B2X7R1C473K	C=47000pF	
CGJ2B2X7R1C683K	C=68000pF	
CGJ2B2X7R1C104K	C=0.1uF	

## CGJ3E2X7R Series - 29 Products

Product Name	Main Characteristic	Note
CGJ3E2X7R1H103K	C=10000pF	
CGJ3E2X7R1E103K	C=10000pF	
CGJ3E2X7R1C103K	C=10000pF	
CGJ3E2X7R1H153K	C=15000pF	
CGJ3E2X7R1E153K	C=15000pF	
CGJ3E2X7R1C153K	C=15000pF	
CGJ3E2X7R1H223K	C=22000pF	
CGJ3E2X7R1E223K	C=22000pF	
CGJ3E2X7R1C223K	C=22000pF	
CGJ3E2X7R1H333K	C=33000pF	
CGJ3E2X7R1E333K	C=33000pF	
CGJ3E2X7R1C333K	C=33000pF	
CGJ3E2X7R1H473K	C=47000pF	

CGJ3E2X7R1E473K	C=47000pF	
CGJ3E2X7R1C473K	C=47000pF	
CGJ3E2X7R1H683K	C=68000pF	
CGJ3E2X7R1E683K	C=68000pF	
CGJ3E2X7R1C683K	C=68000pF	
CGJ3E2X7R1H104K	C=0.1uF	
CGJ3E2X7R1E104K	C=0.1uF	
CGJ3E2X7R1C104K	C=0.1uF	
CGJ3E2X7R1A334K	C=0.33uF	
CGJ3E2X7R0J334K	C=0.33uF	
CGJ3E2X7R1A474K	C=0.47uF	
CGJ3E2X7R0J474K	C=0.47uF	
CGJ3E2X7R1A684K	C=0.68uF	
CGJ3E2X7R0J684K	C=0.68uF	
CGJ3E2X7R1A105K	C=1uF	
CGJ3E2X7R0J105K	C=1uF	

## CGJ4J2X7R Series - 45 Products

Product Name	Main Characteristic	Note
CGJ4J2X7R1H333K	C=33000pF	
CGJ4J2X7R1E333K	C=33000pF	
CGJ4J2X7R1C333K	C=33000pF	
CGJ4J2X7R1H473K	C=47000pF	
CGJ4J2X7R1E473K	C=47000pF	
CGJ4J2X7R1C473K	C=47000pF	
CGJ4J2X7R1H683K	C=68000pF	
CGJ4J2X7R1E683K	C=68000pF	
CGJ4J2X7R1C683K	C=68000pF	
CGJ4J2X7R1H104K	C=0.1uF	
CGJ4J2X7R1E104K	C=0.1uF	
CGJ4J2X7R1C104K	C=0.1uF	
CGJ4J2X7R1H154K	C=0.15uF	
CGJ4J2X7R1E154K	C=0.15uF	
CGJ4J2X7R1C154K	C=0.15uF	
CGJ4J2X7R1H224K	C=0.22uF	
CGJ4J2X7R1E224K	C=0.22uF	
CGJ4J2X7R1C224K	C=0.22uF	
CGJ4J2X7R1A224K	C=0.22uF	
CGJ4J2X7R0J224K	C=0.22uF	
CGJ4J2X7R1H334K	C=0.33uF	
CGJ4J2X7R1E334K	C=0.33uF	
CGJ4J2X7R1C334K	C=0.33uF	
CGJ4J2X7R1A334K	C=0.33uF	
CGJ4J2X7R0J334K	C=0.33uF	
CGJ4J2X7R1E474K	C=0.47uF	
CGJ4J2X7R1C474K	C=0.47uF	
CGJ4J2X7R1A474K	C=0.47uF	
CGJ4J2X7R0J474K	C=0.47uF	

CGJ4J2X7R1E684K	C=0.68uF	
CGJ4J2X7R1C684K	C=0.68uF	
CGJ4J2X7R1A684K	C=0.68uF	
CGJ4J2X7R0J684K	C=0.68uF	
CGJ4J2X7R1E105K	C=1uF	
CGJ4J2X7R1C105K	C=1uF	
CGJ4J2X7R1A105K	C=1uF	
CGJ4J2X7R0J105K	C=1uF	
CGJ4J2X7R1A155K	C=1.5uF	
CGJ4J2X7R0J155K	C=1.5uF	
CGJ4J2X7R1A225K	C=2.2uF	
CGJ4J2X7R0J225K	C=2.2uF	
CGJ4J2X7R1A335K	C=3.3uF	
CGJ4J2X7R0J335K	C=3.3uF	
CGJ4J2X7R1A475K	C=4.7uF	
CGJ4J2X7R0J475K	C=4.7uF	

## CGJ5L2X7R Series - 18 Products

Product Name	Main Characteristic	Note
CGJ5L2X7R1E155K	C=1.5uF	
CGJ5L2X7R1C155K	C=1.5uF	
CGJ5L2X7R1A155K	C=1.5uF	
CGJ5L2X7R0J155K	C=1.5uF	
CGJ5L2X7R1E225K	C=2.2uF	
CGJ5L2X7R1C225K	C=2.2uF	
CGJ5L2X7R1A225K	C=2.2uF	
CGJ5L2X7R0J225K	C=2.2uF	
CGJ5L2X7R1C335K	C=3.3uF	
CGJ5L2X7R1A335K	C=3.3uF	
CGJ5L2X7R0J335K	C=3.3uF	
CGJ5L2X7R1C475K	C=4.7uF	
CGJ5L2X7R1A475K	C=4.7uF	
CGJ5L2X7R0J475K	C=4.7uF	
CGJ5L2X7R1A685K	C=6.8uF	
CGJ5L2X7R0J685K	C=6.8uF	
CGJ5L2X7R1A106K	C=10uF	
CGJ5L2X7R0J106K	C=10uF	

## CEU3E2X7R Series - 10(20) Products

Product Name	Main Characteristic	Note
CEU3E2X7R2A102K	C=1000pF	New
CEU3E2X7R2A102M	C=1000pF	New/Hide in Default
CEU3E2X7R2A222K	C=2200pF	New
CEU3E2X7R2A222M	C=2200pF	New/Hide in Default
CEU3E2X7R2A332K	C=3300pF	New
CEU3E2X7R2A332M	C=3300pF	New/Hide in Default
CEU3E2X7R1H472K	C=4700pF	New
CEU3E2X7R1H472M	C=4700pF	New/Hide in Default

CEU3E2X7R1H682K	C=6800pF	
CEU3E2X7R1H682M	C=6800pF	Hide in Default
CEU3E2X7R1H103K	C=10000pF	
CEU3E2X7R1H103M	C=10000pF	Hide in Default
CEU3E2X7R1H153K	C=15000pF	
CEU3E2X7R1H153M	C=15000pF	Hide in Default
CEU3E2X7R1H223K	C=22000pF	
CEU3E2X7R1H223M	C=22000pF	Hide in Default
CEU3E2X7R1H333K	C=33000pF	
CEU3E2X7R1H333M	C=33000pF	Hide in Default
CEU3E2X7R1H473K	C=47000pF	
CEU3E2X7R1H473M	C=47000pF	Hide in Default

## CEU4J2X7R Series - 9(18) Products

Product Name	Main Characteristic	Note
CEU4J2X7R2A103K	C=10000pF	New
CEU4J2X7R2A103M	C=10000pF	New/Hide in Default
CEU4J2X7R1H103K	C=10000pF	New
CEU4J2X7R1H103M	C=10000pF	New/Hide in Default
CEU4J2X7R2A153K	C=15000pF	New
CEU4J2X7R2A153M	C=15000pF	New/Hide in Default
CEU4J2X7R1H153K	C=15000pF	New
CEU4J2X7R1H153M	C=15000pF	New/Hide in Default
CEU4J2X7R1H223K	C=22000pF	New
CEU4J2X7R1H223M	C=22000pF	New/Hide in Default
CEU4J2X7R1H333K	C=33000pF	
CEU4J2X7R1H333M	C=33000pF	Hide in Default
CEU4J2X7R1H473K	C=47000pF	
CEU4J2X7R1H473M	C=47000pF	Hide in Default
CEU4J2X7R1H683K	C=68000pF	
CEU4J2X7R1H683M	C=68000pF	Hide in Default
CEU4J2X7R1H104K	C=0.1uF	
CEU4J2X7R1H104M	C=0.1uF	Hide in Default

## Multilayer Ceramic Capacitors Array - 196(202) Products

## CKCM25CH Series - 7 Products

Product Name	Main Characteristic	Note
CKCM25CH1H100F	C=10pF	
CKCM25CH1H150K	C=15pF	
CKCM25CH1H220K	C=22pF	
CKCM25CH1H330K	C=33pF	
CKCM25CH1H470K	C=47pF	
CKCM25CH1H680K	C=68pF	
CKCM25CH1H101K	C=100pF	

## CKCM25C0G Series - 7 Products

Product Name	Main Characteristic	Note
CKCM25C0G1H100F	C=10pF	
CKCM25C0G1H150K	C=15pF	
CKCM25C0G1H220K	C=22pF	
CKCM25C0G1H330K	C=33pF	
CKCM25C0G1H470K	C=47pF	
CKCM25C0G1H680K	C=68pF	
CKCM25C0G1H101K	C=100pF	

## CKCM25JB Series - 10 Products

Product Name	Main Characteristic	Note
CKCM25JB1H102M	C=1000pF	
CKCM25JB1H222M	C=2200pF	
CKCM25JB1H472M	C=4700pF	
CKCM25JB1E103M	C=10000pF	
CKCM25JB1C223M	C=22000pF	
CKCM25JB1A473M	C=47000pF	
CKCM25JB0J104M	C=0.1uF	
CKCM25JB0J224M	C=0.22uF	
CKCM25JB0J474M	C=0.47uF	
CKCM25JB0J105M	C=1uF	

## CKCM25X5R Series - 10 Products

Product Name	Main Characteristic	Note
CKCM25X5R1H102M	C=1000pF	
CKCM25X5R1H222M	C=2200pF	
CKCM25X5R1H472M	C=4700pF	
CKCM25X5R1E103M	C=10000pF	
CKCM25X5R1C223M	C=22000pF	
CKCM25X5R1A473M	C=47000pF	
CKCM25X5R0J104M	C=0.1uF	
CKCM25X5R0J224M	C=0.22uF	
CKCM25X5R0J474M	C=0.47uF	
CKCM25X5R0J105M	C=1uF	

## CKCM25X7R Series - 4 Products

Product Name	Main Characteristic	Note
CKCM25X7R1H102M	C=1000pF	
CKCM25X7R1H222M	C=2200pF	
CKCM25X7R1H472M	C=4700pF	
CKCM25X7R1E103M	C=10000pF	

## CKCL22CH Series - 11 Products

Product Name	Main Characteristic	Note
CKCL22CH1H100F	C=10pF	
CKCL22CH1H150K	C=15pF	
CKCL22CH1H220K	C=22pF	
CKCL22CH1H330K	C=33pF	
CKCL22CH1H470K	C=47pF	
CKCL22CH1H680K	C=68pF	
CKCL22CH1H101K	C=100pF	
CKCL22CH1H151K	C=150pF	
CKCL22CH1H221K	C=220pF	
CKCL22CH1H331K	C=330pF	
CKCL22CH1H471K	C=470pF	

## CKCL22C0G Series - 11 Products

Product Name	Main Characteristic	Note
CKCL22C0G1H100F	C=10pF	
CKCL22C0G1H150K	C=15pF	
CKCL22C0G1H220K	C=22pF	
CKCL22C0G1H330K	C=33pF	
CKCL22C0G1H470K	C=47pF	
CKCL22C0G1H680K	C=68pF	
CKCL22C0G1H101K	C=100pF	
CKCL22C0G1H151K	C=150pF	
CKCL22C0G1H221K	C=220pF	
CKCL22C0G1H331K	C=330pF	
CKCL22C0G1H471K	C=470pF	

## CKCL22JB Series - 14 Products

Product Name	Main Characteristic	Note
CKCL22JB1H102M	C=1000pF	
CKCL22JB1H222M	C=2200pF	
CKCL22JB1H472M	C=4700pF	
CKCL22JB1H103M	C=10000pF	
CKCL22JB1H223M	C=22000pF	
CKCL22JB1H473M	C=47000pF	
CKCL22JB1E473M	C=47000pF	
CKCL22JB1H104M	C=0.1uF	
CKCL22JB1E104M	C=0.1uF	

CKCL22JB1C224M	C=0.22uF	
CKCL22JB1A474M	C=0.47uF	
CKCL22JB1C105M	C=1uF	
CKCL22JB0J105M	C=1uF	
CKCL22JB0J225M	C=2.2uF	

## CKCL22X5R Series - 14 Products

Product Name	Main Characteristic	Note
CKCL22X5R1H102M	C=1000pF	
CKCL22X5R1H222M	C=2200pF	
CKCL22X5R1H472M	C=4700pF	
CKCL22X5R1H103M	C=10000pF	
CKCL22X5R1H223M	C=22000pF	
CKCL22X5R1H473M	C=47000pF	
CKCL22X5R1E473M	C=47000pF	
CKCL22X5R1H104M	C=0.1uF	
CKCL22X5R1E104M	C=0.1uF	
CKCL22X5R1C224M	C=0.22uF	
CKCL22X5R1A474M	C=0.47uF	
CKCL22X5R1C105M	C=1uF	
CKCL22X5R0J105M	C=1uF	
CKCL22X5R0J225M	C=2.2uF	

## CKCL22X7R Series - 9 Products

Product Name	Main Characteristic	Note
CKCL22X7R1H102M	C=1000pF	
CKCL22X7R1H222M	C=2200pF	
CKCL22X7R1H472M	C=4700pF	
CKCL22X7R1H103M	C=10000pF	
CKCL22X7R1H223M	C=22000pF	
CKCL22X7R1H473M	C=47000pF	
CKCL22X7R1E473M	C=47000pF	
CKCL22X7R1H104M	C=0.1uF	
CKCL22X7R1E104M	C=0.1uF	

## CKCL44CH Series - 8 Products

Product Name	Main Characteristic	Note
CKCL44CH1H100F	C=10pF	
CKCL44CH1H150K	C=15pF	
CKCL44CH1H220K	C=22pF	
CKCL44CH1H330K	C=33pF	
CKCL44CH1H470K	C=47pF	
CKCL44CH1H680K	C=68pF	
CKCL44CH1H101K	C=100pF	
CKCL44CH1H151K	C=150pF	

## CKCL44C0G Series - 8 Products

Product Name	Main Characteristic	Note
CKCL44C0G1H100F	C=10pF	
CKCL44C0G1H150K	C=15pF	
CKCL44C0G1H220K	C=22pF	
CKCL44C0G1H330K	C=33pF	
CKCL44C0G1H470K	C=47pF	
CKCL44C0G1H680K	C=68pF	
CKCL44C0G1H101K	C=100pF	
CKCL44C0G1H151K	C=150pF	

## CKCL44JB Series - 18 Products

Product Name	Main Characteristic	Note
CKCL44JB1H221M	C=220pF	
CKCL44JB1H471M	C=470pF	
CKCL44JB1H102M	C=1000pF	
CKCL44JB1H222M	C=2200pF	
CKCL44JB1H472M	C=4700pF	
CKCL44JB1E103M	C=10000pF	
CKCL44JB1C223M	C=22000pF	
CKCL44JB1A473M	C=47000pF	
CKCL44JB0J104M	C=0.1uF	
CKCA43JB1H471M	C=470pF	
CKCA43JB1H102M	C=1000pF	
CKCA43JB1H222M	C=2200pF	
CKCA43JB1H472M	C=4700pF	
CKCA43JB1H103M	C=10000pF	
CKCA43JB1H223M	C=22000pF	
CKCA43JB1E473M	C=47000pF	
CKCA43JB1C104M	C=0.1uF	
CKCA43JB0J105M	C=1uF	

## CKCL44X5R Series - 18 Products

Product Name	Main Characteristic	Note
CKCL44X5R1H221M	C=220pF	
CKCL44X5R1H471M	C=470pF	
CKCL44X5R1H102M	C=1000pF	
CKCL44X5R1H222M	C=2200pF	
CKCL44X5R1H472M	C=4700pF	
CKCL44X5R1E103M	C=10000pF	
CKCL44X5R1C223M	C=22000pF	
CKCL44X5R1A473M	C=47000pF	
CKCL44X5R0J104M	C=0.1uF	
CKCA43X5R1H471M	C=470pF	
CKCA43X5R1H102M	C=1000pF	
CKCA43X5R1H222M	C=2200pF	
CKCA43X5R1H472M	C=4700pF	
CKCA43X5R1H103M	C=10000pF	
CKCA43X5R1H223M	C=22000pF	

CKCA43X5R1E473M	C=47000pF	
CKCA43X5R1C104M	C=0.1uF	
CKCA43X5R0J105M	C=1uF	

## CKCL44X7R Series - 15 Products

Product Name	Main Characteristic	Note
CKCL44X7R1H221M	C=220pF	
CKCL44X7R1H471M	C=470pF	
CKCL44X7R1H102M	C=1000pF	
CKCL44X7R1H222M	C=2200pF	
CKCL44X7R1H472M	C=4700pF	
CKCL44X7R1E103M	C=10000pF	
CKCL44X7R1C223M	C=22000pF	
CKCA43X7R1H471M	C=470pF	
CKCA43X7R1H102M	C=1000pF	
CKCA43X7R1H222M	C=2200pF	
CKCA43X7R1H472M	C=4700pF	
CKCA43X7R1H103M	C=10000pF	
CKCA43X7R1H223M	C=22000pF	
CKCA43X7R1E473M	C=47000pF	
CKCA43X7R1C104M	C=0.1uF	

## CKCA43CH Series - 13 Products

Product Name	Main Characteristic	Note
CKCA43CH1H100F	C=10pF	
CKCA43CH1H150K	C=15pF	
CKCA43CH1H220K	C=22pF	
CKCA43CH1H330K	C=33pF	
CKCA43CH1H470K	C=47pF	
CKCA43CH1H680K	C=68pF	
CKCA43CH1H101K	C=100pF	
CKCA43CH1H151K	C=150pF	
CKCA43CH1H221K	C=220pF	
CKCA43CH1H331K	C=330pF	
CKCA43CH1H471K	C=470pF	
CKCA43CH1H681K	C=680pF	
CKCA43CH1H102K	C=1000pF	

## CKCA43C0G Series - 13 Products

Product Name	Main Characteristic	Note
CKCA43C0G1H100F	C=10pF	
CKCA43C0G1H150K	C=15pF	
CKCA43C0G1H220K	C=22pF	
CKCA43C0G1H330K	C=33pF	
CKCA43C0G1H470K	C=47pF	
CKCA43C0G1H680K	C=68pF	
CKCA43C0G1H101K	C=100pF	

CKCA43C0G1H151K	C=150pF	
CKCA43C0G1H221K	C=220pF	
CKCA43C0G1H331K	C=330pF	
CKCA43C0G1H471K	C=470pF	
CKCA43C0G1H681K	C=680pF	
CKCA43C0G1H102K	C=1000pF	

## CKCM25X8R Series - 6(12) Products

Product Name	Main Characteristic	Note
CKCM25X8R1H221K	C=220pF	
CKCM25X8R1H221M	C=220pF	Hide in Default
CKCM25X8R1H471K	C=470pF	
CKCM25X8R1H471M	C=470pF	Hide in Default
CKCM25X8R1H102K	C=1000pF	
CKCM25X8R1H102M	C=1000pF	Hide in Default
CKCM25X8R1H222K	C=2200pF	
CKCM25X8R1H222M	C=2200pF	Hide in Default
CKCM25X8R1H472K	C=4700pF	
CKCM25X8R1H472M	C=4700pF	Hide in Default
CKCM25X8R1H682K	C=6800pF	
CKCM25X8R1H682M	C=6800pF	Hide in Default

## 3-Terminal Feed Through Multilayer Ceramic Capacitors - 46 Products

## CKD110 Series - 12 Products

Product Name	Main Characteristic	Note
CKD110JB1E220S	C=22pF	
CKD110JB1E470S	C=47pF	
CKD110JB1E101S	C=100pF	
CKD110JB1E221S	C=220pF	
CKD110JB1E471S	C=470pF	
CKD110JB1E102S	C=1000pF	
CKD110JB1E222S	C=2200pF	
CKD110JB1E472S	C=4700pF	
CKD110JB1E103S	C=10000pF	
CKD110JB1E223S	C=22000pF	
CKD110JB1E473S	C=47000pF	
CKD110JB1E104S	C=0.1uF	

## CKD310 Series - 5 Products

Product Name	Main Characteristic	Note
CKD310JB1C104S	C=0.1uF	
CKD310JB1C224S	C=0.22uF	
CKD310JB1C474S	C=0.47uF	
CKD310JB1C105S	C=1uF	
CKD310JB0J226S	C=22uF	

## CKD510 Series - 18 Products

Product Name	Main Characteristic	Note
CKD510JB1H220S	C=22pF	
CKD510JB1H470S	C=47pF	
CKD510JB1H101S	C=100pF	
CKD510JB1H221S	C=220pF	
CKD510JB1H471S	C=470pF	
CKD510JB1H102S	C=1000pF	
CKD510JB1H222S	C=2200pF	
CKD510JB1H472S	C=4700pF	
CKD510JB1E103S	C=10000pF	
CKD510JB1E223S	C=22000pF	
CKD510JB1E473S	C=47000pF	
CKD510JB1E104S	C=0.1uF	
CKD510JB1C474S	C=0.47uF	
CKD510JB1A105S	C=1uF	
CKD510JB1A225S	C=2.2uF	
CKD510JB1A475S	C=4.7uF	
CKD510JB0J106S	C=10uF	
CKD510JB0J226S	C=22uF	

## CKD610 Series - 5 Products

Product Name	Main Characteristic	Note
CKD610JB1E104S	C=0.1uF	
CKD610JB1C224S	C=0.22uF	
CKD610JB0J474S	C=0.47uF	
CKD610JB0J105S	C=1uF	
CKD610JB0J225S	C=2.2uF	

## CKD61B Series - 5 Products

Product Name	Main Characteristic	Note
CKD61B1E104S	C=0.1uF	
CKD61B1C224S	C=0.22uF	
CKD61B0J474S	C=0.47uF	
CKD61B0J105S	C=1uF	
CKD61B0J475S	C=4.7uF	

## CKD710 Series - 1 Product

Product Name	Main Characteristic	Note
CKD710JB0J474S	C=0.47uF	

### 3-Terminal Filters - 100 Products

#### ACF321825 Series - 18 Products

Product Name	Main Characteristic	Note
ACF321825-223-T	-25dB Freq. Range : 11 to 55MHz	
ACF321825-103-T	-25dB Freq. Range : 17 to 60MHz	
ACF321825-682-T	-25dB Freq. Range : 22 to 75MHz	
ACF321825-472-T	-25dB Freq. Range : 30 to 85MHz	
ACF321825-332-T	-25dB Freq. Range : 37 to 90MHz	
ACF321825-222-T	-25dB Freq. Range : 45 to 105MHz	
ACF321825-152-T	-25dB Freq. Range : 60 to 115MHz	
ACF321825-102-T	-25dB Freq. Range : 80 to 140MHz	
ACF321825-681-T	-25dB Freq. Range : 95 to 150MHz	
ACF321825-471-T	-25dB Freq. Range : 120 to 180MHz	
ACF321825-331-T	-25dB Freq. Range : 130 to 210MHz	
ACF321825-221-T	-25dB Freq. Range : 170 to 250MHz	
ACF321825-151-T	-25dB Freq. Range : 205 to 280MHz	
ACF321825-101-T	-25dB Freq. Range : 265 to 340MHz	
ACF321825-680-T	-25dB Freq. Range : 340 to 420MHz	
ACF321825-470-T	-25dB Freq. Range : 420 to 500MHz	
ACF321825-330-T	-25dB Freq. Range : 500 to 600MHz	
ACF321825-220-T	-25dB Freq. Range : 600 to 700MHz	

#### ACF451832 Series - 20 Products

Product Name	Main Characteristic	Note
ACF451832-333-T	-25dB Freq. Range : 7 to 60MHz	
ACF451832-223-T	-25dB Freq. Range : 9 to 65MHz	
ACF451832-153-T	-25dB Freq. Range : 11 to 70MHz	
ACF451832-103-T	-25dB Freq. Range : 15 to 75MHz	
ACF451832-682-T	-25dB Freq. Range : 20 to 85MHz	
ACF451832-472-T	-25dB Freq. Range : 25 to 90MHz	
ACF451832-332-T	-25dB Freq. Range : 35 to 100MHz	
ACF451832-222-T	-25dB Freq. Range : 40 to 110MHz	
ACF451832-152-T	-25dB Freq. Range : 50 to 130MHz	
ACF451832-102-T	-25dB Freq. Range : 65 to 150MHz	
ACF451832-681-T	-25dB Freq. Range : 75 to 160MHz	
ACF451832-471-T	-25dB Freq. Range : 95 to 180MHz	
ACF451832-331-T	-25dB Freq. Range : 115 to 205MHz	
ACF451832-221-T	-25dB Freq. Range : 150 to 250MHz	
ACF451832-151-T	-25dB Freq. Range : 190 to 290MHz	
ACF451832-101-T	-25dB Freq. Range : 235 to 335MHz	
ACF451832-680-T	-25dB Freq. Range : 295 to 395MHz	
ACF451832-470-T	-25dB Freq. Range : 360 to 460MHz	
ACF451832-330-T	-25dB Freq. Range : 450 to 550MHz	
ACF451832-220-T	-25dB Freq. Range : 550 to 650MHz	

#### ACH3218 Series - 18 Products

Product Name	Main Characteristic	Note
ACH3218-223-T	-25dB Freq. Range : 11 to 55MHz	
ACH3218-103-T	-25dB Freq. Range : 17 to 60MHz	
ACH3218-682-T	-25dB Freq. Range : 22 to 75MHz	
ACH3218-472-T	-25dB Freq. Range : 30 to 85MHz	
ACH3218-332-T	-25dB Freq. Range : 37 to 90MHz	
ACH3218-222-T	-25dB Freq. Range : 45 to 105MHz	
ACH3218-152-T	-25dB Freq. Range : 60 to 115MHz	
ACH3218-102-T	-25dB Freq. Range : 80 to 140MHz	
ACH3218-681-T	-25dB Freq. Range : 95 to 150MHz	
ACH3218-471-T	-25dB Freq. Range : 120 to 180MHz	
ACH3218-331-T	-25dB Freq. Range : 130 to 210MHz	
ACH3218-221-T	-25dB Freq. Range : 170 to 250MHz	
ACH3218-151-T	-25dB Freq. Range : 205 to 280MHz	
ACH3218-101-T	-25dB Freq. Range : 265 to 340MHz	
ACH3218-680-T	-25dB Freq. Range : 340 to 420MHz	
ACH3218-470-T	-25dB Freq. Range : 420 to 500MHz	
ACH3218-330-T	-25dB Freq. Range : 500 to 600MHz	
ACH3218-220-T	-25dB Freq. Range : 600 to 700MHz	

## ACH4518 Series - 20 Products

Product Name	Main Characteristic	Note
ACH4518-333-T	-25dB Freq. Range : 6 to 60MHz	
ACH4518-223-T	-25dB Freq. Range : 9 to 65MHz	
ACH4518-153-T	-25dB Freq. Range : 11 to 70MHz	
ACH4518-103-T	-25dB Freq. Range : 15 to 75MHz	
ACH4518-682-T	-25dB Freq. Range : 20 to 85MHz	
ACH4518-472-T	-25dB Freq. Range : 25 to 90MHz	
ACH4518-332-T	-25dB Freq. Range : 35 to 100MHz	
ACH4518-222-T	-25dB Freq. Range : 40 to 110MHz	
ACH4518-152-T	-25dB Freq. Range : 50 to 130MHz	
ACH4518-102-T	-25dB Freq. Range : 65 to 150MHz	
ACH4518-681-T	-25dB Freq. Range : 75 to 160MHz	
ACH4518-471-T	-25dB Freq. Range : 95 to 180MHz	
ACH4518-331-T	-25dB Freq. Range : 115 to 205MHz	
ACH4518-221-T	-25dB Freq. Range : 150 to 250MHz	
ACH4518-151-T	-25dB Freq. Range : 190 to 290MHz	
ACH4518-101-T	-25dB Freq. Range : 235 to 335MHz	
ACH4518-680-T	-25dB Freq. Range : 290 to 395MHz	
ACH4518-470-T	-25dB Freq. Range : 360 to 460MHz	
ACH4518-330-T	-25dB Freq. Range : 450 to 550MHz	
ACH4518-220-T	-25dB Freq. Range : 530 to 650MHz	

## ACH32C Series - 10 Products

Product Name	Main Characteristic	Note
ACH32C-100	-15dB Freq. Range : 2000 to 6000MHz	
ACH32C-220	-15dB Freq. Range : 1300 to 2500MHz	
ACH32C-470	-15dB Freq. Range : 650 to 2500MHz	

ACH32C-101	-20dB Freq. Range : 450 to 1300MHz	
ACH32C-331	-20dB Freq. Range : 200 to 800MHz	
ACH32C-102	-25dB Freq. Range : 100 to 350MHz	
ACH32C-222	-25dB Freq. Range : 55 to 300MHz	
ACH32C-103	-25dB Freq. Range : 30 to 200MHz	
ACH32C-333	-25dB Freq. Range : 10 to 300MHz	
ACH32C-104	-25dB Freq. Range : 3.5 to 200MHz	

## MEM1608D Series - 4 Products

Product Name	Main Characteristic	Note
MEM1608D201RT0S1	Fc=200MHz	
MEM1608D301RT0S1	Fc=300MHz	
MEM1608D401RT0S1	Fc=400MHz	
MEM1608D501RT	Fc=500MHz	

## MEM1608P Series - 5 Products

Product Name	Main Characteristic	Note
MEM1608P25R0T0S1	Fc=25MHz	
MEM1608P35R0T0S1	Fc=35MHz	
MEM1608P50R0T0S1	Fc=50MHz	
MEM1608P75R0T0S1	Fc=75MHz	
MEM1608P101RT0S1	Fc=100MHz	

## MEM2012S Series - 5 Products

Product Name	Main Characteristic	Note
MEM2012S25R0T001	Fc=25MHz	
MEM2012S35R0T001	Fc=35MHz	
MEM2012S50R0T001	Fc=50MHz	
MEM2012S101RT001	Fc=100MHz	
MEM2012S201RT001	Fc=200MHz	

### 3-Terminal Filters Array - 45 Products

#### MEA1210D Series - 4 Products

Product Name	Main Characteristic	Note
MEA1210D201R	Fc=200MHz	
MEA1210D301R	Fc=300MHz	
MEA1210D401R	Fc=400MHz	
MEA1210D501R	Fc=500MHz	

#### MEA2010P Series - 2 Products

Product Name	Main Characteristic	Note
MEA2010P181R	Fc=180MHz	
MEA2010P211R	Fc=210MHz	

#### MEA1210PE Series - 3 Products

Product Name	Main Characteristic	Note
MEA1210PE220	C=22pF	
MEA1210PE360	C=36pF	
MEA1210PE400	C=40pF	

#### MEA1608PE Series - 6 Products

Product Name	Main Characteristic	Note
MEA1608PE150	C=15pF	
MEA1608PE220	C=22pF	
MEA1608PE270	C=27pF	
MEA1608PE360	C=36pF	
MEA1608PE440	C=44pF	
MEA1608PE540	C=54pF	

#### MEA2010PE Series - 4 Products

Product Name	Main Characteristic	Note
MEA2010PE150	C=15pF	
MEA2010PE220	C=22pF	
MEA2010PE360	C=36pF	
MEA2010PE400	C=40pF	

#### MEA1210PH Series - 3 Products

Product Name	Main Characteristic	Note
MEA1210PH150	C=15pF ( Fc=400MHz )	
MEA1210PH220	C=22pF ( Fc=400MHz )	
MEA1210PH270	C=27pF ( Fc=400MHz )	

#### MEA1608PH Series - 3 Products

Product Name	Main Characteristic	Note
MEA1608PH150	C=15pF ( Fc=400MHz )	
MEA1608PH220	C=22pF ( Fc=400MHz )	

MEA1608PH270	C=27pF ( Fc=400MHz )	
--------------	----------------------	--

## MEA1608L Series - 3 Products

Product Name	Main Characteristic	Note
MEA1608L50R0	Fc=50MHz	
MEA1608L75R0	Fc=75MHz	
MEA1608L101R	Fc=100MHz	

## MEA2010L Series - 3 Products

Product Name	Main Characteristic	Note
MEA2010L50R0	Fc=50MHz	
MEA2010L75R0	Fc=75MHz	
MEA2010L101R	Fc=100MHz	

## MEA1210LC Series - 3 Products

Product Name	Main Characteristic	Note
MEA1210LC100	C=10pF ( Fc=200MHz )	
MEA1210LC150	C=15pF ( Fc=200MHz )	
MEA1210LC220	C=22pF ( Fc=200MHz )	

## MEA1608LC Series - 6 Products

Product Name	Main Characteristic	Note
MEA1608LC040	C=4pF	
MEA1608LC060	C=6pF	
MEA1608LC080	C=8pF	
MEA1608LC100	C=10pF	
MEA1608LC150	C=15pF	
MEA1608LC220	C=22pF	

## MEA2010LC Series - 5 Products

Product Name	Main Characteristic	Note
MEA2010LC040	C=4pF	
MEA2010LC100	C=10pF	
MEA2010LC150	C=15pF	
MEA2010LC220	C=22pF	
MEA2010LC360	C=36pF	

## Band Stop Filters - 8 Products

## MKZ1005 Series - 8 Products

Product Name	Main Characteristic	Note
MKZ1005S0740	$ Z  = 5000\text{ohm}$ Min. at 700MHz	
MKZ1005S0850	$ Z  = 5000\text{ohm}$ Min. at 824MHz	
MKZ1005S0920	$ Z  = 5000\text{ohm}$ Min. at 880MHz	
MKZ1005S1580	$ Z  = 5000\text{ohm}$ Min. at 1550MHz	
MKZ1005S1800	$ Z  = 3000\text{ohm}$ Min. at 1710MHz	
MKZ1005S1920	$ Z  = 3000\text{ohm}$ Min. at 1850MHz	
MKZ1005S2140	$ Z  = 5000\text{ohm}$ Min. at 2110MHz	
MKZ1005S2440	$ Z  = 4000\text{ohm}$ Min. at 2400MHz	

## Common Mode Filters - 62 Products

## ACM2012 Series - 4 Products

Product Name	Main Characteristic	Note
ACM2012-900-2P	Zc =90ohm Typ. at 100MHz	
ACM2012-121-2P	Zc =120ohm Typ. at 100MHz	
ACM2012-201-2P	Zc =200ohm Typ. at 100MHz	
ACM2012-361-2P	Zc =360ohm Typ. at 100MHz	

## ACM2012E Series - 1 Product

Product Name	Main Characteristic	Note
ACM2012E-900-2P	Zc =90ohm Typ. at 100MHz	

## ACM2012DH Series - 2 Products

Product Name	Main Characteristic	Note
ACM2012D-900-2P	Zc =90ohm Typ. at 100MHz	
ACM2012H-900-2P	Zc =90ohm Typ. at 100MHz	

## ACM2520 Series - 4 Products

Product Name	Main Characteristic	Note
ACM2520-301-2P	Zc =300ohm Typ. at 100MHz	
ACM2520-451-2P	Zc =450ohm Typ. at 100MHz	
ACM2520-601-2P	Zc =600ohm Typ. at 100MHz	
ACM2520-102-2P	Zc =1000ohm Typ. at 100MHz	

## ACM3225 Series - 5 Products

Product Name	Main Characteristic	Note
ACM3225-800-2P	Zc =80ohm Typ. at 100MHz	
ACM3225-161-2P	Zc =160ohm Typ. at 100MHz	
ACM3225-271-2P	Zc =270ohm Typ. at 100MHz	
ACM3225-102-2P	Zc =1000ohm Typ. at 100MHz	
ACM3225-601-2P	Zc =600ohm Typ. at 100MHz	

## ACM4520 Series - 2 Products

Product Name	Main Characteristic	Note
ACM4520-901-2P	Zc =900ohm Typ. at 100MHz	
ACM4520-142-2P	Zc =1400ohm Typ. at 100MHz	

## ACM4532 Series - 2 Products

Product Name	Main Characteristic	Note
ACM4532-601-2P	Zc =600ohm Typ. at 100MHz	
ACM4532-801-2P	Zc =800ohm Typ. at 100MHz	

## ACM7060 Series - 2 Products

Product Name	Main Characteristic	Note
ACM7060-301-2PL	Zc =300ohm Typ. at 100MHz	

ACM7060-701-2PL	Zc =700ohm Typ. at 100MHz	
-----------------	---------------------------	--

## ACM9070 Series - 1 Product

Product Name	Main Characteristic	Note
ACM9070-701-2PL	Zc =700ohm Typ. at 100MHz	

## ACM1211 Series - 2 Products

Product Name	Main Characteristic	Note
ACM1211-701-2PL	Zc =700ohm Typ. at 100MHz	
ACM1211-102-2PL	Zc =1000ohm Typ. at 100MHz	

## ACM1513 Series - 1 Product

Product Name	Main Characteristic	Note
ACM1513-551-2PL	Zc =550ohm Typ. at 100MHz	

## ACM70V Series - 1 Product

Product Name	Main Characteristic	Note
ACM70V-701-2PL	Zc =700ohm Typ. at 100MHz	

## ACM90V Series - 1 Product

Product Name	Main Characteristic	Note
ACM90V-701-2PL	Zc =700ohm Typ. at 100MHz	

## ACM12V Series - 1 Product

Product Name	Main Characteristic	Note
ACM12V-701-2PL	Zc =700ohm Typ. at 100MHz	

## ACP3225 Series - 1 Product

Product Name	Main Characteristic	Note
ACP3225-102-2P	Zc =1000ohm Typ. at 100MHz	New

## ACT45B Series - 4 Products

Product Name	Main Characteristic	Note
ACT45B-110-2P	Lc=11uH at 100kHz	
ACT45B-220-2P	Lc=22uH at 100kHz	
ACT45B-510-2P	Lc=51uH at 100kHz	
ACT45B-101-2P	Lc=100uH at 100kHz	

## ACT45R Series - 1 Product

Product Name	Main Characteristic	Note
ACT45R-101-2P	Lc=100uH at 100kHz	New

## MCZ1210AH Series - 2 Products

Product Name	Main Characteristic	Note
MCZ1210AH360L2	Zc =36ohm at 100MHz	
MCZ1210AH900L2	Zc =90ohm at 100MHz	

## MCZ1210CH Series - 1 Product

Product Name	Main Characteristic	Note
MCZ1210CH240L2	Zc =24ohm at 100MHz	

## TCE1210 Series - 1 Product

Product Name	Main Characteristic	Note
TCE1210-900-2P	Zc =90ohm at 100MHz	

## TCE1210U Series - 2 Products

Product Name	Main Characteristic	Note
TCE1210U-120-2P	Zc =12ohm at 100MHz	
TCE1210U-500-2P	Zc =50ohm at 100MHz	

## TCM0605G Series - 1 Product

Product Name	Main Characteristic	Note
TCM0605G-900-2P	Zc =90ohm at 100MHz	New

## TCM0605S Series - 2 Products

Product Name	Main Characteristic	Note
TCM0605S-120-2P	Zc =12ohm at 100MHz	New
TCM0605S-350-2P	Zc =35ohm at 100MHz	New

## TCM0806G Series - 3 Products

Product Name	Main Characteristic	Note
TCM0806G-350-2P	Zc =35ohm at 100MHz	
TCM0806G-650-2P	Zc =65ohm at 100MHz	
TCM0806G-900-2P	Zc =90ohm at 100MHz	

## TCM0806H Series - 1 Product

Product Name	Main Characteristic	Note
TCM0806H-900-2P	Zc =90ohm at 100MHz	

## TCM0806S Series - 1 Product

Product Name	Main Characteristic	Note
TCM0806S-120-2P	Zc =12ohm at 100MHz	New

## ZCYS8684 Series - 2 Products

Product Name	Main Characteristic	Note
ZCYS8684-472-2P	Lc=4.7mH at 100kHz	
ZCYS8684-902-2P	Lc=9.0mH at 100kHz	

## ZCYS9058 Series - 3 Products

Product Name	Main Characteristic	Note
ZCYS9058-471-2P	Lc=0.47mH at 100kHz	
ZCYS9058-222-2P	Lc=2.2mH at 100kHz	

ZCYS9058-472-2P	Lc=4.7mH at 100kHz	
-----------------	--------------------	--

## ZCYS1512 Series - 1 Product

Product Name	Main Characteristic	Note
ZCYS1512-203-2P	Lc=20mH at 100kHz	

## ZJYS51 Series - 3 Products

Product Name	Main Characteristic	Note
ZJYS51R5-2P-01	Zc =200ohm Min. between 20 and 300MHz	
ZJYS51R5-2PB-01	Zc =300ohm Min. between 6 and 20MHz	
ZJYS51R5-2PL-01	Zc =100ohm Min. between 20 and 100MHz	

## ZJYS81 Series - 4 Products

Product Name	Main Characteristic	Note
ZJYS81R5-2P24-G01	Zc =1000ohm Min. at 10MHz	
ZJYS81R5-2P50-G01	Zc =2000ohm Min. at 10MHz	
ZJYS81R5-2PL25-G01	Zc =1000ohm Min. at 10MHz	
ZJYS81R5-2PL51-G01	Zc =2000ohm Min. at 10MHz	

## Common Mode Filters Array - 9 Products

## MCZ2010AH Series - 2 Products

Product Name	Main Characteristic	Note
MCZ2010AH900L4	Zc =90ohm at 100MHz	
MCZ2010AH121L4	Zc =120ohm at 100MHz	

## MCZ2010CH Series - 1 Product

Product Name	Main Characteristic	Note
MCZ2010CH240L4	Zc =24ohm at 100MHz	

## TCE1608 Series - 1 Product

Product Name	Main Characteristic	Note
TCE1608-900-4P	Zc =90ohm Typ. at 100MHz	

## TCM1608G Series - 4 Products

Product Name	Main Characteristic	Note
TCM1608G-350-4P	Zc =35ohm at 100MHz	
TCM1608G-650-4P	Zc =65ohm at 100MHz	
TCM1608G-900-4P	Zc =90ohm at 100MHz	
TCM1608G-201-4P	Zc =200ohm at 100MHz	

## ZJYS51 Series - 1 Product

Product Name	Main Characteristic	Note
ZJYS51R5-4PT-01	Zc =200ohm Min. between 20 and 300MHz	

## Multi Line Common Mode Filters - 6 Products

## ACM2520 Series - 1 Product

Product Name	Main Characteristic	Note
ACM2520-801-3P	$ Z_c =800\text{ohm}$ Typ. at 100MHz	

## ACM4532 Series - 1 Product

Product Name	Main Characteristic	Note
ACM4532-102-3P	$ Z_c =1000\text{ohm}$ Typ. at 100MHz	

## ZCYS51 Series - 3 Products

Product Name	Main Characteristic	Note
ZCYS51R5-M4PAT-01	$ Z_c =200\text{ohm}$ Min. between 100 and 500MHz	
ZCYS51R5-M6PT-01	$ Z_c =200\text{ohm}$ Min. between 50 and 300MHz	
ZCYS51R5-M8PT-01	$ Z_c =100\text{ohm}$ Min. between 100 and 300MHz	

## ZJYS51 Series - 1 Product

Product Name	Main Characteristic	Note
ZJYS51R5-M4PAT-01	$ Z_c =200\text{ohm}$ Min. between 20 and 300MHz	

## Varistors - 41 Products

## AVRM0402 Series - 1 Product

Product Name	Main Characteristic	Note
AVRM0402C120MT330N	V1mA=12V	

## AVRM0603 Series - 5 Products

Product Name	Main Characteristic	Note
AVRM0603C6R8NT101N	V1mA=6.8V	
AVRM0603C080MT101N	V1mA=8V	
AVRM0603C120MT150N	V1mA=12V	
AVRM0603C120MT101N	V1mA=12V	
AVR-M0603C120MTAAB	V1mA=12V	

## AVRM1005 Series - 9 Products

Product Name	Main Characteristic	Note
AVRM1005C6R8NT101N	V1mA=6.8V	
AVR-M1005C080MTAAB	V1mA=8V	
AVR-M1005C080MTADB	V1mA=8V	
AVR-M1005C080MTABB	V1mA=8V	
AVR-M1005C080MTACB	V1mA=8V	
AVR-M1005C120MTAAB	V1mA=12V	
AVRM1005C270KT101N	V1mA=27V	
AVR-M1005C270MTAAB	V1mA=27V	
AVR-M1005C270MTABB	V1mA=27V	

## AVRM1608 Series - 12 Products

Product Name	Main Characteristic	Note
AVR-M1608C080MTAAB	V1mA=8V	
AVR-M1608C120MT6AB	V1mA=12V	
AVR-M1608C120MT2AB	V1mA=12V	
AVR-M1608C180MT6AB	V1mA=18V	
AVR-M1608C220KT6AB	V1mA=22V	
AVR-M1608C220KT2AB	V1mA=22V	
AVR-M1608C270KT6AB	V1mA=27V	
AVR-M1608C270KT2AB	V1mA=27V	
AVR-M1608C270MTACB	V1mA=27V	
AVR-M1608C270MTAAB	V1mA=27V	
AVR-M1608C270MTABB	V1mA=27V	
AVRM1608C390MT271N	V1mA=39V	

## AVRM2012 Series - 3 Products

Product Name	Main Characteristic	Note
AVR-M2012C120MT6AB	V1mA=12V	
AVR-M2012C220KT6AB	V1mA=22V	
AVR-M2012C390KT6AB	V1mA=39V	

## AVRL04 Series - 1 Product

Product Name	Main Characteristic	Note
AVRL041E1R1NTA	V1mA=39V	

## AVRL06 Series - 1 Product

Product Name	Main Characteristic	Note
AVRL061E1R1NTA	V1mA=39V	

## AVRL10 Series - 5 Products

Product Name	Main Characteristic	Note
AVRL101A1R1NTA	V1mA=90V	
AVRL101A1R1NTB	V1mA=39V	
AVRL101A3R3FTA	V1mA=27V	
AVRL101A6R8GTA	V1mA=27V	
AVRL101C2R2DTA	V1mA=90V	

## AVRL16 Series - 4 Products

Product Name	Main Characteristic	Note
AVRL161A1R1NTA	V1mA=90V	
AVRL161A1R1NTB	V1mA=39V	
AVRL161A3R3FTA	V1mA=27V	
AVRL161A6R8GTA	V1mA=27V	

## Varistors Array - 6 Products

## AVRM14A2 Series - 4 Products

Product Name	Main Characteristic	Note
AVR-M14A2C240MT600N	V1mA=24V	
AVR-M14A2C270MT470N	V1mA=27V	
AVRM14A2C270MT150N	V1mA=27V	
AVRM14A2C270MT3R3F	V1mA=27V	

## AVF16 Series - 2 Products

Product Name	Main Characteristic	Note
AVF16C212A000F205	V1mA=12V : Fc=2GHz	
AVF16C225A000F405	V1mA=25V : Fc=4GHz	

## Balun Transformers - 77 Products

## ATB2012 Series - 2 Products

Product Name	Main Characteristic	Note
ATB2012-50011	UnBal. : Bal. = 50ohm : 50ohm	
ATB2012-75011	UnBal. : Bal. = 75ohm : 75ohm	

## HHM19 Series - 12 Products

Product Name	Main Characteristic	Note
HHM1902A1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1904A1	UnBal. : Bal. = 50ohm : 75ohm	
HHM1904C1	UnBal. : Bal. = 50ohm : 75ohm	
HHM1903A1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1902B1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1917A1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1905C1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1906A1	UnBal. : Bal. = 50ohm : 75ohm	
HHM1907B1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1908A1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1919A1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1918A1	UnBal. : Bal. = 50ohm : 100ohm	

## HHM17 Series - 26 Products

Product Name	Main Characteristic	Note
HHM1776B2	UnBal. : Bal. = 50ohm : 50ohm	
HHM1776B3	UnBal. : Bal. = 50ohm : 50ohm	
HHM1726P1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1763B2	UnBal. : Bal. = 50ohm : 150ohm	
HHM1720B2	UnBal. : Bal. = 50ohm : 200ohm	
HHM1726U1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1704A2	UnBal. : Bal. = 50ohm : 50ohm	
HHM1749S1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1748K1	UnBal. : Bal. = 50ohm : 150ohm	
HHM1731F1	UnBal. : Bal. = 50ohm : 200ohm	
HHM1749K1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1749H1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1779B1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1710D1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1711D1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1712D1	UnBal. : Bal. = 50ohm : 150ohm	
HHM1713E2	UnBal. : Bal. = 50ohm : 200ohm	
HHM1733B1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1732B1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1752A2	UnBal. : Bal. = 50ohm : 200ohm	
HHM1710J1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1727D1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1711E1	UnBal. : Bal. = 50ohm : 100ohm	

HHM1715E1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1711Q1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1775B1	UnBal. : Bal. = 50ohm : 100ohm	

#### HHM15 Series - 34 Products

Product Name	Main Characteristic	Note
HHM1522A7	UnBal. : Bal. = 50ohm : 50ohm	
HHM1523B3	UnBal. : Bal. = 50ohm : 100ohm	
HHM1524B4	UnBal. : Bal. = 50ohm : 150ohm	
HHM1564A4	UnBal. : Bal. = 50ohm : 200ohm	
HHM1522B1	UnBal. : Bal. = 50ohm : 50ohm	
HHM1523C1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1524B1	UnBal. : Bal. = 50ohm : 150ohm	
HHM1515B2	UnBal. : Bal. = 50ohm : 200ohm	
HHM1533	UnBal. : Bal. = 50ohm : 50ohm	
HHM1506	UnBal. : Bal. = 50ohm : 100ohm	
HHM1537	UnBal. : Bal. = 50ohm : 150ohm	
HHM1534	UnBal. : Bal. = 50ohm : 200ohm	
HHM1525	UnBal. : Bal. = 50ohm : 50ohm	
HHM1526	UnBal. : Bal. = 50ohm : 100ohm	
HHM1518A3	UnBal. : Bal. = 50ohm : 150ohm	
HHM1516	UnBal. : Bal. = 50ohm : 200ohm	
HHM1517	UnBal. : Bal. = 50ohm : 50ohm	
HHM1541E1	UnBal. : Bal. = 50ohm : 75ohm	
HHM1520	UnBal. : Bal. = 50ohm : 100ohm	
HHM1521	UnBal. : Bal. = 50ohm : 200ohm	
HHM1562B	UnBal. : Bal. = 50ohm : 100ohm	
HHM1570B1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1583B1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1595A1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1596A1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1545	UnBal. : Bal. = 50ohm : 50ohm	
HHM1594A1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1548E1	UnBal. : Bal. = 50ohm : 200ohm	
HHM1591A1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1591A2	UnBal. : Bal. = 50ohm : 100ohm	
HHM1591D1	UnBal. : Bal. = 50ohm : 100ohm	
HHM1589B1	UnBal. : Bal. = 50ohm : 200ohm	
HHM1589D1	UnBal. : Bal. = 50ohm : 200ohm	
HHM1589E1	UnBal. : Bal. = 50ohm : 200ohm	

#### TTB12G Series - 1 Product

Product Name	Main Characteristic	Note
TTB12G51-900-2P	UnBal. : Bal. = 50ohm : 50ohm	New

#### TTB16G Series - 2 Products

Product Name	Main Characteristic	Note
--------------	---------------------	------

TTB16G11-900-4P	UnBal. : Bal. = 50ohm : 200ohm	New
TTB16G11-201-4P	UnBal. : Bal. = 50ohm : 200ohm	New

## NTC Thermistors - 92(203) Products

### NTCG06 Series - 18(25) Products

Product Name	Main Characteristic	Note
NTCG063EH300J	B=3250K [ 25/85degC ]	
NTCG063EH300K	B=3250K [ 25/85degC ]	Hide in Default
NTCG063EH400J	B=3250K [ 25/85degC ]	
NTCG063EH400K	B=3250K [ 25/85degC ]	Hide in Default
NTCG062QH101J	B=2800K [ 25/85degC ]	
NTCG062QH101K	B=2800K [ 25/85degC ]	Hide in Default
NTCG064KH202J	B=4500K [ 25/85degC ]	
NTCG064KH202K	B=4500K [ 25/85degC ]	Hide in Default
NTCG064KH302J	B=4500K [ 25/85degC ]	
NTCG064KH302K	B=4500K [ 25/85degC ]	Hide in Default
NTCG064BH103J	B=4100K [ 25/85degC ]	
NTCG064BH103K	B=4100K [ 25/85degC ]	Hide in Default
NTCG063JH103J	B=3435K [ 25/85degC ]	
NTCG063JH103K	B=3435K [ 25/85degC ]	Hide in Default
NTCG064EH104J	B=4250K [ 25/50degC ]	
NTCG063JF103F	B=3435K [ 25/85degC ]	
NTCG063JF103G	B=3435K [ 25/85degC ]	
NTCG063JF103H	B=3435K [ 25/85degC ]	
NTCG064BF473F	B=4050K [ 25/50degC ]	New
NTCG064BF473G	B=4050K [ 25/50degC ]	New
NTCG064BF473H	B=4050K [ 25/50degC ]	New
NTCG064BF473J	B=4050K [ 25/50degC ]	New
NTCG064EF104F	B=4250K [ 25/50degC ]	
NTCG064EF104G	B=4250K [ 25/50degC ]	
NTCG064EF104H	B=4250K [ 25/50degC ]	

### NTCG10 Series - 35(84) Products

Product Name	Main Characteristic	Note
NTCG103EH300J	B=3250K [ 25/85degC ]	
NTCG103EH300K	B=3250K [ 25/85degC ]	Hide in Default
NTCG103EH400H	B=3250K [ 25/85degC ]	
NTCG103EH400J	B=3250K [ 25/85degC ]	Hide in Default
NTCG103EH400K	B=3250K [ 25/85degC ]	Hide in Default
NTCG103EH101H	B=3250K [ 25/85degC ]	
NTCG103EH101J	B=3250K [ 25/85degC ]	Hide in Default
NTCG103EH101K	B=3250K [ 25/85degC ]	Hide in Default
NTCG104BH102H	B=4100K [ 25/85degC ]	
NTCG104BH102J	B=4100K [ 25/85degC ]	Hide in Default
NTCG104BH102K	B=4100K [ 25/85degC ]	Hide in Default
NTCG104BH152H	B=4100K [ 25/85degC ]	
NTCG104BH152J	B=4100K [ 25/85degC ]	Hide in Default
NTCG104BH152K	B=4100K [ 25/85degC ]	Hide in Default
NTCG104KH202H	B=4500K [ 25/85degC ]	

NTCG104KH202J	B=4500K [ 25/85degC ]	Hide in Default
NTCG104KH202K	B=4500K [ 25/85degC ]	Hide in Default
NTCG104KH302H	B=4500K [ 25/85degC ]	
NTCG104KH302J	B=4500K [ 25/85degC ]	Hide in Default
NTCG104KH302K	B=4500K [ 25/85degC ]	Hide in Default
NTCG104BH472H	B=4100K [ 25/85degC ]	
NTCG104BH472J	B=4100K [ 25/85degC ]	Hide in Default
NTCG104BH472K	B=4100K [ 25/85degC ]	Hide in Default
NTCG104BH682H	B=4100K [ 25/85degC ]	
NTCG104BH682J	B=4100K [ 25/85degC ]	Hide in Default
NTCG104BH682K	B=4100K [ 25/85degC ]	Hide in Default
NTCG104BH103H	B=4100K [ 25/85degC ]	
NTCG104BH103J	B=4100K [ 25/85degC ]	Hide in Default
NTCG104BH103K	B=4100K [ 25/85degC ]	Hide in Default
NTCG104LH223H	B=4550K [ 25/85degC ]	
NTCG104LH223J	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH223K	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH333H	B=4550K [ 25/85degC ]	
NTCG104LH333J	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH333K	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH473H	B=4550K [ 25/85degC ]	
NTCG104LH473J	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH473K	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH683H	B=4550K [ 25/85degC ]	
NTCG104LH683J	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH683K	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH104H	B=4550K [ 25/85degC ]	
NTCG104LH104J	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH104K	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH154H	B=4550K [ 25/85degC ]	
NTCG104LH154J	B=4550K [ 25/85degC ]	Hide in Default
NTCG104LH154K	B=4550K [ 25/85degC ]	Hide in Default
NTCG104QH224H	B=4750K [ 25/85degC ]	
NTCG104QH224J	B=4750K [ 25/85degC ]	Hide in Default
NTCG104QH224K	B=4750K [ 25/85degC ]	Hide in Default
NTCG104QH334H	B=4750K [ 25/85degC ]	
NTCG104QH334J	B=4750K [ 25/85degC ]	Hide in Default
NTCG104QH334K	B=4750K [ 25/85degC ]	Hide in Default
NTCG104QH474H	B=4750K [ 25/85degC ]	
NTCG104QH474J	B=4750K [ 25/85degC ]	Hide in Default
NTCG104QH474K	B=4750K [ 25/85degC ]	Hide in Default
NTCG104QH105H	B=4750K [ 25/85degC ]	
NTCG104QH105J	B=4750K [ 25/85degC ]	Hide in Default
NTCG104QH105K	B=4750K [ 25/85degC ]	Hide in Default
NTCG103JH103H	B=3435K [ 25/85degC ]	
NTCG103JH103J	B=3435K [ 25/85degC ]	Hide in Default
NTCG103JH103K	B=3435K [ 25/85degC ]	Hide in Default
NTCG104CH473H	B=4150K [ 25/85degC ]	

NTCG104CH473J	B=4150K [ 25/85degC ]	Hide in Default
NTCG104CH473K	B=4150K [ 25/85degC ]	Hide in Default
NTCG104EH104H	B=4250K [ 25/50degC ]	
NTCG104EH104J	B=4250K [ 25/50degC ]	Hide in Default
NTCG104EH104K	B=4250K [ 25/50degC ]	Hide in Default
NTCG103LH472H	B=3545K [ 25/85degC ]	
NTCG103LH472J	B=3545K [ 25/85degC ]	Hide in Default
NTCG103LH472K	B=3545K [ 25/85degC ]	Hide in Default
NTCG103UH103H	B=3950K [ 25/85degC ]	
NTCG103UH103J	B=3950K [ 25/85degC ]	Hide in Default
NTCG103UH103K	B=3950K [ 25/85degC ]	Hide in Default
NTCG103JF103F	B=3435K [ 25/85degC ]	
NTCG103JF103G	B=3435K [ 25/85degC ]	
NTCG103JF103H	B=3435K [ 25/85degC ]	
NTCG104EF104F	B=4250K [ 25/50degC ]	
NTCG104EF104G	B=4250K [ 25/50degC ]	
NTCG104EF104H	B=4250K [ 25/50degC ]	
NTCG104BF473F	B=4050K [ 25/50degC ]	
NTCG104BF473G	B=4050K [ 25/50degC ]	
NTCG104BF473H	B=4050K [ 25/50degC ]	
NTCG104BF473J	B=4050K [ 25/50degC ]	New

## NTCG16 Series - 23(62) Products

Product Name	Main Characteristic	Note
NTCG163EH300J	B=3250K [ 25/85degC ]	
NTCG163EH300K	B=3250K [ 25/85degC ]	Hide in Default
NTCG163EH400H	B=3250K [ 25/85degC ]	
NTCG163EH400J	B=3250K [ 25/85degC ]	Hide in Default
NTCG163EH400K	B=3250K [ 25/85degC ]	Hide in Default
NTCG163EH101H	B=3250K [ 25/85degC ]	
NTCG163EH101J	B=3250K [ 25/85degC ]	Hide in Default
NTCG163EH101K	B=3250K [ 25/85degC ]	Hide in Default
NTCG164BH102H	B=4100K [ 25/85degC ]	
NTCG164BH102J	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH102K	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH222H	B=4100K [ 25/85degC ]	
NTCG164BH222J	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH222K	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH332H	B=4100K [ 25/85degC ]	
NTCG164BH332J	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH332K	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH472H	B=4100K [ 25/85degC ]	
NTCG164BH472J	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH472K	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH103H	B=4100K [ 25/85degC ]	
NTCG164BH103J	B=4100K [ 25/85degC ]	Hide in Default
NTCG164BH103K	B=4100K [ 25/85degC ]	Hide in Default
NTCG164LH223H	B=4550K [ 25/85degC ]	

NTCG164LH223J	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH223K	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH333H	B=4550K [ 25/85degC ]	
NTCG164LH333J	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH333K	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH473H	B=4550K [ 25/85degC ]	
NTCG164LH473J	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH473K	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH683H	B=4550K [ 25/85degC ]	
NTCG164LH683J	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH683K	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH104H	B=4550K [ 25/85degC ]	
NTCG164LH104J	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH104K	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH154H	B=4550K [ 25/85degC ]	
NTCG164LH154J	B=4550K [ 25/85degC ]	Hide in Default
NTCG164LH154K	B=4550K [ 25/85degC ]	Hide in Default
NTCG164QH224H	B=4750K [ 25/85degC ]	
NTCG164QH224J	B=4750K [ 25/85degC ]	Hide in Default
NTCG164QH224K	B=4750K [ 25/85degC ]	Hide in Default
NTCG164QH334H	B=4750K [ 25/85degC ]	
NTCG164QH334J	B=4750K [ 25/85degC ]	Hide in Default
NTCG164QH334K	B=4750K [ 25/85degC ]	Hide in Default
NTCG164QH474H	B=4750K [ 25/85degC ]	
NTCG164QH474J	B=4750K [ 25/85degC ]	Hide in Default
NTCG164QH474K	B=4750K [ 25/85degC ]	Hide in Default
NTCG164QH105H	B=4750K [ 25/85degC ]	
NTCG164QH105J	B=4750K [ 25/85degC ]	Hide in Default
NTCG164QH105K	B=4750K [ 25/85degC ]	Hide in Default
NTCG163JH103H	B=3435K [ 25/85degC ]	
NTCG163JH103J	B=3435K [ 25/85degC ]	Hide in Default
NTCG163JH103K	B=3435K [ 25/85degC ]	Hide in Default
NTCG164CH473H	B=4150K [ 25/85degC ]	
NTCG164CH473J	B=4150K [ 25/85degC ]	Hide in Default
NTCG164CH473K	B=4150K [ 25/85degC ]	Hide in Default
NTCG163JF103F	B=3435K [ 25/85degC ]	
NTCG163JF103G	B=3435K [ 25/85degC ]	
NTCG163JF103H	B=3435K [ 25/85degC ]	

## NTCG20 Series - 16(32) Products

Product Name	Main Characteristic	Note
NTCG203EH471J	B=3250K [ 25/85degC ]	
NTCG203EH471K	B=3250K [ 25/85degC ]	Hide in Default
NTCG203EH681J	B=3250K [ 25/85degC ]	
NTCG203EH681K	B=3250K [ 25/85degC ]	Hide in Default
NTCG203BH102J	B=3100K [ 25/85degC ]	
NTCG203BH102K	B=3100K [ 25/85degC ]	Hide in Default
NTCG203BH152J	B=3100K [ 25/85degC ]	

NTCG203BH152K	B=3100K [ 25/85degC ]	Hide in Default
NTCG203FH222J	B=3300K [ 25/85degC ]	
NTCG203FH222K	B=3300K [ 25/85degC ]	Hide in Default
NTCG203FH332J	B=3300K [ 25/85degC ]	
NTCG203FH332K	B=3300K [ 25/85degC ]	Hide in Default
NTCG203JH472J	B=3450K [ 25/85degC ]	
NTCG203JH472K	B=3450K [ 25/85degC ]	Hide in Default
NTCG203JH682J	B=3450K [ 25/85degC ]	
NTCG203JH682K	B=3450K [ 25/85degC ]	Hide in Default
NTCG203NH103J	B=3650K [ 25/85degC ]	
NTCG203NH103K	B=3650K [ 25/85degC ]	Hide in Default
NTCG203NH153J	B=3650K [ 25/85degC ]	
NTCG203NH153K	B=3650K [ 25/85degC ]	Hide in Default
NTCG203SH223J	B=3850K [ 25/85degC ]	
NTCG203SH223K	B=3850K [ 25/85degC ]	Hide in Default
NTCG203SH333J	B=3850K [ 25/85degC ]	
NTCG203SH333K	B=3850K [ 25/85degC ]	Hide in Default
NTCG204AH473J	B=4000K [ 25/85degC ]	
NTCG204AH473K	B=4000K [ 25/85degC ]	Hide in Default
NTCG204AH683J	B=4000K [ 25/85degC ]	
NTCG204AH683K	B=4000K [ 25/85degC ]	Hide in Default
NTCG204CH104J	B=4150K [ 25/85degC ]	
NTCG204CH104K	B=4150K [ 25/85degC ]	Hide in Default
NTCG204CH154J	B=4150K [ 25/85degC ]	
NTCG204CH154K	B=4150K [ 25/85degC ]	Hide in Default